


AlMgSi0.5 F22 AW6060 FLACH
 EN755-5/EN573-3



mm	mm	6 mtr	kg/mtr	mm	mm	6 mtr	kg/mtr
12	3	X	0,100	50	6	X	0,810
15	3	X	0,125	50	8	X	1,080
15	5	X	0,202	50	10	X	1,350
15	6	X	0,245	50	12	X	1,620
15	8	X	0,324	50	15	X	2,030
15	10	X	0,405	50	20	X	2,700
20	3	X	0,165	50	30	X	4,050
20	4	X	0,220	60	3	X	0,486
20	5	X	0,270	60	4	X	0,650
20	6	X	0,325	60	5	X	0,810
20	8	X	0,435	60	6	X	0,972
20	10	X	0,540	60	8	X	1,300
20	12	X	0,648	60	10	X	1,620
20	15	X	0,810	60	12	X	1,940
25	3	X	0,203	60	15	X	2,430
25	4	X	0,270	60	20	X	3,240
25	5	X	0,340	70	5	X	0,945
25	6	X	0,405	70	10	X	1,890
25	8	X	0,540	80	3	X	0,650
25	10	X	0,675	80	4	X	0,860
25	12	X	0,840	80	5	X	1,080
25	15	X	1,015	80	6	X	1,300
25	20	X	1,350	80	8	X	1,730
30	3	X	0,245	80	10	X	2,160
30	4	X	0,324	80	12	X	2,592
30	5	X	0,405	80	15	X	3,240
30	6	X	0,490	80	20	X	4,320
30	8	X	0,650	90	10	X	2,430
30	10	X	0,810	100	3	X	0,810
30	12	X	0,975	100	4	X	1,100
30	15	X	1,220	100	5	X	1,350
30	20	X	1,620	100	6	X	1,620
40	3	X	0,324	100	8	X	2,160
40	4	X	0,435	100	10	X	2,700
40	5	X	0,540	100	15	X	4,050
40	6	X	0,648	100	20	X	5,600
40	8	X	0,864	120	5	X	1,620
40	10	X	1,080	120	6	X	1,944
40	12	X	1,300	120	8	X	2,600
40	15	X	1,620	120	10	X	3,240
40	20	X	2,160	120	15	X	4,860
40	30	X	3,240	120	20	X	6,480
50	3	X	0,405	150	10	X	4,050
50	4	X	0,540	200	10	X	5,400
50	5	X	0,675				

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

■ AIMgSI0.5 AW6060 RUND

EN755-3/EN573-3


mm	6 mtr	kg/mtr	mm	6 mtr	kg/mtr
8	X	0,140	20	X	0,850
10	X	0,212	25	X	1,320
12	X	0,305	30	X	1,910
15	X	0,480	40	X	3,390
16	X	0,543	50	X	5,300
18	X	0,680	60	X	7,630



■ AIMgSI0.5 F22 AW6060 VIERKANT

EN755-4/EN573-3


mm	6 mtr	kg/mtr	mm	6 mtr	kg/mtr
8	X	0,175	25	X	1,690
10	X	0,270	30	X	2,430
12	X	0,390	40	X	4,320
15	X	0,610	50	X	6,750
20	X	1,080			



■ AIMgSI0.5 F22 AW6060 U-PROFIL

EN755-9/EN573-3


mm	mm	mm	6 mtr	kg/mtr	mm	mm	mm	6 mtr	kg/mtr
15	15	2	X	0,221	40	20	2	X	0,410
20	20	2	X	0,320	40	30	3	X	0,790
20	20	3	X	0,455	40	40	4	X	1,250
25	25	2	X	0,400	50	30	3	X	0,842
25	25	3	X	0,560	50	50	4	X	1,533
30	20	2	X	0,350	50	50	5	X	1,940
30	30	2	X	0,490	60	30	3	X	0,925
30	30	3	X	0,715	60	60	4	X	1,858
35	35	3	X	0,800					




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

AIMgSI0.5 F22 AW6060 T-PROFIL
 EN755-9/EN573-3


mm	mm	mm	6 mtr	kg/mtr	mm	mm	mm	6 mtr	kg/mtr
20	20	2	X	0,205	40	40	4	X	0,820
25	25	3	X	0,380	50	50	5	X	1,285
30	30	3	X	0,461	60	60	4	X	1,252

AIMgSI0.5 F22 AW6060 WINKEL GLEICHSCHENKLIG
 EN755-9/EN573-3


mm	mm	mm	6 mtr	kg/mtr	mm	mm	mm	6 mtr	kg/mtr
15	15	2	X	0,151	45	45	2	X	0,480
15	15	3	X	0,220	50	50	2	X	0,531
20	20	2	X	0,205	50	50	3	X	0,785
20	20	3	X	0,299	50	50	4	X	1,040
25	25	2	X	0,259	50	50	5	X	1,290
25	25	3	X	0,380	60	60	2	X	0,637
25	25	4	X	0,500	60	60	3	X	0,950
30	30	2	X	0,313	60	60	4	X	1,252
30	30	3	X	0,465	60	60	5	X	1,552
30	30	4	X	0,604	60	60	6	X	1,850
30	30	5	X	0,742	60	60	8	X	2,420
35	35	2	X	0,370	80	80	4	X	1,685
35	35	3	X	0,545	80	80	6	X	2,500
40	40	2	X	0,423	80	80	8	X	3,283
40	40	3	X	0,650	100	100	4	X	2,110
40	40	4	X	0,824	100	100	6	X	3,140
40	40	5	X	1,015	100	100	10	X	5,200

AIMgSI0.5 F22 AW6060 WINKEL UNGLEICHSCHENKLIG
 EN755-9/EN573-3


mm	mm	mm	6 mtr	kg/mtr	mm	mm	mm	6 mtr	kg/mtr
20	10	2	X	0,151	50	30	4	X	0,821
20	15	2	X	0,178	50	30	5	X	1,027
25	10	2	X	0,180	50	40	4	X	0,929
25	15	2	X	0,205	60	20	2	X	0,425
25	20	2	X	0,235	60	30	3	X	0,704
30	15	2	X	0,232	60	30	5	X	1,163
30	20	2	X	0,260	60	40	2	X	0,530
30	20	3	X	0,380	60	40	3	X	0,785
30	20	4	X	0,500	60	40	4	X	1,040
40	15	2	X	0,290	60	40	5	X	1,285
40	20	2	X	0,315	80	30	3	X	0,900
40	20	3	X	0,461	80	40	2	X	0,655
40	20	4	X	0,604	80	40	4	X	1,253
40	30	2	X	0,370	80	40	6	X	1,850
40	30	3	X	0,545	80	60	6	X	2,171
50	20	2	X	0,370	100	30	3	X	1,027
50	20	3	X	0,545	100	50	3	X	1,200
50	30	2	X	0,426	100	50	5	X	1,958
50	30	3	X	0,625					

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.