


BLANKSTAHL S235JRC+C H11 FLACH
 EN10277/EN10278/EN10025



mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	3 mtr	6 mtr	kg/mtr
5	4	X		0,157	20	15	X	X	2,360
6	4	X		0,189	20	16	X		2,515
7	3	X		0,165	22	3	X		0,518
8	3	X		0,189	22	4	X		0,691
8	4	X		0,251	22	5	X		0,860
8	5	X		0,315	22	6	X		1,040
8	6	X		0,375	22	8	X		1,380
10	2	X		0,157	22	10	X		1,730
10	3	X		0,236	25	2	X		0,393
10	4	X		0,314	25	3	X		0,589
10	5	X		0,393	25	4	X		0,785
10	6	X		0,472	25	5	X		0,980
10	8	X		0,630	25	6	X		1,180
12	3	X		0,283	25	8	X		1,570
12	4	X		0,377	25	10	X		1,960
12	5	X		0,471	25	12	X		2,360
12	6	X		0,570	25	14	X		2,740
12	8	X		0,754	25	15	X	X	2,940
12	10	X		0,940	25	16	X		3,140
14	3	X		0,330	25	18	X		3,530
14	4	X		0,440	25	20	X		3,930
14	5	X		0,550	28	6	X		1,320
14	6	X		0,660	28	10	X		2,200
14	8	X		0,880	28	12	X		2,640
15	2	X		0,230	30	2	X		0,471
15	3	X		0,353	30	3	X		0,707
15	4	X		0,471	30	4	X		0,942
15	5	X		0,589	30	5	X		1,180
15	6	X		0,707	30	6	X		1,410
15	7	X		0,819	30	8	X		1,880
15	8	X		0,942	30	10	X		2,360
15	10	X		1,180	30	12	X	X	2,830
15	12	X		1,415	30	15	X	X	3,530
16	2	X		0,250	30	16	X		3,770
16	3	X		0,377	30	20	X	X	4,710
16	4	X		0,502	30	25	X		5,890
16	5	X		0,630	32	5	X		1,260
16	6	X		0,750	32	8	X		2,010
16	8	X		1,005	32	10	X		2,510
16	10	X		1,260	35	3	X		0,824
16	12	X		1,505	35	4	X		1,099
18	3	X		0,425	35	5	X		1,370
18	4	X		0,565	35	6	X		1,650
18	5	X		0,710	35	8	X		2,200
18	6	X		0,850	35	10	X	X	2,750
18	8	X		1,130	35	12	X		3,300
18	10	X		1,410	35	15	X		4,120
18	12	X		1,700	35	16	X		4,400
20	2	X		0,314	35	18	X		4,950
20	3	X		0,471	35	20	X		5,500
20	4	X		0,628	35	25	X	X	6,870
20	5	X		0,790	35	30	X		8,240
20	6	X		0,940	40	3	X		0,942
20	8	X		1,260	40	4	X		1,256
20	10	X		1,570	40	5	X		1,570
20	12	X		1,880	40	6	X		1,880

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.




BLANKSTAHL S235JRC+C H11 FLACH
 EN10277/EN10278/EN10025

mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	3 mtr	6 mtr	kg/mtr
40	8	X		2,510	60	35	X		16,490
40	10	X	X	3,140	60	40	X		18,840
40	12	X	X	3,770	60	50	X		23,560
40	15	X	X	4,710	65	8	X		4,080
40	16	X		5,020	65	10	X		5,100
40	18	X	X	5,650	65	12	X		6,120
40	20	X	X	6,280	65	15	X		7,650
40	25	X	X	7,850	65	20	X		10,210
40	30	X	X	9,420	70	4	X		2,198
40	35	X		10,990	70	5	X		2,750
45	3	X		1,060	70	6	X		3,300
45	4	X		1,413	70	8	X		4,400
45	5	X		1,766	70	10	X		5,500
45	6	X		2,120	70	12	X		6,600
45	8	X		2,830	70	15	X		8,240
45	10	X		3,530	70	20	X		10,990
45	12	X		4,240	70	25	X		13,740
45	15	X		5,300	70	30	X		16,490
45	20	X		7,070	70	35	X		19,230
45	25	X		8,830	70	40	X	X	21,980
45	30	X		10,600	70	50	X		27,400
45	35	X		12,360	75	12	X		7,070
50	3	X		1,178	75	20	X		11,780
50	4	X		1,570	80	4	X	X	2,510
50	5	X		1,960	80	5	X		3,140
50	6	X		2,360	80	6	X	X	3,770
50	8	X		3,140	80	8	X	X	5,020
50	10	X	X	3,930	80	10	X		6,280
50	12	X	X	4,710	80	12	X	X	7,540
50	15	X	X	5,890	80	15	X	X	9,420
50	16	X		6,280	80	16	X		10,050
50	20	X	X	7,850	80	20	X	X	12,560
50	25	X	X	9,810	80	25	X	X	15,600
50	30	X	X	11,780	80	30	X	X	18,840
50	35	X		13,740	80	35	X		21,980
50	40	X	X	15,700	80	40	X	X	25,120
55	5	X		2,160	80	50	X	X	31,400
55	6	X		2,590	80	60	X	X	37,680
55	10	X		4,320	90	5	X		3,530
55	12	X		5,180	90	6	X		4,240
55	15	X		6,480	90	8	X		5,650
55	20	X		8,640	90	10	X		7,070
55	25	X		10,790	90	12	X		8,480
60	3	X		1,413	90	15	X		10,600
60	4	X		1,884	90	20	X	X	14,130
60	5	X		2,360	90	25	X		17,660
60	6	X	X	2,830	90	30	X		21,200
60	8	X	X	3,770	90	40	X		28,260
60	10	X	X	4,710	90	50	X		35,320
60	12	X	X	5,650	90	60	X		42,400
60	14	X		6,600	100	4	X		3,140
60	15	X	X	7,070	100	5	X		3,930
60	16	X		7,540	100	6	X		4,710
60	18	X		8,480	100	8	X		6,280
60	20	X	X	9,420	100	10	X	X	7,850
60	25	X		11,780	100	12	X	X	9,420
60	30	X	X	14,130	100	15	X		11,770



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

BLANKSTAHL S235JRC+C H11 FLACH
 EN10277/EN10278/EN10025




mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	3 mtr	6 mtr	kg/mtr
100	16	X		12,560	150	20	X		23,550
100	20	X	X	15,700	150	25	X		29,440
100	25	X		19,630	150	30	X		35,330
100	30	X	X	23,550	150	32	X		37,680
100	32	X		25,120	150	35	X		41,210
100	35	X		27,480	150	40	X		47,100
100	40	X	X	31,400	150	50	X		58,880
100	50	X		39,260	150	60	X		70,700
100	60	X	X	47,100	160	6	X		7,540
110	6	X		5,180	160	8	X		10,050
110	8	X		6,910	160	10	X		12,560
110	10	X		8,640	160	12	X		15,070
110	12	X	X	10,360	160	15	X		18,840
110	15	X		12,950	160	20	X		25,120
110	20	X		17,270	160	25	X		31,400
110	25	X		21,600	160	30	X		37,680
110	30	X		25,910	160	40	X		50,240
110	35	X		30,223	160	50	X		62,800
120	5	X		4,710	180	6	X		8,478
120	6	X		5,650	180	8	X		11,300
120	8	X		7,540	180	10	X		14,130
120	10	X		9,420	180	12	X		16,956
120	12	X		11,300	180	15	X		21,200
120	15	X		14,130	180	20	X		28,260
120	20	X	X	18,840	180	25	X		35,360
120	25	X		23,550	180	30	X	X	42,390
120	30	X		28,260	180	40	X		56,520
120	40	X		37,680	200	5	X		7,850
120	50	X		47,100	200	6	X		9,420
120	60	X		56,520	200	8	X		12,560
120	80	X		75,400	200	10	X		15,700
125	15	X		14,720	200	12	X		18,840
130	6	X		6,120	200	15	X		23,550
130	8	X	X	8,160	200	20	X		31,400
130	10	X		10,210	200	25	X		39,250
130	12	X		12,250	200	30	X		47,100
130	15	X		15,310	200	40	X		62,800
130	20	X		20,410	200	50	X		78,500
130	25	X		25,510	200	60	X		96,000
130	30	X		30,620	220	10	X		17,270
130	40	X		40,820	220	12	X		20,724
140	6	X		6,590	220	15	X		25,905
140	8	X		8,790	220	20	X		34,540
140	10	X		10,990	220	30	X	X	51,810
140	12	X		13,190	250	8	X		15,700
140	15	X		16,490	250	10	X		19,625
140	20	X		21,980	250	12	X		23,550
140	25	X		27,480	250	15	X		29,440
140	30	X		32,970	250	20	X		39,250
140	40	X		43,960	250	25	X		49,063
140	50	X		54,960	250	30	X		58,880
150	5	X		5,890	250	40	X		78,500
150	6	X		7,070	300	10	X		23,550
150	8	X		9,420	300	12	X		28,260
150	10	X		11,770	300	15	X		35,330
150	12	X		14,130	300	20	X		47,100
150	15	X		17,660	300	25	X		58,900

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.




BLANKSTAHL S235JRC+C H11 FLACH
 EN10277/EN10278/EN10025

mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	3 mtr	6 mtr	kg/mtr
300	30	X		70,660	400	10	X		31,400
300	40	X		94,200	400	12	X		37,680
350	12	X		32,970	400	15	X		47,100
350	15	X		41,213	400	20	X		62,800
350	20	X		54,950	400	25	X		78,500




BLANKSTAHL C45+C H11 FLACH
 EN10277/EN10278/EN10083

mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	3 mtr	6 mtr	kg/mtr
20	10	X		1,570	50	40		X	15,700
30	6		X	1,410	60	10		X	4,710
30	10	X		2,360	60	40	X		18,840
35	15		X	4,120	80	12		X	7,540
40	8		X	2,510	100	15		X	11,770
40	10		X	3,140	100	20	X		15,700
40	15		X	4,710	100	30		X	23,550
40	20	X		6,280	100	40		X	31,400
40	25	X		7,850	100	50	X	X	39,300
40	30	X		9,420	120	15	X		14,100
45	12		X	4,240	120	20	X		18,800
50	15	X		5,890	120	30		X	28,260
50	20		X	7,850	120	40		X	37,700
50	35	X		13,740	120	50		X	47,100




BLANKSTAHL S235JRC+C/SH H9 RUND
 EN10277/EN10278/EN10025

mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
3	X		0,055	26		X	4,170
4	X		0,099	28		X	4,830
5	X		0,154	30		X	5,550
6	X	X	0,222	32		X	6,310
7	X		0,302	35		X	7,550
8	X	X	0,395	36		X	7,990
9	X	X	0,499	38		X	8,900
10	X	X	0,617	40		X	9,860
11	X	X	0,746	42		X	10,900
12	X	X	0,888	45		X	12,500
13		X	1,040	50		X	15,400
14		X	1,210	55		X	18,700
15		X	1,390	60		X	22,200
16		X	1,580	65		X	26,050
17		X	1,782	70		X	30,200
18		X	2,000	75		X	34,700
19		X	2,230	80		X	39,500
20		X	2,466	90		X	49,900
22		X	2,980	100		X	61,700
23		X	3,261	110		X	74,600
24		X	3,550	120		X	88,800
25		X	3,850				




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

BLANKSTAHL S355J2C+C/SH H9 RUND
 EN10277/EN10278/EN10025



mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
6	X	X	0,222	40	X	X	9,865
8		X	0,395	42		X	10,880
9		X	0,499	45		X	12,480
10	X	X	0,617	50		X	15,410
12		X	0,888	55		X	18,650
14		X	1,208	60		X	22,190
15		X	1,387	65		X	26,050
16		X	1,578	70		X	30,210
18		X	1,998	75		X	34,680
20		X	2,466	80		X	39,460
22		X	2,984	85		X	44,550
24		X	3,549	90		X	49,940
25		X	3,853	100	X	X	61,650
26		X	4,168	110		X	74,563
28		X	4,834	120		X	88,736
30		X	5,546	130		X	104,000
32		X	6,313	140		X	120,780
35		X	7,549				

BLANKSTAHL C35+C/SH H9 RUND
 EN10277/EN10278/EN10083




mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
6	X		0,222	40		X	9,860
8		X	0,395	42		X	10,880
10	X	X	0,617	45		X	12,479
12		X	0,888	50		X	15,400
14		X	1,210	55		X	18,700
15		X	1,390	60		X	22,190
16		X	1,580	65		X	26,100
18		X	2,000	70		X	30,200
20		X	2,466	75		X	34,680
22		X	2,980	80		X	39,438
24		X	3,550	85		X	44,550
25		X	3,850	90		X	49,900
26		X	4,170	95		X	55,640
28		X	4,830	100		X	61,623
30		X	5,550	110		X	74,563
32		X	6,310	120		X	88,736
35		X	7,550	150		X	138,651

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


BLANKSTAHL C45+C/SH H9 RUND
 EN10277/EN10278/EN10083

mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
8	X	X	0,395	40		X	9,860
10		X	0,617	45		X	12,479
12		X	0,888	50		X	15,400
14		X	1,210	55		X	18,641
15		X	1,390	60		X	22,184
16		X	1,578	65		X	26,050
18		X	2,000	70		X	30,200
20		X	2,470	75		X	34,663
21	X		2,719	80		X	39,438
22		X	2,980	90		X	49,900
24		X	3,550	100		X	61,623
25		X	3,850	110		X	74,563
30		X	5,550	120		X	88,736
35		X	7,550	130		X	104,142




BLANKSTAHL C45+SL H6 GESCHLIFFEN RUND
 EN10277/EN10278/EN10083

mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
8		X	0,395	35		X	7,549
10		X	0,617	40		X	9,865
12		X	0,888	45		X	12,480
14		X	1,210	50		X	15,410
15		X	1,387	55		X	18,650
16		X	1,578	60		X	22,190
17		X	1,782	65		X	26,050
18		X	1,998	70		X	30,210
20		X	2,466	75		X	34,680
22		X	2,984	80		X	39,460
24		X	3,551	90		X	49,940
25		X	3,853	100		X	61,650
28		X	4,834	110		X	74,600
30		X	5,549	120		X	88,736




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

BLANKSTAHL 16MNCR5+C/SH H9 RUND
 EN10277/EN10278/EN10084




mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	3 mtr	6 mtr	kg/mtr
8		X		0,395	35		X		7,553
10		X		0,617	40		X		9,865
15		X		1,387	45		X		12,480
18		X		1,998	50		X		15,410
20		X		2,466	55		X		18,650
25		X		3,853	60		X		22,190
30		X		5,549	70		X		30,210

AUTOMATENSTAHL 11SMN30+C/SH H9 RUND
 EN10277/EN10278/EN10087



mm	3 mtr	kg/mtr	mm	3 mtr	kg/mtr
4	X	0,099	32	X	6,310
5	X	0,154	34	X	7,127
6	X	0,222	35	X	7,550
7	X	0,302	36	X	7,990
8	X	0,395	40	X	9,860
9	X	0,499	42	X	10,880
10	X	0,617	43	X	11,400
12	X	0,888	45	X	12,500
13	X	1,040	50	X	15,400
14	X	1,210	52	X	16,663
15	X	1,390	55	X	18,700
16	X	1,580	60	X	22,200
17	X	1,782	65	X	26,050
18	X	2,000	70	X	30,200
19	X	2,230	75	X	34,680
20	X	2,470	80	X	39,438
22	X	2,980	85	X	44,522
24	X	3,550	90	X	49,914
25	X	3,850	95	X	55,614
26	X	4,170	100	X	61,623
28	X	4,830	110	X	74,563
30	X	5,550	120	X	88,736

AUTOMATENSTAHL 11SMNPB30/37+C/SH H9 RUND
 EN10277/EN10278/EN10087




mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	3 mtr	6 mtr	kg/mtr
4		X		0,099	35			X	7,549
15		X		1,387	40		X		9,865
19		X		2,225	50		X		15,410
20		X		2,466	52		X		16,663
30		X		5,549	85		X		44,522

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

BLANKSTAHL S235JRC+C H11 VIERKANT
 EN10277/EN100278/EN10025

mm	3 mtr	6 mtr	kg/mtr
4	X		0,126
5	X		0,196
6	X		0,283
8	X		0,502
10	X		0,785
11	X		0,950
12	X		1,130
13	X		1,327
14	X		1,539
15	X		1,766
16	X		2,010
17	X		2,269
18	X		2,543
20	X	X	3,140
22	X		3,799
24		X	4,522


mm	mm	3 mtr	6 mtr	kg/mtr
25		X	X	4,906
28		X		6,154
30		X	X	7,065
32		X		8,038
35		X		9,616
36		X		10,174
40		X	X	12,560
45		X		15,896
50		X	X	19,625
60		X	X	28,260
70		X		38,465
80		X	X	50,240
90		X		63,585
100		X	X	78,500
120		X		113,040



BLANKSTAHL S355J2C+C H11 VIERKANT

mm	3 mtr	6 mtr	kg/mtr
20		X	3,140
25		X	4,906
30		X	7,065
35		X	9,616
40		X	12,560
50		X	19,625


mm	mm	3 mtr	6 mtr	kg/mtr
60			X	28,260
70			X	38,460
80			X	50,240
90			X	63,585
100			X	78,500



BLANKSTAHL C45+C H11 VIERKANT
 EN10277/EN10278/EN10083

mm	3 mtr	6 mtr	kg/mtr
12	X		1,130
15	X		1,766
18	X		2,543
20	X		3,140
22	X		3,799
25	X		4,906
30		X	7,065
35	X		9,616


mm	3 mtr	6 mtr	kg/mtr
40	X		12,560
45	X		15,890
50	X	X	19,620
60	X	X	28,260
70		X	38,460
80	X		50,240
90	X		63,580
100	X		78,500



AUTOMATENSTAHL 11SMN30+C H11 SECHSKANT
 EN10277/EN10278/EN10087

mm	3 mtr	6 mtr	kg/mtr
10	X		0,680
11	X		0,823
12	X		0,979
13	X		1,149
17	X		1,965
19	X		2,454


mm	3 mtr	6 mtr	kg/mtr
24	X		3,916
27	X		4,956
30	X		6,118
36	X		8,811
55	X		20,565



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

AUTOMATENSTAHL 11SMNPB30/37+C H11 SECHSKANT

EN10277/EN10278/EN10087



mm	3 mtr	6 mtr	kg/mtr	mm	3 mtr	6 mtr	kg/mtr
8	X		0,435	24	X		3,916
9	X		0,551	27	X		4,956
13	X		1,149	30	X		6,118
14	X		1,330	32	X		6,961
17	X		1,965	36	X		8,811
19	X		2,454	41	X		11,428
22	X		3,290	46	X		14,385

BLANKSTAHL S235JRC+C DREIKANT


EN10277/EN 10278/EN 10025



mm	mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	mm	3 mtr	6 mtr	kg/mtr
10	10	10	X		0,350	15	15	21,15	X		0,900
10	10	14,1	X		0,400	20	20	28,30	X		1,570

BLANKSTAHL S235JRC+C GLEICHSCH. WINKEL


DIN 59370/EN10025



mm	mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	mm	3 mtr	6 mtr	kg/mtr
10	10	2	X		0,280	30	30	5	X		2,180
12	12	2	X		0,380	35	35	3	X		1,600
12	12	3	X		0,570	35	35	4	X		2,100
15	15	2	X		0,490	35	35	5	X		2,570
15	15	3	X		0,620	40	40	3	X		1,820
20	20	2	X		0,590	40	40	4	X		2,420
20	20	3	X		0,880	40	40	5	X		2,970
20	20	4	X		1,140	40	40	6	X		3,520
25	25	2	X		0,750	45	45	5	X		3,380
25	25	3	X		1,120	50	50	5	X		3,770
25	25	4	X		1,450	50	50	6	X		4,470
25	25	5	X		1,770	60	60	6	X	X	5,420
30	30	2	X		0,950	80	80	8	X	X	9,660
30	30	3	X		1,360	100	100	10	X	X	15,100
30	30	4	X		1,780						

BLANKSTAHL S235JRC+C UNGLEICHSCH. WINKEL

DIN 59370/EN10025




mm	mm	mm	3 mtr	6 mtr	kg/mtr	mm	mm	mm	3 mtr	6 mtr	kg/mtr
20	10	3	X		0,640	45	30	4	X		2,250
20	15	3	X		0,740	45	30	5	X		2,770
20	15	4	X		0,900	50	30	5	X		2,960
25	15	3	X		0,870	60	30	5	X		3,370
30	20	3	X		1,110	60	40	5	X		3,760
30	20	4	X		1,450	80	40	6	X		5,410
40	20	3	X		1,350	100	50	10	X	X	11,100
40	20	4	X		1,770	130	65	10		X	14,600
40	20	5	X		2,100	150	75	12		X	22,000
40	30	3	X		1,650						

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


BLANKER KEILSTAHL C45+C H9/H11 FLACH
 DIN 6680/EN10083

mm	mm	3 mtr	kg/mtr	mm	mm	3 mtr	kg/mtr
8	7	X	0,440	20	12	X	1,884
10	6	X	0,470	22	14	X	2,418
10	8	X	0,630	25	14	X	2,750
12	8	X	0,754	28	16	X	3,520
12	10	X	0,940	32	18	X	4,520
14	9	X	0,990	36	20	X	5,650
16	10	X	1,260	40	22	X	6,910
18	11	X	1,554				




BLANKER KEILSTAHL C45+C H11 VIERKANT
 DIN 6680/EN10083

mm	3 mtr	kg/mtr	mm	3 mtr	kg/mtr
5	X	0,196	12	X	1,130
6	X	0,283	14	X	1,539
8	X	0,502	16	X	2,010
10	X	0,785			



SILBERSTAHL 115CRV3 RUND
 EN10278/ISO 4957

mm	2 mtr	kg/mtr	mm	2 mtr	kg/mtr
2	X	0,025	14	X	1,208
2,5	X	0,039	15	X	1,387
3	X	0,055	16	X	1,578
4	X	0,099	17	X	1,782
5	X	0,154	18	X	1,998
6	X	0,222	20	X	2,466
7	X	0,302	22	X	2,984
8	X	0,395	24	X	3,551
9	X	0,499	25	X	3,853
10	X	0,617	30	X	5,550
11	X	0,746	35	X	7,550
12	X	0,888	40	X	9,860
13	X	1,042	50	X	15,400



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.