

WIR HABEN DEN BOGEN



ROHRBOGEN BAUART 3 S - 90 GRAD - STAHL S235 EN10253-1

Zoll	Abmessung		GTIN
1/2	21,3 x 2,0 mm	DIN 2605	4062768189614
3/4	26,9 x 2,3 mm		4062768189621
1	33,7 x 2,6 mm		4062768189638
1 1/4	42,4 x 2,6 mm		4062768189645
1 1/2	48,3 x 2,6 mm		4062768189652
	51,0 x 2,6 mm		4062768189669
	57,0 x 2,9 mm		4062768189676
2	60,3 x 2,9 mm		4062768189683
	70,0 x 2,9 mm		4062768189737
2 1/2	76,1 x 2,9 mm		4062768189744
3	88,9 x 3,2 mm		4062768189690
3 1/2	101,6 x 3,6 mm		4062768189706
	108,0 x 3,6 mm		4062768189713
4	114,3 x 3,6 mm		4062768189720
	121,0 x 4,0 mm		4062768189768
	133,0 x 4,0 mm		4062768189775
5	139,7 x 4,0 mm		4062768189782
	159,0 x 4,5 mm		4062768189799
6	168,3 x 4,5 mm		4062768189805
	193,7 x 5,6 mm		4062768284166
	219,1 x 6,3 mm		4062768284173
	273,0 x 6,3 mm		4062768284593



ROHRBOGEN BAUART 3 S - 180 GRAD STAHL S235 EN10253-1

Zoll	Abmessung	GTIN
1	33,7 x 2,6 mm	4062768096967
1 1/4	42,4 x 2,6 mm	4062768189812
1 1/2	48,3 x 2,6 mm	4062768097087
2	60,3 x 2,9 mm	4062768189829



ROHRBOGEN BAUART 5 S - 90 GRAD STAHL S235 EN10253-1

Zoll	Abmessung	GTIN
1 1/4	42,4 x 2,6 mm	4062768189836
1 1/2	48,3 x 2,6 mm	4062768189843



GELÄNDERROHRBOGEN - 90 GRAD STAHL

Zoll	Abmessung	GTIN
1/2	21,3 x 1,75 mm	4062768189850
3/4	26,9 x 1,75 mm	4062768189867
1	33,7 x 2,00 mm	4062768189874
1 1/4	42,4 x 2,00 mm	4062768189881
1 1/2	48,3 x 2,00 mm	4062768189898
2	60,3 x 2,50 mm	4062768189904

ABDECKTELLER LEICHT GEWÖLBT STAHL DC 04 EN10130



Zoll	Abmessung	GTIN
3/4	27,0 x 1,5 mm	4062768189911
1	33,0 x 2,0 mm	4062768189928
1 1/4	42,0 x 2,0 mm	4062768189935
1 1/2	48,0 x 2,0 mm	4062768189942
2	60,0 x 2,5 mm	4062768189959
	70,0 x 2,5 mm	4062768189997
2 1/2	76,0 x 2,5 mm	4062768189966
3	89,0 x 2,5 mm	4062768189973
3 1/2	101,0 x 2,5 mm	4062768189980

KLÖPPERBODEN TIEFGEWÖLBT S235JR DIN28011/EN10253-1



Zoll	Abmessung	GTIN
1	33,7 x 3,0 mm	4062768190009
1 1/4	42,4 x 3,0 mm	4062768190016
1 1/2	48,3 x 3,0 mm	4062768190023
2	60,3 x 3,0 mm	4062768190030
2 1/2	76,1 x 3,0 mm	4062768271357
3	88,9 x 3,0 mm	4062768271364
3 1/2	101,6 x 4,0 mm	4062768271371
	108,0 x 4,0 mm	4062768190085
4	114,3 x 4,0 mm	4062768271388
	121,0 x 4,0 mm	4062768271395
	133,0 x 4,0 mm	4062768190092
5	139,7 x 4,0 mm	4062768190061
	159,0 x 5,0 mm	4062768190047
6	168,3 x 5,0 mm	4062768190078
	193,7 x 5,0 mm	4062768190054



■ ROHRBOGEN BAUART 3D - 90 GRAD EINNAHT
EDELSTAHL 1.4541 EN10253-4

Abmessung	GTIN
21,3 x 2 mm	4062768190146
25,0 x 2 mm	4062768190214
26,9 x 2 mm	4062768190153
30,0 x 2 mm	4062768190160
33,7 x 2 mm	4062768190177
40,0 x 2 mm	4062768190252
42,4 x 2 mm	4062768190184
48,3 x 2 mm	4062768190191
60,3 x 2 mm	4062768190207
76,1 x 2 mm	4062768190245
88,9 x 2,0 mm	4062768284609
101,6 x 2,0 mm	4062768284616
108,0 x 2,0 mm	4062768284623
114,3 x 3,0 mm	4062768284630
139,7 x 3,0 mm	4062768284647
168,3 x 3,0 mm	4062768284654
219,1 x 2,0 mm	4062768193284




■ ROHRBOGEN BAUART 3D - 90 GRAD EINNAHT
GESCHLIFFEN K240 EDELSTAHL 1.4541
DIN2605

Abmessung	GTIN
* 33,7 x 2 mm	4062768190221

* Auslaufartikel - lieferbar, solange Vorrat reicht

■ ABDECKTELLER LEICHT GEWÖLBT
EDELSTAHL 1.4301

Zoll	Abmessung	GTIN
3/4	27 x 1,5 mm	4062768190108
1	33 x 2,0 mm	4062768190115
1 1/4	42 x 2,0 mm	4062768190122
1 1/2	48 x 2,0 mm	4062768190139



■ ROHRBOGEN BAUART 3D - 90 GRAD,
GESCHLIFFEN K240 EDELSTAHL V2A

Abmessung	GTIN
33,7 x 2,0 mm	4062768286399
42,4 x 2,0 mm	4062768286405

**WUNSCH-
PRODUKT NICHT
GEFUNDEN?**

WIR BERATEN SIE GERNE

Telefon: 07961 885-281
E-Mail: stanzteile@kicherer.de