

■ **FLACH EDELSTAHL 1.4301 VOM BAND**  
 EN10058/EN10088


mm	mm	Länge mtr	kg/mtr	GTIN
10,0	3,0	4	0,240	4062768167605
15,0	3,0	4	0,353	4062768165267
15,0	4,0	4	0,471	4062768165274
15,0	5,0	4	0,589	4062768165281
15,0	6,0	4	0,707	4062768165298
20,0	3,0	6	0,471	4062768165328
20,0	4,0	6	0,628	4062768165335
20,0	5,0	6	0,785	4062768165342
20,0	6,0	6	0,942	4062768165359
20,0	8,0	6	1,260	4062768165366
20,0	10,0	6	1,570	4062768165373
25,0	3,0	6	0,589	4062768165403
25,0	4,0	6	0,785	4062768165410
25,0	5,0	6	0,981	4062768165427
25,0	6,0	6	1,178	4062768165434
25,0	8,0	6	1,570	4062768165441
25,0	10,0	6	1,963	4062768165458
30,0	3,0	6	0,710	4062768165496
30,0	4,0	6	0,942	4062768165502
30,0	5,0	6	1,180	4062768165519
30,0	6,0	6	1,413	4062768165526
30,0	8,0	6	1,884	4062768165533
30,0	10,0	6	2,355	4062768165540
30,0	12,0	6	2,826	4062768169357
35,0	5,0	6	1,370	4062768165601
35,0	6,0	6	1,650	4062768165618
35,0	8,0	6	2,200	4062768165625
35,0	10,0	6	2,750	4062768165632
40,0	3,0	6	0,942	4062768165670
40,0	4,0	6	1,260	4062768165687
40,0	5,0	6	1,570	4062768165694
40,0	6,0	6	1,880	4062768165700
40,0	8,0	6	2,510	4062768165717
40,0	10,0	6	3,140	4062768165724
40,0	12,0	6	3,770	4062768169364
50,0	3,0	6	1,180	4062768165878
50,0	4,0	6	1,570	4062768165885
50,0	5,0	6	1,960	4062768165892
50,0	6,0	6	2,360	4062768165908
50,0	8,0	6	3,140	4062768165915
50,0	10,0	6	3,930	4062768165922
50,0	12,0	6	4,710	4062768165939

mm	mm	Länge mtr	kg/mtr	GTIN
60,0	4,0	4	1,884	4062768165984
60,0	5,0	6	2,360	4062768165991
60,0	6,0	6	2,830	4062768166004
60,0	8,0	6	3,770	4062768166011
60,0	10,0	6	4,710	4062768166028
60,0	12,0	6	5,650	4062768166035
70,0	5,0	6	2,750	4062768166080
70,0	6,0	6	3,300	4062768166097
70,0	8,0	6	4,400	4062768166103
70,0	10,0	6	5,500	4062768166110
80,0	5,0	6	3,140	4062768166165
80,0	6,0	6	3,770	4062768166172
80,0	8,0	6	5,020	4062768166189
80,0	10,0	6	6,280	4062768166196
80,0	12,0	6	7,540	4062768166202
100,0	4,0	6	3,140	4062768168930
100,0	5,0	6	3,930	4062768166738
100,0	6,0	6	4,710	4062768166325
100,0	8,0	6	6,280	4062768166332
100,0	10,0	6	7,850	4062768166349
100,0	12,0	6	9,420	4062768166356
120,0	5,0	6	4,710	4062768167438
120,0	6,0	6	5,650	4062768166400
120,0	8,0	6	7,450	4062768166417
120,0	10,0	6	9,420	4062768166424
120,0	12,0	6	11,300	4062768166431
140,0	8,0	6	8,950	4062768166486
140,0	10,0	6	11,200	4062768166493
150,0	6,0	6	7,200	4062768166509
150,0	8,0	6	9,600	4062768166516
150,0	10,0	6	12,000	4062768166523
160,0	10,0	6	12,560	4062768167650
180,0	10,0	6	14,130	4062768167704
200,0	8,0	6	12,560	4062768167421
200,0	10,0	6	15,700	4062768167414
200,0	12,0	4	18,840	4062768169197


Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

**FLACH EDELSTAHL 1.4301 GEWALZT HL 5-6 M**  
 EN10058/EN10088


mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
20,0	12,0	6	1,880	4062768165380	50,0	25,0	6	9,810	4062768165960
20,0	15,0	6	2,360	4062768165397	50,0	30,0	6	11,800	4062768165977
25,0	12,0	6	2,355	4062768165465	50,0	40,0	6	15,700	4062768169111
25,0	15,0	6	2,940	4062768165472	60,0	15,0	6	7,070	4062768166042
25,0	20,0	6	4,000	4062768165489	60,0	20,0	6	9,420	4062768166059
30,0	12,0	6	2,826	4062768165557	60,0	30,0	6	14,100	4062768166073
30,0	15,0	6	3,532	4062768165564	60,0	40,0	6	18,840	4062768168985
30,0	20,0	6	4,710	4062768165571	80,0	15,0	6	9,420	4062768166219
30,0	25,0	6	5,900	4062768167384	80,0	20,0	6	12,600	4062768166226
35,0	8,0	6	2,200	4062768169371	80,0	30,0	6	18,800	4062768166240
40,0	12,0	6	3,770	4062768165731	80,0	40,0	6	25,120	4062768168992
40,0	15,0	6	4,710	4062768165748	90,0	15,0	6	10,600	4062768166301
40,0	20,0	6	6,280	4062768165755	100,0	15,0	6	11,800	4062768166363
40,0	25,0	6	7,850	4062768165779	100,0	20,0	6	15,700	4062768166370
40,0	30,0	6	9,420	4062768165786	100,0	30,0	6	23,600	4062768166394
50,0	15,0	6	5,890	4062768165946	100,0	40,0	6	31,400	4062768169005
50,0	20,0	6	7,850	4062768165953	120,0	15,0	6	14,100	4062768166448
					120,0	20,0	6	18,800	4062768166455


**FLACH EDELSTAHL 1.4301 VOM BAND ALLSEITIG GESCHL. K240**  
 EN10058/EN10088


mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
20,0	5,0	6	0,790	4062768167490	60,0	5,0	6	2,360	4062768166653
20,0	6,0	6	0,940	4062768167513	60,0	6,0	6	2,830	4062768166660
20,0	8,0	6	1,260	4062768167520	60,0	8,0	6	3,770	4062768166677
20,0	10,0	6	1,570	4062768167537	60,0	10,0	6	4,720	4062768166684
25,0	5,0	6	0,980	4062768167506	60,0	12,0	6	5,650	4062768169159
25,0	6,0	6	1,180	4062768167544	70,0	10,0	6	5,500	4062768267503
25,0	8,0	6	1,570	4062768167551	80,0	5,0	6	3,140	4062768167445
25,0	10,0	6	1,960	4062768167568	80,0	6,0	6	3,770	4062768167452
30,0	4,0	6	0,942	4062768169203	80,0	8,0	6	5,020	4062768166691
30,0	5,0	6	1,180	4062768166530	80,0	10,0	6	6,300	4062768166707
30,0	6,0	6	1,413	4062768166547	100,0	5,0	6	3,930	4062768167469
30,0	8,0	6	1,884	4062768166554	100,0	6,0	6	4,710	4062768167476
30,0	10,0	6	2,360	4062768166561	100,0	8,0	6	6,280	4062768167483
30,0	12,0	6	2,830	4062768169128	100,0	10,0	6	7,850	4062768166714
35,0	4,0	6	1,099	4062768198487	120,0	8,0	6	7,450	4062768169074
40,0	4,0	6	1,260	4062768169012	120,0	10,0	6	9,420	4062768169081
40,0	5,0	6	1,570	4062768166578	140,0	8,0	6	8,950	4062768169241
40,0	6,0	6	1,880	4062768166585	140,0	10,0	6	11,200	4062768169258
40,0	8,0	6	2,510	4062768166592	150,0	8,0	6	9,600	4062768169227
40,0	10,0	6	3,140	4062768166608	150,0	10,0	6	12,000	4062768169289
40,0	12,0	6	3,770	4062768169135	200,0	10,0	6	15,700	4062768198470
50,0	5,0	6	1,960	4062768166615					
50,0	6,0	6	2,360	4062768166622					
50,0	8,0	6	3,140	4062768166639					
50,0	10,0	6	3,930	4062768166646					
50,0	12,0	6	4,710	4062768169142					



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


**■ FLACH EDELSTAHL 1.4301 GEWALZT GESCHL. K240**  
 EN10058/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN
40,0	15,0	6	4,710	4062768169234
50,0	15,0	6	5,890	4062768167575
60,0	15,0	6	7,070	4062768169166


**■ FLACH EDELSTAHL 1.4301 BLANK GEZOGEN**  
 EN10278/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN
10,0	5,0	3	0,400	4062768168909
15,0	5,0	3	0,600	4062768168787
15,0	6,0	3	0,707	4062768168817
15,0	8,0	3	0,960	4062768168824
15,0	10,0	3	1,180	4062768168831
15,0	12,0	3	1,413	4062768169265
20,0	5,0	3	0,790	4062768166745
20,0	6,0	3	0,940	4062768166752
20,0	8,0	3	1,260	4062768166769
20,0	10,0	3	1,570	4062768166776
20,0	12,0	3	1,880	4062768166783
20,0	15,0	3	2,360	4062768166790
25,0	5,0	3	0,980	4062768166806
25,0	6,0	3	1,180	4062768166813
25,0	8,0	3	1,570	4062768166820
25,0	10,0	3	1,960	4062768166837
25,0	12,0	3	2,360	4062768168848
25,0	15,0	3	2,940	4062768166844
25,0	20,0	3	3,930	4062768166851
30,0	4,0	3	0,940	4062768168855
30,0	5,0	3	1,180	4062768166868
30,0	6,0	3	1,410	4062768166875
30,0	8,0	3	1,880	4062768166882
30,0	10,0	3	2,360	4062768166899
30,0	12,0	3	2,830	4062768166905
30,0	15,0	3	3,532	4062768166912
30,0	20,0	3	4,710	4062768166929
30,0	25,0	3	5,890	4062768166936
35,0	15,0	3	4,120	4062768169098
40,0	4,0	3	1,256	4062768169326
40,0	5,0	3	1,570	4062768166943
40,0	6,0	3	1,880	4062768166950
40,0	8,0	3	2,510	4062768166967
40,0	10,0	3	3,140	4062768166974
40,0	12,0	3	3,770	4062768166981
40,0	15,0	3	4,710	4062768166998
40,0	20,0	3	6,280	4062768167001
40,0	25,0	3	7,850	4062768167018
40,0	30,0	3	9,420	4062768167025


mm	mm	Länge mtr	kg/mtr	GTIN
50,0	4,0	3	1,570	4062768169333
50,0	5,0	3	1,960	4062768167032
50,0	6,0	3	2,360	4062768167049
50,0	8,0	3	3,140	4062768167056
50,0	10,0	3	3,930	4062768167063
50,0	12,0	3	4,710	4062768167070
50,0	15,0	3	5,890	4062768167087
50,0	20,0	3	7,850	4062768167094
50,0	25,0	3	9,810	4062768167100
50,0	30,0	3	11,800	4062768167117
50,0	40,0	3	15,700	4062768169104
60,0	4,0	3	1,884	4062768169340
60,0	5,0	3	2,360	4062768167124
60,0	6,0	3	2,830	4062768167131
60,0	8,0	3	3,770	4062768167148
60,0	10,0	3	4,710	4062768167155
60,0	12,0	3	5,650	4062768167162
60,0	15,0	3	7,070	4062768167179
60,0	20,0	3	9,420	4062768167186
60,0	25,0	3	11,780	4062768167193
60,0	30,0	3	14,100	4062768167209
60,0	40,0	3	18,840	4062768167216
80,0	5,0	3	3,140	4062768167223
80,0	6,0	3	3,770	4062768167230
80,0	8,0	3	5,020	4062768167247
80,0	10,0	3	6,280	4062768167254
80,0	15,0	3	9,420	4062768167261
80,0	20,0	3	12,560	4062768167278
80,0	30,0	3	18,800	4062768167285
80,0	40,0	3	25,120	4062768167292
100,0	5,0	3	3,930	4062768167308
100,0	6,0	3	4,710	4062768167315
100,0	8,0	3	6,280	4062768167322
100,0	10,0	3	7,850	4062768167339
100,0	12,0	3	9,420	4062768167346
100,0	15,0	3	11,780	4062768167353
100,0	20,0	3	15,700	4062768167360
100,0	30,0	3	23,600	4062768167377

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

■ **FLACH EDELSTAHL 1.4571 VOM BAND**  
EN10058/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN
20	5	6	0,790	4062768167797
20	6	6	0,940	4062768167803
20	8	6	1,260	4062768167810
20	10	6	1,570	4062768167827
25	6	6	1,180	4062768167889
30	5	6	1,180	4062768167964
30	6	6	1,410	4062768167971
30	8	6	1,880	4062768167988
30	10	6	2,360	4062768167995
40	5	6	1,570	4062768168053
40	6	6	1,880	4062768168060
40	8	6	2,510	4062768168077
40	10	6	3,140	4062768168084
50	5	6	1,960	4062768168169
50	6	6	2,360	4062768168176


mm	mm	Länge mtr	kg/mtr	GTIN
50	8	6	3,140	4062768168183
50	10	6	3,930	4062768168190
60	5	6	2,360	4062768168282
60	6	6	2,830	4062768168299
60	8	6	3,770	4062768168305
60	10	6	4,710	4062768168312
80	5	6	3,140	4062768168497
80	6	6	3,770	4062768168503
80	8	6	5,020	4062768168510
80	10	6	6,260	4062768168527
100	5	6	3,930	4062768168596
100	6	6	4,710	4062768168602
100	8	6	6,280	4062768168619
100	10	6	7,850	4062768168626



■ **RUND EDELSTAHL 1.4301 GEZOGEN**  
EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN
2,0	3	0,030	4062768175464
3,0	3	0,055	4062768172531
4,0	3	0,099	4062768172548
5,0	3	0,154	4062768172555
6,0	3	0,222	4062768172562
6,0	6	0,222	4062768269804
7,0	3	0,302	4062768172579
8,0	3	0,400	4062768172586
8,0	6	0,400	4062768173484
10,0	3	0,617	4062768172609
10,0	6	0,617	4062768172616
12,0	3	0,888	4062768172647
12,0	6	0,888	4062768172654
14,0	3	1,208	4062768172685
14,0	6	1,208	4062768172708
15,0	3	1,387	4062768172715
15,0	6	1,387	4062768172722
16,0	3	1,580	4062768172746
16,0	6	1,580	4062768175167
18,0	3	1,998	4062768172760
18,0	6	1,998	4062768182721
20,0	3	2,470	4062768172777
20,0	6	2,470	4062768173491


mm	Länge mtr	kg/mtr	GTIN
22,0	3	2,984	4062768172784
24,0	3	3,551	4062768172791
25,0	3	3,853	4062768172807
25,0	6	3,853	4062768173354
26,0	3	4,170	4062768173378
28,0	3	4,834	4062768172814
30,0	3	5,549	4062768172821
30,0	6	5,549	4062768175587
32,0	3	6,310	4062768173385
35,0	3	7,553	4062768172838
40,0	3	9,865	4062768172845
42,0	3	10,880	4062768175280
45,0	3	12,490	4062768172852
50,0	3	15,414	4062768172869
55,0	3	18,700	4062768173323
60,0	3	22,195	4062768172883
65,0	3	26,100	4062768173330
70,0	3	30,210	4062768172890
75,0	3	34,700	4062768173347
80,0	3	39,500	4062768172876
90,0	3	49,940	4062768175334
100,0	3	62,800	4062768175327




■ **RUND EDELSTAHL 1.4301 H6**  
EN10278/ISO286-2

mm	Länge mtr	kg/mtr	GTIN
5,0	3	0,150	4062768185531
6,0	3	0,220	4062768185548
8,0	3	0,390	4062768185555
10,0	3	0,620	4062768185562
12,0	3	0,890	4062768185579
14,0	3	1,210	4062768185586
15,0	3	1,390	4062768185593

mm	Länge mtr	kg/mtr	GTIN
16,0	3	1,580	4062768185609
20,0	3	2,470	4062768185623
25,0	3	3,850	4062768185654
30,0	3	5,550	4062768185685
35,0	3	7,550	4062768185692
40,0	3	9,860	4062768185708




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.



■ **RUND EDELSTAHL 1.4301 GEWALZT**  
 EN10060/EN10088

mm	Länge mtr	kg/mtr	GTIN
80,0	6	39,500	4062768172906
90,0	6	49,940	4062768172913
100,0	6	62,800	4062768172920
110,0	6	75,000	4062768172937
120,0	6	88,800	4062768172999
125,0	6	96,000	4062768175228
130,0	6	109,000	4062768172944


mm	Länge mtr	kg/mtr	GTIN
140,0	6	121,000	4062768172951
150,0	6	139,000	4062768172968
160,0	6	161,000	4062768172975
180,0	6	200,000	4062768172982
190,0	6	223,000	4062768175310
200,0	6	246,500	4062768173002



■ **RUND EDELSTAHL 1.4301 GESCHL. K240**  
 EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN
8,0	6	0,400	4062768175549
10,0	6	0,617	4062768173163
12,0	6	0,888	4062768173170
14,0	6	1,208	4062768173187


mm	Länge mtr	kg/mtr	GTIN
15,0	6	1,387	4062768175433
16,0	6	1,578	4062768175440
20,0	6	2,470	4062768175518



■ **RUND EDELSTAHL 1.4305 GEZOGEN**  
 EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN
5,0	3	0,154	4062768175556
6,0	3	0,222	4062768173019
8,0	3	0,400	4062768173026
10,0	3	0,620	4062768173033
12,0	3	0,890	4062768173040
14,0	3	1,208	4062768173392
15,0	3	1,390	4062768173057
16,0	3	1,580	4062768173217
18,0	3	2,000	4062768175235
20,0	3	2,470	4062768173064
22,0	3	2,984	4062768175297
24,0	3	3,551	4062768175303
25,0	3	3,850	4062768173071
26,0	3	4,170	4062768173415

mm	Länge mtr	kg/mtr	GTIN
28,0	3	4,834	4062768173453
30,0	3	5,550	4062768173088
32,0	3	6,310	4062768173446
35,0	3	7,550	4062768173194
40,0	3	9,870	4062768173095
45,0	3	12,490	4062768173200
50,0	3	15,700	4062768173101
55,0	3	18,650	4062768175211
60,0	3	22,200	4062768173118
70,0	3	30,210	4062768173224
80,0	3	39,460	4062768173231
90,0	3	49,940	4062768175341
100,0	3	62,800	4062768175358



■ **RUND EDELSTAHL 1.4305 H6**  
 EN10278/ISO286-2

mm	Länge mtr	kg/mtr	GTIN
5,0	3	0,150	4062768185715
6,0	3	0,220	4062768185722
8,0	3	0,390	4062768185739
10,0	3	0,620	4062768185746
12,0	3	0,890	4062768185753
14,0	3	1,210	4062768185760
15,0	3	1,390	4062768185777


mm	Länge mtr	kg/mtr	GTIN
16,0	3	1,580	4062768185784
20,0	3	2,470	4062768185807
25,0	3	3,850	4062768185838
30,0	3	5,550	4062768185869
35,0	3	7,550	4062768185876
40,0	3	9,860	4062768185883

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

■ RUND EDELSTAHL 1.4404 GEZOGEN

EN10278/ISO10088


mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
8	3	0,400	4062768196629	14	3	1,210	4062768196650
10	3	0,620	4062768196636	16	3	1,580	4062768196667
12	3	0,890	4062768196643	20	3	2,470	4062768196674



■ RUND EDELSTAHL 1.4571 GEZOGEN GESCHL. K240

EN10278/ISO10088


mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
10	6	0,617	4062768194229	12	6	0,888	4062768194212



■ RUND EDELSTAHL 1.4571 GEZOGEN

EN10278/EN10088


mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
6,0	3	0,222	4062768094871	30,0	3	5,549	4062768173125
8,0	3	0,400	4062768175365	35,0	3	7,553	4062768175273
10,0	3	0,620	4062768173248	40,0	3	9,870	4062768173293
12,0	3	0,890	4062768173255	45,0	3	12,490	4062768173408
15,0	3	1,390	4062768173262	50,0	3	15,410	4062768173309
16,0	3	1,580	4062768173422	60,0	3	22,200	4062768173316
18,0	3	2,000	4062768173361	70,0	3	30,210	4062768175372
20,0	3	2,470	4062768173279	80,0	3	39,500	4062768175389
25,0	3	3,850	4062768173286				



■ VIERKANT EDELSTAHL 1.4301 GEZOGEN

EN10278/EN10088


mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
6,0	3	0,283	4062768169388	20,0	3	3,140	4062768169456
8,0	3	0,502	4062768169395	25,0	3	5,200	4062768169463
10,0	3	0,785	4062768169401	30,0	3	7,070	4062768169470
12,0	3	1,130	4062768169418	35,0	3	9,620	4062768169708
14,0	3	1,540	4062768169425	40,0	3	12,560	4062768169487
15,0	3	1,766	4062768169432	50,0	3	20,000	4062768169494
16,0	3	2,010	4062768169449	60,0	3	28,800	4062768169500
18,0	3	2,590	4062768170131				




■ VIERKANT EDELSTAHL 1.4301 GEZOGEN + GESCHL. K240

EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN	mm	Länge mtr	kg/mtr	GTIN
10,0	3	0,785	4062768170162	15,0	3	1,766	4062768170193
12,0	3	1,130	4062768170186	20,0	3	3,140	4062768170179




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.



■ **VIERKANT EDELSTAHL 1.4305 GEZOGEN**  
 EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN
10,0	3	0,785	4062768169685
12,0	3	1,130	4062768169999
15,0	3	1,766	4062768169692
20,0	3	3,140	4062768169661


mm	Länge mtr	kg/mtr	GTIN
25,0	3	5,200	4062768170025
30,0	3	7,070	4062768170032
40,0	3	12,560	4062768170056



■ **SECHSKANT EDELSTAHL 1.4301 GEZOGEN**  
 EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN
8	3	0,450	4062768169517
10	3	0,683	4062768169524
12	3	0,980	4062768169531
13	3	1,150	4062768169883
14	3	1,330	4062768169548
17	3	1,970	4062768169555


mm	Länge mtr	kg/mtr	GTIN
19	3	2,480	4062768169562
22	3	3,290	4062768169579
24	3	3,940	4062768169586
27	3	4,960	4062768170148



■ **SECHSKANT EDELSTAHL 1.4305 GEZOGEN**  
 EN10278/EN10088

mm	Länge mtr	kg/mtr	GTIN
10	3	0,683	4062768169869
13	3	1,150	4062768170216
17	3	1,970	4062768169616
19	3	2,480	4062768169623

mm	Länge mtr	kg/mtr	GTIN
22	3	3,290	4062768169630
24	3	3,940	4062768169647
27	3	4,960	4062768169654
30	3	6,120	4062768169715




■ **U-PROFIL EDELSTAHL 1.4301 GEWALZT**  
 DIN 1026/EN10088

Breite mm	Höhe mm	Stärke mm	Tiefe mm	Länge mtr	kg/mtr	GTIN
40,0	20,0	3,0	3,0	6	2,200	4062768171480
50,0	38,0	5,0	7,0	6	5,700	4062768171534
60,0	30,0	6,0	6,0	6	5,100	4062768170568
80,0	40,0	5,0	5,0	6	5,940	4062768170575
100,0	50,0	6,0	6,0	6	8,940	4062768170582

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


■ WINKEL EDELSTAHL 1.4301 WARMGEWALZT GLEICHSCH.  
DIN 1028/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
15,0	15,0	3,0	6	0,707	4062768170674	45,0	45,0	5,0	6	3,340	4062768170766
20,0	20,0	3,0	6	0,880	4062768170223	50,0	50,0	4,0	6	3,070	4062768170780
25,0	25,0	3,0	6	1,120	4062768170230	50,0	50,0	5,0	6	3,770	4062768170377
30,0	30,0	3,0	6	1,360	4062768170254	50,0	50,0	6,0	6	4,470	4062768170315
30,0	30,0	4,0	6	1,780	4062768170261	60,0	60,0	5,0	6	4,600	4062768171817
30,0	30,0	5,0	6	2,170	4062768170711	60,0	60,0	6,0	6	5,420	4062768170322
35,0	35,0	4,0	6	2,100	4062768170278	70,0	70,0	7,0	6	7,470	4062768170339
40,0	40,0	3,0	6	1,880	4062768170742	80,0	80,0	8,0	6	9,660	4062768170346
40,0	40,0	4,0	6	2,420	4062768170285	100,0	100,0	6,0	6	9,280	4062768170865
40,0	40,0	5,0	6	2,970	4062768170292	100,0	100,0	8,0	6	12,400	4062768170872
						100,0	100,0	10,0	6	15,100	4062768170360




■ WINKEL EDELSTAHL 1.4301 WARMGEWALZT UNGLEICHSCH.  
DIN 1028/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
40,0	20,0	4,0	6	1,800	4062768170506	60,0	40,0	5,0	6	3,730	4062768170537
50,0	30,0	5,0	6	2,950	4062768170513	80,0	40,0	6,0	6	5,410	4062768170544
60,0	30,0	5,0	6	3,370	4062768170520	100,0	50,0	6,0	6	6,800	4062768170551




■ WINKEL EDELSTAHL 1.4301 WARMGEWALZT GLEICHSCH. GESCHL. K240  
DIN 1028/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
25,0	25,0	3,0	6	1,120	4062768170605	50,0	50,0	5,0	6	3,770	4062768170636
30,0	30,0	3,0	6	1,360	4062768170612	60,0	60,0	6,0	6	5,420	4062768170643
40,0	40,0	4,0	6	2,420	4062768170629						



■ WINKEL EDELSTAHL 1.4571 WARMGEWALZT GLEICHSCH.  
DIN 1028/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
25,0	25,0	3,0	6	1,120	4062768170391	50,0	50,0	5,0	6	3,770	4062768170377
30,0	30,0	3,0	6	1,360	4062768170407	50,0	50,0	6,0	6	4,470	4062768171800
30,0	30,0	4,0	6	1,780	4062768170414	60,0	60,0	5,0	6	4,600	4062768172517
40,0	40,0	4,0	6	2,420	4062768170438	60,0	60,0	6,0	6	5,420	4062768170452
40,0	40,0	5,0	6	2,970	4062768170445						



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.