


■ QUADRATROHR EDELSTAHL 1.4301 ROH
 EN10296-2/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
15,0	15,0	1,5	6	0,676	4062768175846	50,0	50,0	4	6	6,110	4062768176065
20,0	20,0	1,5	6	0,920	4062768175877	50,0	50,0	5	6	7,512	4062768177178
20,0	20,0	2	6	1,202	4062768175617	60,0	60,0	2	6	3,806	4062768175730
25,0	25,0	1,5	6	1,164	4062768175907	60,0	60,0	3	6	5,634	4062768175747
25,0	25,0	2	6	1,527	4062768175624	60,0	60,0	4	6	7,412	4062768176096
25,0	25,0	2,5	6	1,880	4062768177604	60,0	60,0	5	6	9,140	4062768176102
25,0	25,0	3	6	2,167	4062768178182	70,0	70,0	3	6	6,611	4062768177314
30,0	30,0	1,5	6	1,409	4062768175938	80,0	80,0	2	6	5,108	4062768176119
30,0	30,0	2	6	1,853	4062768175631	80,0	80,0	3	6	7,587	4062768176133
30,0	30,0	3	6	2,704	4062768175945	80,0	80,0	4	6	10,016	4062768176140
35,0	35,0	2	6	2,178	4062768175679	80,0	80,0	5	6	12,395	4062768176157
40,0	40,0	1,5	6	1,897	4062768176003	100,0	100,0	2	6	6,410	4062768176164
40,0	40,0	2	6	2,504	4062768180536	100,0	100,0	3	6	9,540	4062768176171
40,0	40,0	3	6	3,681	4062768175693	100,0	100,0	4	6	12,620	4062768176188
40,0	40,0	4	6	4,808	4062768176027	100,0	100,0	5	6	15,650	4062768176195
45,0	45,0	2	6	2,830	4062768176041	120,0	120,0	3	6	11,493	4062768176218
50,0	50,0	2	6	3,155	4062768175709	120,0	120,0	4	6	15,224	4062768176225
50,0	50,0	3	6	4,657	4062768175723	150,0	150,0	4	6	18,620	4062768177208
						150,0	150,0	5	6	23,790	4062768177970




■ QUADRATROHR EDELSTAHL 1.4301 GESCHL. K240
 EN10296-2/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
15,0	15,0	1,5	6	0,676	4062768177369	50,0	50,0	2	6	3,160	4062768177055
20,0	20,0	2	6	1,200	4062768177048	50,0	50,0	3	6	4,657	4062768177147
25,0	25,0	2	6	1,527	4062768176874	50,0	50,0	4	6	6,110	4062768178144
25,0	25,0	2,5	6	1,880	4062768178168	60,0	60,0	2	6	3,800	4062768177062
25,0	25,0	3	6	2,167	4062768178175	60,0	60,0	3	6	5,634	4062768177154
30,0	30,0	2	6	1,853	4062768176881	60,0	60,0	4	6	7,412	4062768177420
30,0	30,0	3	6	2,704	4062768177253	70,0	70,0	3	6	6,611	4062768177512
35,0	35,0	2	6	2,178	4062768177260	80,0	80,0	2	6	5,108	4062768177079
40,0	40,0	1,5	6	1,858	4062768267510	80,0	80,0	3	6	7,587	4062768177161
40,0	40,0	2	6	2,504	4062768176898	80,0	80,0	4	6	10,016	4062768177505
40,0	40,0	3	6	3,681	4062768177246	100,0	100,0	2	6	6,410	4062768177284
40,0	40,0	4	6	4,808	4062768178151	100,0	100,0	3	6	9,540	4062768177086
45,0	45,0	2	6	2,830	4062768178205	100,0	100,0	4	6	12,620	4062768177468
						120,0	120,0	3	6	11,493	4062768177444


Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

■ **RECHTECKROHR EDELSTAHL 1.4301 ROH**
 EN10296-2/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	mm	Länge mtr	kg/mtr	GTIN
20,0	10,0	1,5	6	0,676	4062768176270	80,0	20,0	2	6	3,155	4062768177130
25,0	10,0	1,5	6	0,798	4062768177116	80,0	30,0	2	6	3,481	4062768177185
25,0	15,0	1,5	6	0,920	4062768176287	80,0	40,0	2	6	3,806	4062768175785
30,0	10,0	1,5	6	0,920	4062768176294	80,0	40,0	3	6	5,634	4062768176614
30,0	15,0	1,5	6	1,042	4062768176324	80,0	40,0	4	6	7,412	4062768176621
30,0	15,0	2	6	1,365	4062768176331	80,0	50,0	3	6	6,122	4062768176638
30,0	20,0	1,5	6	1,164	4062768176362	80,0	60,0	2	6	4,457	4062768176652
30,0	20,0	2	6	1,527	4062768175648	80,0	60,0	3	6	6,611	4062768176669
30,0	20,0	3	6	2,072	4062768178199	100,0	20,0	2	6	3,711	4062768177536
35,0	20,0	2	6	1,654	4062768177581	100,0	40,0	2	6	4,457	4062768176676
40,0	15,0	1,5	6	1,286	4062768176379	100,0	40,0	3	6	6,611	4062768176690
40,0	20,0	2	6	1,853	4062768175655	100,0	50,0	2	6	4,783	4062768176706
40,0	20,0	3	6	2,420	4062768177529	100,0	50,0	3	6	7,099	4062768176713
40,0	30,0	1,5	6	1,653	4062768176423	100,0	50,0	4	6	9,365	4062768176720
40,0	30,0	2	6	2,178	4062768176430	100,0	60,0	2	6	5,108	4062768176737
40,0	30,0	3	6	3,193	4062768176447	100,0	60,0	3	6	7,587	4062768176744
50,0	20,0	2	6	2,178	4062768175662	100,0	60,0	4	6	10,016	4062768176751
50,0	25,0	2	6	2,341	4062768176478	100,0	80,0	3	6	8,564	4062768177215
50,0	30,0	2	6	2,504	4062768175754	120,0	40,0	2	6	5,108	4062768176775
50,0	30,0	3	6	3,681	4062768176508	120,0	40,0	3	6	7,587	4062768176782
50,0	40,0	2	6	2,830	4062768176522	120,0	60,0	3	6	8,564	4062768176805
50,0	40,0	3	6	4,170	4062768177680	120,0	60,0	4	6	11,318	4062768176812
60,0	20,0	2	6	2,504	4062768176546	160,0	80,0	4	6	15,220	4062768178014
60,0	30,0	2	6	2,830	4062768175761	150,0	100,0	5	6	19,720	4062768177949
60,0	30,0	3	6	4,169	4062768176560	200,0	100,0	4	6	19,130	4062768178045
60,0	40,0	2	6	3,155	4062768175778						
60,0	40,0	3	6	4,657	4062768176591						
60,0	40,0	4	6	6,110	4062768177277						




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.



■ **RECHTECKROHR EDELSTAHL 1.4301 GESCHL. K240**
 EN10296-2/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN
30,0	15,0	1,5	6	1,042	4062768177291
30,0	15,0	2	6	1,365	4062768177239
30,0	20,0	2	6	1,527	4062768176942
40,0	15,0	1,5	6	1,286	4062768177307
40,0	20,0	2	6	1,853	4062768176959
40,0	20,0	3	6	2,420	4062768177567
40,0	30,0	2	6	2,178	4062768177109
40,0	30,0	3	6	3,124	4062768182738
50,0	20,0	2	6	2,178	4062768176966
50,0	25,0	2	6	2,504	4062768177482
50,0	30,0	2	6	2,504	4062768176973
50,0	30,0	3	6	3,681	4062768176980
50,0	40,0	2	6	2,830	4062768177611
60,0	20,0	2	6	2,504	4062768177352
60,0	30,0	3	6	4,169	4062768177000
60,0	30,0	2	6	2,830	4062768176997
60,0	40,0	2	6	3,160	4062768177017


mm	mm	mm	Länge mtr	kg/mtr	GTIN
60,0	40,0	3	6	4,657	4062768177321
60,0	40,0	4	6	6,110	4062768177499
80,0	20,0	2	6	3,155	4062768177475
80,0	30,0	2	6	3,481	4062768177550
80,0	40,0	2	6	3,806	4062768177024
80,0	40,0	3	6	5,634	4062768177031
80,0	50,0	3	6	6,122	4062768177437
80,0	60,0	2	6	4,457	4062768177543
80,0	60,0	3	6	6,611	4062768177390
100,0	20,0	2	6	3,711	4062768178113
100,0	40,0	2	6	4,457	4062768177376
100,0	40,0	3	6	6,611	4062768177383
100,0	50,0	2	6	4,783	4062768177338
100,0	50,0	3	6	7,099	4062768177345
100,0	60,0	3	6	7,587	4062768177451
120,0	40,0	2	6	5,108	4062768177574
120,0	60,0	3	6	8,564	4062768177406



■ **QUADRATROHR EDELSTAHL 1.4571 ROH**
 EN10296-2/EN10088

mm	mm	mm	Länge mtr	kg/mtr	GTIN
20,0	20,0	2	6	1,202	4062768182813
25,0	25,0	2	6	1,527	4062768182844
30,0	30,0	2	6	1,853	4062768182882
40,0	40,0	2	6	2,504	4062768182967
40,0	40,0	3	6	3,681	4062768182974
40,0	40,0	4	6	4,808	4062768182981
50,0	50,0	2	6	3,155	4062768183025
50,0	50,0	3	6	4,657	4062768183049
50,0	50,0	4	6	6,110	4062768183056

mm	mm	mm	Länge mtr	kg/mtr	GTIN
60,0	60,0	2	6	3,806	4062768183070
60,0	60,0	3	6	5,634	4062768183087
60,0	60,0	4	6	7,412	4062768183094
80,0	80,0	2	6	5,108	4062768183155
80,0	80,0	3	6	7,587	4062768183162
100,0	100,0	3	6	9,540	4062768183216
100,0	100,0	4	6	12,620	4062768183223



■ **RECHTECKROHR EDELSTAHL 1.4571 ROH**
 EN10296-2/EN10088


mm	mm	mm	Länge mtr	kg/mtr	GTIN
30,0	20,0	2	6	1,527	4062768183476
40,0	20,0	2	6	1,853	4062768183544
50,0	20,0	2	6	2,178	4062768183599
50,0	30,0	2	6	2,504	4062768094932
60,0	30,0	2	6	2,830	4062768183636
60,0	30,0	3	6	4,169	4062768183643
60,0	40,0	2	6	3,155	4062768183667

mm	mm	mm	Länge mtr	kg/mtr	GTIN
60,0	40,0	3	6	4,657	4062768183674
60,0	40,0	4	6	6,110	4062768183681
80,0	40,0	3	6	5,634	4062768183728
80,0	60,0	3	6	6,611	4062768183773
100,0	50,0	3	6	7,099	4062768183865
100,0	60,0	3	6	7,587	4062768183902


Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

RUNDRÖHR EDELSTAHL 1.4301 GESCHW.
 EN10296-2/EN10088


mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
10,0	1,0	6	0,225	4062768178465	48,3	2,5	6	2,975	4062768179257
16,0	1,0	6	0,367	4062768180673	48,3	3,0	6	3,403	4062768180062
20,0	1,0	6	0,476	4062768178694	50,0	2,0	6	2,404	4062768179301
20,0	2,0	6	0,901	4062768178212	50,0	3,0	6	3,530	4062768180710
21,3	2,0	6	0,967	4062768178229	54,0	2,0	6	2,604	4062768179387
21,3	2,5	6	1,177	4062768178724	60,3	2,0	6	2,920	4062768178304
22,0	2,0	6	1,002	4062768178755	60,3	2,5	6	3,618	4062768179455
25,0	1,5	6	0,883	4062768178793	60,3	3,0	6	4,300	4062768179479
25,0	2,0	6	1,152	4062768178236	70,0	2,0	6	3,405	4062768179561
26,9	2,0	6	1,247	4062768178243	70,0	3,0	6	5,030	4062768179585
26,9	2,5	6	1,527	4062768178823	76,1	2,0	6	3,711	4062768179608
28,0	1,0	6	0,676	4062768178830	76,1	3,0	6	5,490	4062768179639
28,0	1,5	6	0,995	4062768178847	84,0	2,0	6	4,107	4062768179677
30,0	2,0	6	1,402	4062768178250	88,9	2,0	6	4,352	4062768179707
32,0	2,0	6	1,502	4062768178922	88,9	3,0	6	6,453	4062768179745
33,7	2,0	6	1,588	4062768178267	88,9	4,0	6	8,504	4062768179769
33,7	2,5	6	2,025	4062768178953	101,6	2,0	6	4,988	4062768179783
33,7	3,0	6	2,306	4062768178960	101,6	3,0	6	7,407	4062768179790
40,0	2,0	6	1,903	4062768178274	101,6	4,0	6	9,776	4062768180659
40,0	3,0	6	2,779	4062768179141	114,3	2,0	6	5,624	4062768179844
42,4	2,0	6	2,023	4062768178281	114,3	3,0	6	8,361	4062768180185
42,4	2,5	6	2,591	4062768179165					
42,4	3,0	6	3,141	4062768179172					
48,3	2,0	6	2,319	4062768178298					


RUNDRÖHR EDELSTAHL 1.4301 GESCHW. GESCHL. K240
 EN10296-2/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
10,0	1,5	6	0,319	4062768180116	42,4	2,0	6	2,023	4062768178328
12,0	1,5	6	0,394	4062768180123	42,4	2,5	6	2,498	4062768180321
14,0	1,5	6	0,470	4062768180130	42,4	3,0	6	2,960	4062768180277
15,0	1,5	6	0,509	4062768180178	48,3	2,0	6	2,319	4062768180505
16,0	1,0	6	0,376	4062768178595	48,3	2,5	6	2,867	4062768180253
16,0	1,5	6	0,545	4062768180192	48,3	3,0	6	3,403	4062768180284
16,0	2,0	6	0,701	4062768180147	48,3	4,0	6	4,440	4062768180758
17,2	2,0	6	0,761	4062768180154	50,0	2,0	6	2,404	4062768178403
18,0	1,5	6	0,620	4062768180369	54,0	2,0	6	2,604	4062768178410
20,0	1,5	6	0,695	4062768180291	60,3	2,0	6	2,920	4062768178427
20,0	2,0	6	0,901	4062768178342	60,3	3,0	6	4,304	4062768180420
21,3	2,0	6	0,967	4062768178359	70,0	2,0	6	3,405	4062768180642
22,0	2,0	6	1,002	4062768180703	76,1	2,0	6	3,711	4062768180161
25,0	1,5	6	0,883	4062768180727	76,1	3,0	6	5,490	4062768180437
25,0	2,0	6	1,152	4062768178366	80,0	2,0	6	3,906	4062768180468
26,9	2,0	6	1,247	4062768178373	80,0	3,0	6	5,784	4062768180772
26,9	2,5	6	1,527	4062768180635	88,9	2,0	6	4,352	4062768180307
30,0	2,0	6	1,402	4062768178380	88,9	3,0	6	6,453	4062768180444
33,7	2,0	6	1,588	4062768178311	88,9	4,0	6	8,504	4062768180680
33,7	2,5	6	1,953	4062768180079	101,6	2,0	6	4,988	4062768180093
33,7	3,0	6	2,306	4062768180260	101,6	3,0	6	7,407	4062768180451
35,0	2,0	6	1,653	4062768180406	101,6	4,0	6	9,776	4062768180666
38,0	2,0	6	1,803	4062768180390	114,3	2,0	6	5,624	4062768180314
40,0	2,0	6	1,903	4062768178397	114,3	3,0	6	8,361	4062768180628




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.




■ **RUNDRÖHR EDELSTAHL 1.4301 GESCHWEISST GETRÄNKELTG. ROHR**
 EN10217-7/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN
104,0	2,0	6	1,508	4062768179806




■ **RUNDRÖHR EDELSTAHL LASERGESCHW. 1.4301 ROH**
 EN10217-7/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
6,0	1,0	6	0,130	4062768178434	129,0	2,0	6	6,360	4062768179905
10,0	1,5	6	0,319	4062768178472	139,7	2,0	6	6,896	4062768179929
30,0	3,0	6	2,028	4062768178892	139,7	3,0	6	10,269	4062768179943
42,4	4,0	6	3,790	4062768180734	139,7	4,0	6	13,592	4062768179950
48,3	4,0	6	4,440	4062768180741	154,0	2,0	6	7,612	4062768179967
60,3	4,0	6	5,639	4062768179509	168,3	2,0	6	8,328	4062768179981
80,0	2,0	6	3,906	4062768179660	168,3	3,0	6	12,417	4062768180000
108,0	2,0	6	5,308	4062768179813	204,0	2,0	6	10,120	4062768180246
					219,1	3,0	6	16,233	4062768180024




■ **RUNDRÖHR EDELSTAHL 1.4301 LASERGESCHW. GESCHL. K240**
 EN10217/7 EN10088

mm	mm	Länge mtr	kg/mtr	GTIN
42,4	4,0	6	3,790	4062768180765
60,3	4,0	6	5,639	4062768180697



■ **RUNDRÖHR EDELSTAHL 1.4301 LASERGESCHW. GEGLÜHT GESCHLIFFEN K240**
 EN10217-7/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN
26,9	2,0	6	1,250	4062768176911
33,7	2,0	6	1,590	4062768176928
42,4	2,0	6	2,030	4062768176935



■ **RUNDRÖHR EDELSTAHL 1.4301 GESCHWEISST GEGLÜHT ROH**
 EN10296-2/EN10088


mm	mm	Länge mtr	kg/mtr	GTIN
8,0	1,0	6	0,175	4062768178441
33,7	2,0	6	1,588	4062768094918

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

■ RUNDROHR EDELSTAHL 1.4571 GESCHW. ROH

EN10296-2/EN10088


mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
21,3	2,0	6	0,967	4062768184510	60,3	2,0	6	2,920	4062768185234
26,9	2,0	6	1,247	4062768184657	60,3	3,0	6	4,300	4062768185258
33,7	2,0	6	1,588	4062768184817	60,3	4,0	6	5,639	4062768185265
33,7	3,0	6	2,306	4062768184848	76,1	2,0	6	3,711	4062768185319
40,0	2,0	6	1,903	4062768184961	76,1	3,0	6	5,490	4062768185333
42,4	2,0	6	2,023	4062768185012	88,9	2,0	6	4,352	4062768185401
42,4	3,0	6	3,141	4062768185043	88,9	3,0	6	6,453	4062768185425
48,3	2,0	6	2,319	4062768185104	101,6	2,0	6	4,988	4062768185456
48,3	3,0	6	3,403	4062768185135					



■ RUNDROHR EDELSTAHL 1.4571 GESCHW. GESCHL. K240

EN10296-2/EN10088

mm	mm	Länge mtr	kg/mtr	GTIN	mm	mm	Länge mtr	kg/mtr	GTIN
21,3	2,0	6	0,967	4062768094956	48,3	2,0	6	2,319	4062768095045
26,9	2,0	6	1,247	4062768094970	48,3	3,0	6	3,403	4062768095083
33,7	2,0	6	1,588	4062768094994	60,3	2,0	6	2,920	4062768095090
33,7	3,0	6	2,306	4062768095007	60,3	3,0	6	4,300	4062768095106
42,4	2,0	6	2,023	4062768095021	76,1	2,0	6	3,711	4062768095113
42,4	3,0	6	3,141	4062768095038	76,1	3,0	6	5,490	4062768095137



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.