


**■ QUADRATROHR EDELSTAHL 1.4301 ROH**  
EN10296-2/EN10088

mm	mm	mm	Länge m	kg/m	GTIN	mm	mm	mm	Länge m	kg/m	GTIN
15	15	1,5	6	0,676	4062768175846	50	50	4	6	6,110	4062768176065
20	20	1,5	6	0,920	4062768175877	50	50	5	6	7,512	4062768177178
20	20	2	6	1,202	4062768175617	60	60	2	6	3,806	4062768175730
25	25	1,5	6	1,164	4062768175907	60	60	3	6	5,634	4062768175747
25	25	2	6	1,527	4062768175624	60	60	4	6	7,412	4062768176096
25	25	2,5	6	1,880	4062768177604	60	60	5	6	9,140	4062768176102
25	25	3	6	2,167	4062768178182	70	70	3	6	6,611	4062768177314
30	30	1,5	6	1,409	4062768175938	80	80	2	6	5,108	4062768176119
30	30	2	6	1,853	4062768175631	80	80	3	6	7,587	4062768176133
30	30	3	6	2,704	4062768175945	80	80	4	6	10,016	4062768176140
35	35	2	6	2,178	4062768175679	80	80	5	6	12,395	4062768176157
40	40	1,5	6	1,897	4062768176003	100	100	2	6	6,410	4062768176164
40	40	2	6	2,504	4062768175686	100	100	3	6	9,540	4062768176171
40	40	3	6	3,681	4062768175693	100	100	4	6	12,620	4062768176188
40	40	4	6	4,808	4062768176027	100	100	5	6	15,650	4062768176195
45	45	2	6	2,830	4062768176041	120	120	3	6	11,493	4062768176218
50	50	2	6	3,155	4062768175709	120	120	4	6	15,224	4062768176225
50	50	3	6	4,657	4062768175723	150	150	4	6	18,620	4062768177208
						150	150	5	6	23,790	4062768177970




**■ QUADRATROHR EDELSTAHL 1.4301 GESCHL. K240**  
EN10296-2/EN10088


mm	mm	mm	Länge m	kg/m	GTIN	mm	mm	mm	Länge m	kg/m	GTIN
15	15	1,5	6	0,676	4062768177369	50	50	2	6	3,160	4062768177055
20	20	1,5	6	0,920	4062768280045	50	50	3	6	4,657	4062768177147
20	20	2	6	1,200	4062768177048	50	50	4	6	6,110	4062768178144
25	25	1,5	6	1,164	4062768280021	60	60	2	6	3,800	4062768177062
25	25	2	6	1,527	4062768176874	60	60	3	6	5,634	4062768177154
25	25	2,5	6	1,880	4062768178168	60	60	4	6	7,412	4062768177420
25	25	3	6	2,167	4062768178175	70	70	3	6	6,611	4062768177512
30	30	1,5	6	1,409	4062768280038	80	80	2	6	5,108	4062768177079
30	30	2	6	1,853	4062768176881	80	80	3	6	7,587	4062768177161
30	30	3	6	2,704	4062768177253	80	80	4	6	10,016	4062768177505
35	35	2	6	2,178	4062768177260	100	50	6	8,5	10,600	4062768171589
40	40	1,2	6	1,526	4062768176904	100	100	2	6	6,410	4062768177284
40	40	1,5	6	1,858	4062768267510	100	100	3	6	9,540	4062768177086
40	40	2	6	2,504	4062768176898	100	100	4	6	12,620	4062768177468
40	40	3	6	3,681	4062768177246	120	120	3	6	11,493	4062768177444
40	40	4	6	4,808	4062768178151	150	75	9	9	20,000	4062768170599
45	45	2	6	2,830	4062768178205						


**RECHTECKROHR EDELSTAHL 1.4301 ROH**  
 EN10296-2/EN10088

mm	mm	mm	Länge m	kg/m	GTIN	mm	mm	mm	Länge m	kg/m	GTIN
20	10	1,5	6	0,676	4062768176270	80	20	2	6	3,155	4062768177130
25	10	1,5	6	0,798	4062768177116	80	30	2	6	3,481	4062768177185
25	15	1,5	6	0,920	4062768176287	80	40	2	6	3,806	4062768175785
25	15	2	6	1,170	4062768283473	80	40	3	6	5,634	4062768176614
30	10	1,5	6	0,920	4062768176294	80	40	4	6	7,412	4062768176621
30	15	1,5	6	1,042	4062768176324	80	40	5	6	9,140	4062768177734
30	15	2	6	1,365	4062768176331	80	50	3	6	6,122	4062768176638
30	20	1,5	6	1,164	4062768176362	80	60	2	6	4,457	4062768176652
30	20	2	6	1,527	4062768175648	80	60	3	6	6,611	4062768176669
30	20	3	6	2,072	4062768178199	80	60	5	6	9,140	4062768177758
35	20	2	6	1,654	4062768177581	80	80	6	6	7,370	4062768170834
40	15	1,5	6	1,286	4062768176379	100	20	2	6	3,711	4062768177536
40	20	2	6	1,853	4062768175655	100	40	2	6	4,457	4062768176676
40	20	3	6	2,420	4062768177529	100	40	3	6	6,611	4062768176690
40	30	1,5	6	1,653	4062768176423	100	50	2	6	4,783	4062768176706
40	30	2	6	2,178	4062768176430	100	50	3	6	7,099	4062768176713
40	30	3	6	3,193	4062768176447	100	50	4	6	9,365	4062768176720
50	20	2	6	2,178	4062768175662	100	60	2	6	5,108	4062768176737
50	25	2	6	2,341	4062768176478	100	60	3	6	7,587	4062768176744
50	30	2	6	2,504	4062768175754	100	60	4	6	10,016	4062768176751
50	30	3	6	3,681	4062768176508	100	80	3	6	8,564	4062768177215
50	40	2	6	2,830	4062768176522	120	40	2	6	5,108	4062768176775
50	40	3	6	4,170	4062768177680	120	40	3	6	7,587	4062768176782
60	20	2	6	2,504	4062768176546	120	60	3	6	8,564	4062768176805
60	30	2	6	2,830	4062768175761	120	60	4	6	11,318	4062768176812
60	30	3	6	4,169	4062768176560	160	80	4	6	15,220	4062768178014
60	40	2	6	3,155	4062768175778	150	100	5	6	19,720	4062768177949
60	40	3	6	4,657	4062768176591	200	100	4	6	19,130	4062768178045
60	40	4	6	6,110	4062768177277	200	100	5	6	23,790	4062768178052


**RECHTECKROHR EDELSTAHL 1.4301 GESCHL. K240**  
 EN10296-2/EN10088

mm	mm	mm	Länge m	kg/m	GTIN	mm	mm	mm	Länge m	kg/m	GTIN
30	15	1,5	6	1,042	4062768177291	60	40	3	6	4,657	4062768177321
30	15	2	6	1,365	4062768177239	60	40	4	6	6,110	4062768177499
30	20	1,5	6	1,164	4062768280052	80	20	2	6	3,155	4062768177475
30	20	2	6	1,527	4062768176942	80	30	2	6	3,481	4062768177550
40	15	1,5	6	1,286	4062768177307	80	40	2	6	3,806	4062768177024
40	20	1,5	6	1,409	4062768175808	80	40	3	6	5,634	4062768177031
40	20	2	6	1,853	4062768176959	80	50	3	6	6,122	4062768177437
40	20	3	6	2,420	4062768177567	80	60	2	6	4,457	4062768177543
40	30	2	6	2,178	4062768177109	80	60	3	6	6,611	4062768177390
40	30	3	6	3,124	4062768182738	100	20	2	6	3,711	4062768178113
50	20	2	6	2,178	4062768176966	100	40	2	6	4,457	4062768177376
50	25	2	6	2,504	4062768177482	100	40	3	6	6,611	4062768177383
50	30	2	6	2,504	4062768176973	100	50	2	6	4,783	4062768177338
50	30	3	6	3,681	4062768176980	100	50	3	6	7,099	4062768177345
50	40	2	6	2,830	4062768177611	100	50	4	6	8,918	4062768196612
60	20	2	6	2,504	4062768177352	100	60	3	6	7,587	4062768177451
60	30	3	6	4,169	4062768177000	120	40	2	6	5,108	4062768177574
60	30	2	6	2,830	4062768176997	120	60	3	6	8,564	4062768177406
60	40	2	6	3,160	4062768177017						






**■ QUADRATROHR EDELSTAHL 1.4571 ROH**  
EN10296-2/EN10088

mm	mm	mm	Länge m	kg/m	GTIN
20	20	2	6	1,202	4062768182813
25	25	2	6	1,527	4062768182844
30	30	2	6	1,853	4062768182882
40	40	2	6	2,504	4062768182967
40	40	3	6	3,681	4062768182974
40	40	4	6	4,808	4062768182981
50	50	2	6	3,155	4062768183025
50	50	3	6	4,657	4062768183049
50	50	4	6	6,110	4062768183056


mm	mm	mm	Länge m	kg/m	GTIN
60	60	2	6	3,806	4062768183070
60	60	3	6	5,634	4062768183087
60	60	4	6	7,412	4062768183094
80	80	2	6	5,108	4062768183155
80	80	3	6	7,587	4062768183162
100	100	3	6	9,540	4062768183216
100	100	4	6	12,620	4062768183223



**■ RECHTECKROHR EDELSTAHL 1.4571 ROH**  
EN10296-2/EN10088

mm	mm	mm	Länge m	kg/m	GTIN
30	20	2	6	1,527	4062768183476
40	20	2	6	1,853	4062768183544
50	20	2	6	2,178	4062768183599
50	30	2	6	2,504	4062768094932
60	30	2	6	2,830	4062768183636
60	30	3	6	4,169	4062768183643
60	40	2	6	3,155	4062768183667

mm	mm	mm	Länge m	kg/m	GTIN
60	40	3	6	4,657	4062768183674
60	40	4	6	6,110	4062768183681
80	40	3	6	5,634	4062768183728
80	60	3	6	6,611	4062768183773
100	50	3	6	7,099	4062768183865
100	60	3	6	7,587	4062768183902



**■ RUNDROHR EDELSTAHL 1.4301 GESCHW.**  
EN10296-2/EN10088


mm	mm	Länge m	kg/m	GTIN
10,0	1,0	6	0,225	4062768178465
16,0	1,0	6	0,367	4062768180673
20,0	1,0	6	0,476	4062768178694
20,0	2,0	6	0,901	4062768178212
21,3	2,0	6	0,967	4062768178229
21,3	2,5	6	1,177	4062768178724
22,0	2,0	6	1,002	4062768178755
25,0	1,5	6	0,883	4062768178793
25,0	2,0	6	1,152	4062768178236
26,9	2,0	6	1,247	4062768178243
26,9	2,5	6	1,527	4062768178823
28,0	1,0	6	0,676	4062768178830
28,0	1,5	6	0,995	4062768178847
30,0	2,0	6	1,402	4062768178250
32,0	2,0	6	1,502	4062768178922
33,7	2,0	6	1,588	4062768178267
33,7	2,5	6	2,025	4062768178953
33,7	3,0	6	2,306	4062768178960
38,0	2,0	6	1,800	4062768179080
40,0	2,0	6	1,903	4062768178274
40,0	3,0	6	2,779	4062768179141
42,4	2,0	6	2,023	4062768178281
42,4	2,5	6	2,591	4062768179165
42,4	3,0	6	3,141	4062768179172
48,3	2,0	6	2,319	4062768178298

mm	mm	Länge m	kg/m	GTIN
48,3	2,5	6	2,975	4062768179257
48,3	3,0	6	3,403	4062768180062
50,0	2,0	6	2,404	4062768179301
50,0	3,0	6	3,530	4062768180710
54,0	2,0	6	2,604	4062768179387
60,3	2,0	6	2,920	4062768178304
60,3	2,5	6	3,618	4062768179455
60,3	3,0	6	4,300	4062768179479
70,0	2,0	6	3,405	4062768179561
70,0	3,0	6	5,030	4062768179585
76,1	2,0	6	3,711	4062768179608
76,1	3,0	6	5,490	4062768179639
84,0	2,0	6	4,107	4062768179677
88,9	2,0	6	4,352	4062768179707
88,9	3,0	6	6,453	4062768179745
88,9	4,0	6	8,504	4062768179769
101,6	2,0	6	4,988	4062768179783
101,6	3,0	6	7,407	4062768179790
101,6	4,0	6	9,776	4062768180659
114,3	2,0	6	5,624	4062768179844
114,3	3,0	6	8,361	4062768180185

**RUNDRÖHR EDELSTAHL 1.4301 GESCHW. GESCHL. K240**


EN10296-2/EN10088

mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
10,0	1,5	6	0,319	4062768180116	42,4	2,0	6	2,023	4062768178328
12,0	1,5	6	0,394	4062768180123	42,4	2,5	6	2,498	4062768180086
14,0	1,5	6	0,470	4062768180130	42,4	3,0	6	2,960	4062768180277
15,0	1,5	6	0,509	4062768180178	48,3	2,0	6	2,319	4062768178335
16,0	1,0	6	0,376	4062768178595	48,3	2,5	6	2,867	4062768180253
16,0	1,5	6	0,545	4062768180192	48,3	3,0	6	3,403	4062768180284
16,0	2,0	6	0,701	4062768180147	48,3	4,0	6	4,440	4062768180758
17,2	2,0	6	0,761	4062768180154	50,0	2,0	6	2,404	4062768178403
18,0	1,5	6	0,620	4062768180369	54,0	2,0	6	2,604	4062768178410
20,0	1,5	6	0,695	4062768180291	60,3	2,0	6	2,920	4062768178427
20,0	2,0	6	0,901	4062768178342	60,3	3,0	6	4,304	4062768180420
21,3	2,0	6	0,967	4062768178359	70,0	2,0	6	3,405	4062768180642
22,0	2,0	6	1,002	4062768180703	76,1	2,0	6	3,711	4062768180161
25,0	1,5	6	0,883	4062768180727	76,1	3,0	6	5,490	4062768180437
25,0	2,0	6	1,152	4062768178366	80,0	2,0	6	3,906	4062768180468
26,9	2,0	6	1,247	4062768178373	80,0	3,0	6	5,784	4062768180772
26,9	2,5	6	1,527	4062768180635	88,9	2,0	6	4,352	4062768180307
30,0	2,0	6	1,402	4062768178380	88,9	3,0	6	6,453	4062768180444
33,7	2,0	6	1,588	4062768178311	88,9	4,0	6	8,504	4062768180680
33,7	2,5	6	1,953	4062768180079	101,6	2,0	6	4,988	4062768180093
33,7	3,0	6	2,306	4062768180260	101,6	3,0	6	7,407	4062768180451
35,0	2,0	6	1,653	4062768180406	101,6	4,0	6	9,776	4062768180666
38,0	2,0	6	1,803	4062768180390	114,3	2,0	6	5,624	4062768180314
40,0	2,0	6	1,903	4062768178397	114,3	3,0	6	8,361	4062768180628


**RUNDRÖHR EDELSTAHL LASERGESCHW. 1.4301 ROH**


EN10217-7/EN10088


mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
6,0	1,0	6	0,130	4062768178434	80,0	2,0	6	3,906	4062768179660
8,0	1,0	6	0,175	4062768178441	104,0	2,0	6	1,508	4062768179806
10,0	1,5	6	0,319	4062768178472	108,0	2,0	6	5,308	4062768179813
26,9	2,6	6	1,580	4062768178434	129,0	2,0	6	6,360	4062768179905
30,0	3,0	6	2,028	4062768178892	139,7	2,0	6	6,896	4062768179929
33,7	2,6	6	2,020	4062768178441	139,7	3,0	6	10,269	4062768179943
33,7	3,2	6	2,450	4062768180734	139,7	4,0	6	13,592	4062768179950
42,4	2,6	6	2,590	4062768178472	154,0	2,0	6	7,612	4062768179967
42,4	3,2	6	3,140	4062768178892	168,3	2,0	6	8,328	4062768179981
42,4	4,0	6	3,790	4062768180734	168,3	3,0	6	12,417	4062768180000
48,3	4,0	6	4,440	4062768180741	204,0	2,0	6	10,120	4062768180246
48,3	3,2	6	3,610	4062768180741	219,1	3,0	6	16,233	4062768180024
60,3	4,0	6	5,639	4062768179509					


**RUNDRÖHR EDELSTAHL 1.4301 LASERGESCHW. GESCHL. K240**

EN10217/7 EN10088


mm	mm	Länge m	kg/m	GTIN
42,4	4,0	6	3,790	4062768180765
60,3	4,0	6	5,639	4062768180697






■ RUNDROHR EDELSTAHL 1.4301 LASERGESCHW. GEGLÜHT GESCHLIFFEN K240  
EN10217-7/EN10088

mm	mm	Länge m	kg/m	GTIN
26,9	2,0	6	1,250	4062768176911
33,7	2,0	6	1,590	4062768176928
42,4	2,0	6	2,030	4062768176935




■ RUNDROHR EDELSTAHL 1.4301 GESCHWEISST GEGLÜHT ROH  
EN10296-2/EN10088

mm	mm	Länge m	kg/m	GTIN
33,7	2,0	6	1,588	4062768094918



■ RUNDROHR EDELSTAHL 1.4571 GESCHW. ROH  
EN10296-2/EN10088

mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
21,3	2,0	6	0,967	4062768184510	60,3	2,0	6	2,920	4062768185234
26,9	2,0	6	1,247	4062768184657	60,3	3,0	6	4,300	4062768185258
33,7	2,0	6	1,588	4062768184817	60,3	4,0	6	5,639	4062768185265
33,7	3,0	6	2,306	4062768184848	76,1	2,0	6	3,711	4062768185319
40,0	2,0	6	1,903	4062768184961	76,1	3,0	6	5,490	4062768185333
42,4	2,0	6	2,023	4062768185012	88,9	2,0	6	4,352	4062768185401
42,4	3,0	6	3,141	4062768185043	88,9	3,0	6	6,453	4062768185425
48,3	2,0	6	2,319	4062768185104	101,6	2,0	6	4,988	4062768185456
48,3	3,0	6	3,403	4062768185135					



■ RUNDROHR EDELSTAHL 1.4571 GESCHW. GESCHL. K240  
EN10296-2/EN10088

mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
21,3	2,0	6	0,967	4062768094956	48,3	2,0	6	2,319	4062768095045
21,3	2,5	6	1,177	4062768245501	48,3	3,0	6	3,403	4062768095083
26,9	2,0	6	1,247	4062768094970	60,3	2,0	6	2,920	4062768095090
33,7	2,0	6	1,588	4062768094994	60,3	3,0	6	4,300	4062768095106
33,7	3,0	6	2,306	4062768095007	76,1	2,0	6	3,711	4062768095113
42,4	2,0	6	2,023	4062768095021	76,1	3,0	6	5,490	4062768095137
42,4	3,0	6	3,141	4062768095038					