


**EINSATZSTAHL 16MNCR5 / 16MNCRS5 RUND**

EN10059/EN10084


mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
20	6	2,470	4062768145429	70	6	30,200	4062768145627
25	6	3,850	4062768145450	80	6	39,500	4062768145641
30	6	5,550	4062768145498	90	6	49,900	4062768145665
35	6	7,550	4062768145511	100	6	61,700	4062768145689
40	6	9,860	4062768145542	110	6	74,600	4062768145702
50	6	15,400	4062768145580	120	6	88,800	4062768145726
60	6	22,200	4062768145603				



**EINSATZSTAHL 16MNCR5 / 16MNCRS5 VIERKANT**

EN10059/EN10084


mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
40	6	12,560	4062768142596	80	6	50,420	4062768142671
50	6	19,630	4062768142619	100	6	78,500	4062768142701
60	6	28,260	4062768142633				




**VERGÜTUNGSSTAHL 42CRMO4+QT / 42CRMOS4+QT RUND**

EN10060/EN10083

mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
20	6	2,470	4062768144934	70	6	30,200	4062768145139
25	6	3,850	4062768144965	80	6	39,500	4062768145153
30	6	5,550	4062768145009	90	6	49,900	4062768145177
35	6	7,550	4062768145023	100	6	61,700	4062768145191
40	6	9,860	4062768145054	110	6	74,600	4062768145214
45	6	12,500	4062768145078	120	6	88,800	4062768145238
50	6	15,400	4062768145092	130	6	104,000	4062768145252
55	6	18,700	4062768145108	140	6	121,000	4062768145269
60	6	22,200	4062768145115				



# BLANK- UND EDELBAUSTAHL



## ■ BLANKSTAHL S235JRC+C H11 FLACH EN10277/EN10278/EN10025


mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
5	4	3	0,157	4062768102590	20	8	3	1,260	4062768103696
6	4	3	0,189	4062768102637	20	10	3	1,570	4062768103702
8	3	3	0,189	4062768102729	20	10	6	1,570	4062768196889
8	4	3	0,251	4062768102736	20	12	3	1,880	4062768103719
8	5	3	0,315	4062768102743	20	15	3	2,360	4062768103733
8	6	3	0,375	4062768102750	20	15	6	2,360	4062768110373
10	2	3	0,157	4062768196377	20	16	3	2,515	4062768103740
10	3	3	0,236	4062768102866	22	3	3	0,518	4062768103788
10	4	3	0,314	4062768102873	22	4	3	0,691	4062768103795
10	5	3	0,393	4062768102880	22	5	3	0,860	4062768103801
10	6	3	0,472	4062768102897	22	6	3	1,040	4062768103818
10	8	3	0,630	4062768102910	22	8	3	1,380	4062768103832
12	3	3	0,283	4062768192133	22	10	3	1,730	4062768103849
12	4	3	0,377	4062768103030	25	3	3	0,600	4062768239586
12	5	3	0,471	4062768103047	25	4	3	0,785	4062768110762
12	6	3	0,570	4062768103054	25	5	3	0,980	4062768104082
12	8	3	0,754	4062768103078	25	6	3	1,180	4062768104099
12	10	3	0,940	4062768103085	25	8	3	1,570	4062768104112
14	3	3	0,330	4062768103191	25	10	3	1,960	4062768104129
14	4	3	0,440	4062768103207	25	10	6	1,960	4062768198562
14	5	3	0,550	4062768103214	25	12	3	2,360	4062768104136
14	6	3	0,660	4062768103221	25	14	3	2,750	4062768104150
14	8	3	0,880	4062768103245	25	15	3	2,940	4062768104167
15	2	3	0,230	4062768103276	25	15	6	2,940	4062768110694
15	3	3	0,353	4062768103290	25	16	3	3,140	4062768104174
15	4	3	0,471	4062768103306	25	18	3	3,530	4062768104181
15	5	3	0,589	4062768103313	25	20	3	3,930	4062768104198
15	6	3	0,707	4062768103320	28	5	3	1,100	4062768104365
15	7	3	0,819	4062768103337	28	6	3	1,320	4062768104372
15	8	3	0,942	4062768103344	28	10	3	2,200	4062768104402
15	8	6	0,942	4062768146815	28	12	3	2,640	4062768104419
15	10	3	1,180	4062768103351	30	3	3	0,707	4062768104501
15	12	3	1,415	4062768103368	30	4	3	0,942	4062768104518
16	2	3	0,250	4062768103382	30	5	3	1,180	4062768104525
16	4	3	0,502	4062768110496	30	6	3	1,410	4062768104532
16	5	3	0,630	4062768103429	30	6	6	1,410	4062768110847
16	6	3	0,750	4062768103436	30	8	3	1,880	4062768104556
16	8	3	1,010	4062768103450	30	8	6	1,880	4062768110915
16	10	3	1,260	4062768103467	30	10	3	2,360	4062768104563
16	12	3	1,505	4062768103474	30	10	6	2,360	4062768110861
18	3	3	0,425	4062768103511	30	12	3	2,830	4062768104570
18	4	3	0,565	4062768103528	30	12	6	2,830	4062768110366
18	5	3	0,710	4062768103535	30	14	3	3,290	4062768104594
18	6	3	0,850	4062768103542	30	15	3	3,530	4062768104600
18	8	3	1,130	4062768103559	30	15	6	3,530	4062768110250
18	10	3	1,410	4062768103566	30	16	3	3,770	4062768104617
18	12	3	1,700	4062768103573	30	20	3	4,710	4062768104631
20	2	3	0,314	4062768193116	30	20	6	4,710	4062768109148
20	3	3	0,471	4062768110595	30	25	3	5,890	4062768104655
20	4	3	0,628	4062768110601	30	25	6	5,890	4062768110960
20	5	3	0,790	4062768110410	32	5	3	1,260	4062768104709
20	6	3	0,940	4062768103672	32	8	3	2,010	4062768104730
20	6	6	0,940	4062768191099	32	10	3	2,510	4062768104747




## ■ BLANKSTAHL S235JRC+C H11 FLACH

EN10277/EN10278/EN10025

mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
35	3	3	0,824	4062768104853	50	8	3	3,140	4062768105621
35	4	3	1,099	4062768104860	50	8	6	3,140	4062768110908
35	5	3	1,370	4062768104877	50	10	3	3,930	4062768105638
35	6	3	1,650	4062768104884	50	10	6	3,930	4062768109087
35	6	6	1,650	4062768193123	50	12	3	4,710	4062768105645
35	8	3	2,200	4062768104907	50	12	6	4,710	4062768110267
35	10	3	2,750	4062768104914	50	15	3	5,890	4062768105676
35	10	6	2,750	4062768109698	50	15	6	5,890	4062768110434
35	12	3	3,300	4062768104921	50	16	3	6,280	4062768105683
35	15	3	4,120	4062768104945	50	20	3	7,850	4062768105706
35	16	3	4,400	4062768104952	50	20	6	7,850	4062768110205
35	18	3	4,950	4062768104969	50	25	3	9,810	4062768105720
35	20	3	5,500	4062768104976	50	25	6	9,810	4062768109889
35	25	3	6,870	4062768104983	50	30	3	11,780	4062768105737
35	25	6	6,870	4062768104990	50	30	6	11,780	4062768110311
35	30	3	8,240	4062768105003	50	35	3	13,740	4062768105744
36	20	3	5,650	4062768105126	50	40	3	15,700	4062768105751
40	4	3	1,256	4062768105171	50	40	6	15,700	4062768109896
40	5	3	1,570	4062768105188	55	5	3	2,160	4062768105812
40	5	6	1,570	4062768110892	55	6	3	2,590	4062768105829
40	6	3	1,880	4062768105195	55	10	3	4,320	4062768105850
40	6	6	1,880	4062768020924	55	12	3	5,180	4062768105867
40	8	3	2,510	4062768105218	55	15	3	6,480	4062768105874
40	8	6	2,510	4062768920576	55	20	3	8,640	4062768105904
40	10	3	3,140	4062768105225	55	25	3	10,790	4062768105911
40	10	6	3,140	4062768109162	60	3	3	1,413	4062768106093
40	12	3	3,770	4062768105232	60	4	3	1,884	4062768106109
40	12	6	3,770	4062768110298	60	5	3	2,360	4062768106116
40	15	3	4,710	4062768105263	60	6	3	2,830	4062768106123
40	15	6	4,710	4062768110304	60	6	6	2,830	4062768109872
40	16	3	5,020	4062768105270	60	8	3	3,770	4062768106147
40	18	3	5,650	4062768110663	60	8	6	3,770	4062768109735
40	18	6	5,650	4062768105287	60	10	3	4,710	4062768106154
40	20	3	6,280	4062768105294	60	10	6	4,710	4062768109179
40	20	6	6,280	4062768110199	60	12	3	5,650	4062768106161
40	25	3	7,850	4062768105317	60	12	6	5,650	4062768109704
40	25	6	7,850	4062768105324	60	14	3	6,600	4062768106178
40	30	3	9,420	4062768105331	60	15	3	7,070	4062768106185
40	30	6	9,420	4062768109063	60	15	6	7,070	4062768110328
40	35	3	10,990	4062768105348	60	16	3	7,540	4062768106192
45	3	3	1,060	4062768105379	60	18	3	8,480	4062768106208
45	4	3	1,431	4062768105386	60	20	3	9,420	4062768106215
45	5	3	1,770	4062768105393	60	20	6	9,420	4062768106222
45	6	3	2,120	4062768105409	60	25	3	11,780	4062768106239
45	8	3	2,830	4062768105423	60	25	6	11,780	4062768097254
45	8	6	2,830	4062768193505	60	30	3	14,130	4062768106246
45	10	3	3,530	4062768105430	60	30	6	14,130	4062768110335
45	12	3	4,240	4062768105447	60	35	3	16,490	4062768106260
45	15	3	5,300	4062768105454	60	40	3	18,840	4062768106277
45	20	3	7,070	4062768105485	60	40	6	18,840	4062768110885
45	25	3	8,830	4062768105508	60	50	3	23,560	4062768106291
45	30	3	10,600	4062768105515	65	8	3	4,080	4062768106512
45	35	3	12,360	4062768105539	65	10	3	5,100	4062768106529
50	3	3	1,178	4062768105577	65	12	3	6,120	4062768106536
50	4	3	1,570	4062768110489	65	15	3	7,650	4062768106567
50	5	3	1,960	4062768105591	65	20	3	10,210	4062768106581
50	5	6	1,960	4062768280755	70	4	3	2,198	4062768106666
50	6	3	2,360	4062768105607	70	5	3	2,750	4062768106673
50	6	6	2,360	4062768193949	70	6	3	3,300	4062768106680
					70	8	3	4,400	4062768106703





■ **BLANKSTAHL S235JRC+C H11 FLACH**  
 EN10277/EN10278/EN10025


mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
70	10	3	5,500	4062768106710	100	8	3	6,280	4062768107403
70	12	3	6,600	4062768106727	100	8	6	6,280	4062768020399
70	15	3	8,240	4062768106741	100	10	3	7,850	4062768107410
70	20	3	10,990	4062768106772	100	10	6	7,850	4062768110281
70	25	3	13,740	4062768106789	100	12	3	9,420	4062768107427
70	30	3	16,490	4062768106796	100	12	6	9,420	4062768109711
70	35	3	19,230	4062768106819	100	15	3	11,770	4062768107458
70	40	3	21,980	4062768106826	100	15	6	11,770	4062768280199
70	40	6	21,980	4062768110403	100	16	3	12,560	4062768107465
70	50	3	27,400	4062768106840	100	20	3	15,700	4062768107489
70	50	6	27,400	4062768193680	100	20	6	15,700	4062768110243
70	60	3	32,980	4062768106855	100	25	3	19,630	4062768107496
75	12	3	7,070	4062768106925	100	25	6	19,630	4062768999886
75	20	3	11,780	4062768106963	100	30	3	23,550	4062768107502
80	4	3	2,510	4062768107007	100	30	6	23,550	4062768110212
80	4	6	2,510	4062768109810	100	32	3	25,120	4062768107526
80	5	3	3,140	4062768107014	100	35	3	27,480	4062768107533
80	6	3	3,770	4062768107021	100	40	3	31,400	4062768107540
80	6	6	3,770	4062768109742	100	40	6	31,400	4062768110786
80	8	3	5,020	4062768107045	100	50	3	39,260	4062768107564
80	8	6	5,020	4062768109032	100	50	6	39,260	4062768192218
80	10	3	6,280	4062768107052	100	60	3	47,100	4062768107571
80	10	6	6,280	4062768269910	100	60	6	47,100	4062768109131
80	12	3	7,540	4062768107069	110	6	3	5,180	4062768107595
80	12	6	7,540	4062768109971	110	8	3	6,910	4062768107601
80	15	3	9,420	4062768107076	110	10	3	8,640	4062768107618
80	15	6	9,420	4062768110427	110	12	3	10,360	4062768107625
80	16	3	10,050	4062768107083	110	12	6	10,360	4062768110502
80	20	3	12,560	4062768107090	110	15	3	12,950	4062768107632
80	20	6	12,560	4062768110236	110	20	3	17,270	4062768107649
80	25	3	15,600	4062768107113	110	25	3	21,600	4062768107656
80	25	6	15,600	4062768109902	110	30	3	25,910	4062768107519
80	30	3	18,840	4062768107120	110	35	3	30,220	4062768109094
80	30	6	18,840	4062768110342	110	40	3	34,540	4062768110816
80	32	3	20,100	4062768107137	120	5	3	4,710	4062768107687
80	35	3	21,980	4062768107144	120	6	3	5,650	4062768107694
80	40	3	25,120	4062768107151	120	8	3	7,540	4062768107700
80	40	6	25,120	4062768109919	120	10	3	9,420	4062768107717
80	50	3	31,400	4062768107175	120	12	3	11,300	4062768107724
80	50	6	31,400	4062768109926	120	12	6	11,300	4062768271456
80	60	3	37,680	4062768107182	120	15	3	14,130	4062768107748
80	60	6	37,680	4062768109933	120	15	6	14,130	4062768281363
90	5	3	3,530	4062768107212	120	20	3	18,840	4062768107762
90	6	3	4,240	4062768107229	120	20	6	18,840	4062768109681
90	8	3	5,650	4062768107236	120	25	3	23,550	4062768107786
90	10	3	7,070	4062768107243	120	25	6	23,550	4062768283480
90	12	3	8,480	4062768107250	120	30	3	28,260	4062768107793
90	15	3	10,600	4062768107267	120	35	3	32,970	4062768280205
90	15	6	10,600	4062768280960	120	40	3	37,680	4062768107809
90	20	3	14,130	4062768107281	120	40	6	37,680	4062768239685
90	20	6	14,130	4062768109964	120	50	3	47,100	4062768107816
90	25	3	17,660	4062768107298	120	60	3	56,520	4062768107823
90	25	6	17,660	4062768197015	120	60	6	56,500	4062768110939
90	30	3	21,200	4062768107304	120	80	3	75,360	4062768110625
90	40	3	28,260	4062768107328	125	15	3	14,720	4062768107885
90	50	3	35,320	4062768107342	130	6	3	6,120	4062768107977
90	60	3	42,400	4062768109834	130	8	3	8,160	4062768107984
100	4	3	3,140	4062768107366	130	8	6	8,160	4062768109766
100	5	3	3,930	4062768107373					
100	6	3	4,710	4062768107380					




## ■ BLANKSTAHL S235JRC+C H11 FLACH

EN10277/EN10278/EN10025


mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
130	10	3	10,210	4062768107991	180	20	3	28,260	4062768108486
130	12	3	12,250	4062768108004	180	20	6	28,260	4062768002319
130	15	3	15,310	4062768108011	180	25	3	35,360	4062768108493
130	20	3	20,410	4062768108028	180	30	3	42,390	4062768108509
130	25	3	25,510	4062768108035	180	30	6	42,390	4062768109728
130	30	3	30,620	4062768108042	180	40	3	56,520	4062768108516
130	40	6	40,800	4062768110571	180	40	6	56,520	4062768269651
130	80	6	81,600	4062768197008	200	5	3	8,000	4062768108523
140	6	3	6,590	4062768108066	200	6	3	9,420	4062768108530
140	8	3	8,790	4062768108073	200	8	3	12,560	4062768108547
140	8	6	8,790	4062768280878	200	10	3	15,700	4062768108554
140	10	3	10,990	4062768108080	200	12	3	18,840	4062768108561
140	12	3	13,190	4062768108097	200	15	3	24,000	4062768108578
140	15	3	16,490	4062768108103	200	20	3	31,400	4062768108592
140	20	3	21,980	4062768108127	200	20	6	31,400	4062768002296
140	25	3	27,480	4062768108134	200	25	3	39,250	4062768108608
140	30	3	32,970	4062768108141	200	30	3	47,100	4062768108615
140	40	3	43,960	4062768108165	200	35	3	56,000	4062768280120
140	50	3	54,960	4062768110397	200	40	3	62,800	4062768108639
140	50	6	54,960	4062768192225	200	50	3	78,500	4062768108646
150	5	3	5,890	4062768108172	200	60	3	96,000	4062768110519
150	6	3	7,070	4062768108189	220	10	3	17,270	4062768108653
150	8	3	9,420	4062768108196	220	12	3	21,100	4062768108660
150	10	3	11,770	4062768108202	220	15	3	26,400	4062768108677
150	10	6	11,770	4062768110922	220	20	3	34,540	4062768108684
150	12	3	14,130	4062768108219	220	25	3	44,000	4062768108691
150	15	3	17,660	4062768108226	220	30	3	51,810	4062768108707
150	20	3	23,550	4062768108240	220	30	6	51,810	4062768109155
150	20	6	23,550	4062768110878	250	6	3	12,000	4062768110946
150	25	3	29,440	4062768108257	250	8	3	16,000	4062768109070
150	25	6	29,440	4062768110953	250	10	3	19,630	4062768108714
150	30	3	35,330	4062768108264	250	12	3	23,550	4062768108721
150	32	3	37,680	4062768108271	250	15	3	29,440	4062768108738
150	35	3	41,210	4062768109056	250	20	3	40,000	4062768108745
150	40	3	47,100	4062768108288	250	20	6	40,000	4062768193956
150	50	3	58,880	4062768108295	250	25	3	49,050	4062768108752
150	60	3	70,700	4062768109803	250	30	3	58,880	4062768108769
160	6	3	7,540	4062768108318	250	40	3	78,500	4062768108776
160	8	3	10,050	4062768108325	250	50	3	98,100	4062768108783
160	8	6	10,050	4062768280922	250	60	3	120,000	4062768270220
160	10	3	12,560	4062768108332	300	10	3	23,550	4062768108790
160	12	3	15,070	4062768108349	300	12	3	28,260	4062768108806
160	15	3	18,840	4062768108356	300	15	3	35,330	4062768108813
160	20	3	25,120	4062768108370	300	20	3	47,100	4062768108820
160	25	3	31,400	4062768108387	300	25	3	58,900	4062768108837
160	30	3	37,680	4062768108394	300	30	3	70,660	4062768108844
160	40	3	50,240	4062768108417	300	40	3	94,200	4062768108851
160	50	3	64,000	4062768108424	350	12	3	33,600	4062768108875
160	60	3	76,800	4062768270206	350	15	3	42,000	4062768108882
180	6	3	8,646	4062768110229	350	20	3	56,000	4062768108899
180	8	3	11,300	4062768108431	400	10	3	32,000	4062768108943
180	10	3	14,130	4062768108448	400	12	3	38,400	4062768108950
180	12	3	16,900	4062768108455	400	15	3	48,000	4062768108967
180	15	3	21,200	4062768108462	400	20	3	64,000	4062768108974
					400	25	3	80,000	4062768108981
					400	30	3	96,000	4062768108998





■ **BLANKSTAHL S235JRC VOM BAND GESCHNITTEN**  
EN10140/EN10025

mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
7	3	3	0,165	4062768102668	20	5	3	0,790	4062768103665
10	2	3	0,157	4062768102842	25	2	3	0,393	4062768104044
12	3	3	0,283	4062768103023	25	3	3	0,589	4062768104068
14	3	3	0,330	4062768110755	25	4	3	0,785	4062768104075
15	3	3	0,353	4062768110441	30	2	3	0,471	4062768104488
15	4	3	0,471	4062768110458	30	4	3	0,942	4062768110465
16	2	3	0,250	4062768110977	30	5	3	1,180	4062768110472
16	3	3	0,377	4062768103405	40	3	3	0,942	4062768105164
16	4	3	0,502	4062768103412	50	4	3	1,570	4062768105584
20	2	3	0,314	4062768103627					
20	3	3	0,471	4062768103641					
20	4	3	0,628	4062768103658					




■ **BLANKSTAHL S355J2C+C H11 FLACH**  
EN10277/EN10278/EN10025

mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
30	12	6	2,830	4062768109261	90	30	3	21,200	4062768279933
40	10	6	3,140	4062768109193	90	30	6	21,200	4062768110588
40	15	6	4,710	4062768109322	100	10	6	7,850	4062768109636
40	20	6	6,280	4062768109339	100	15	6	11,800	4062768109643
40	25	6	7,850	4062768109346	100	20	6	15,700	4062768109650
40	30	6	9,420	4062768109353	100	25	6	19,630	4062768110793
50	8	6	3,140	4062768241848	100	30	6	23,550	4062768109841
50	10	6	3,930	4062768109360	100	35	3	27,500	4062768109667
50	12	6	4,710	4062768285064	100	35	6	27,500	4062768239555
50	20	6	7,850	4062768109384	100	40	6	31,400	4062768109674
50	30	6	11,780	4062768109407	100	50	6	39,260	4062768109957
50	40	6	15,700	4062768109421	120	15	6	14,130	4062768109865
60	10	6	4,710	4062768109438	120	20	6	18,840	4062768110182
60	20	6	9,420	4062768109452	120	30	6	28,260	4062768198449
60	25	6	11,800	4062768109469	120	40	6	38,400	4062768281394
60	30	6	14,130	4062768109476	140	20	6	21,980	4062768271258
60	40	6	18,800	4062768109483	140	50	6	54,960	4062768194236
70	10	6	5,500	4062768109490	150	20	6	23,550	4062768110557
70	20	6	11,000	4062768109513	150	30	6	35,330	4062768110526
70	25	6	13,740	4062768110618	150	40	3	47,100	4062768002302
70	30	6	16,500	4062768109520	150	40	6	47,100	4062768280137
80	10	6	6,280	4062768109544					
80	20	6	12,600	4062768109568					
80	30	6	18,800	4062768109575					
80	40	6	25,100	4062768109582					

## ■ BLANKSTAHL C45+C H11 FLACH

EN10277/EN10278/EN10083


mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
20	10	3	1,570	4062768119949	60	25	3	11,780	4062768119710
25	20	3	3,930	4062768120037	60	25	6	11,780	4062768281035
30	6	6	1,410	4062768119451	60	30	6	14,130	4062768119727
30	10	3	2,360	4062768119475	60	40	3	18,800	4062768120266
35	15	6	4,120	4062768120105	70	20	6	10,990	4062768119765
40	8	6	2,510	4062768119529	80	12	6	7,540	4062768119796
40	10	6	3,140	4062768119536	80	20	3	12,560	4062768119819
40	15	6	4,710	4062768119550	90	30	6	21,200	4062768132047
40	20	3	6,280	4062768119567	100	15	6	11,770	4062768119864
40	25	3	7,850	4062768120143	100	20	3	15,700	4062768119871
40	30	3	9,420	4062768120150	100	25	6	19,63	4062768119888
40	30	6	9,420	4062768120167	100	30	6	23,550	4062768119895
45	12	6	4,240	4062768120198	100	40	6	31,400	4062768120433
50	15	3	5,890	4062768119611	100	50	3	39,300	4062768120709
50	20	6	7,850	4062768119628	100	50	6	39,300	4062768120440
50	25	3	9,810	4062768119635	120	10	3	9,42	4062768120457
50	35	6	13,740	4062768120242	120	15	3	14,100	4062768120471
50	40	6	15,700	4062768120259	120	20	3	18,800	4062768120488
60	8	6	3,770	4062768244740	120	30	6	28,300	4062768120495
60	10	6	4,710	4062768119673	120	40	6	37,700	4062768120501
60	12	6	5,650	4062768239821	120	50	6	47,100	4062768120518
60	15	6	7,070	4062768119697	130	25	6	25,510	4062768132092
					150	15	6	17,700	4062768120563




## ■ BLANKSTAHL S235JRC+C/SH H9 RUND

EN10277/EN10278/EN10025

mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
3	3	0,055	4062768110984	24	6	3,550	4062768111226
4	3	0,099	4062768110991	25	3	3,850	4062768115941
5	3	0,154	4062768111004	25	6	3,850	4062768111233
6	3	0,222	4062768111011	26	6	4,170	4062768111240
6	6	0,222	4062768115194	28	6	4,830	4062768111264
7	3	0,302	4062768111028	30	3	5,550	4062768283466
8	3	0,395	4062768111035	30	6	5,550	4062768111288
8	6	0,395	4062768111042	32	6	6,310	4062768111295
9	3	0,499	4062768114036	35	6	7,550	4062768111318
9	6	0,499	4062768111066	36	6	7,990	4062768111325
10	3	0,617	4062768111073	38	6	8,900	4062768111332
10	6	0,617	4062768111080	40	3	9,860	4062768047341
11	3	0,746	4062768114067	40	6	9,860	4062768111349
11	6	0,746	4062768111097	42	6	10,900	4062768111356
12	3	0,888	4062768111103	45	6	12,500	4062768111370
12	6	0,888	4062768111110	50	6	15,400	4062768111400
13	6	1,040	4062768111127	55	6	18,700	4062768111424
14	6	1,210	4062768111134	60	6	22,200	4062768111431
15	6	1,390	4062768111141	65	6	26,050	4062768113756
16	6	1,580	4062768111158	70	6	30,200	4062768111448
17	6	1,782	4062768111165	75	6	34,700	4062768111455
18	6	2,000	4062768111172	80	6	39,500	4062768111462
19	6	2,230	4062768111189	90	6	49,900	4062768111479
20	6	2,466	4062768111196	100	6	61,700	4062768111486
22	6	2,980	4062768111219	110	6	74,600	4062768114029
23	6	3,261	4062768113688	120	6	88,800	4062768111493
				130	6	104,000	4062768111509






**BLANKSTAHL S355J2C+C/SH H9 RUND**  
EN10277/EN10278/EN10025

mm	Länge m	kg/m	GTIN
6	3	0,222	4062768113343
6	6	0,222	4062768114012
8	6	0,395	4062768113350
9	6	0,499	4062768115040
10	3	0,617	4062768113367
10	6	0,617	4062768113374
12	6	0,888	4062768113381
14	6	1,208	4062768113398
15	6	1,387	4062768113404
16	6	1,578	4062768113411
18	6	1,998	4062768113428
20	3	2,466	4062768182530
20	6	2,466	4062768113435
22	6	2,984	4062768113442
24	6	3,551	4062768113459
25	3	3,853	4062768193130
25	6	3,853	4062768113466
26	6	4,168	4062768113473
28	6	4,834	4062768113480
30	6	5,549	4062768113497
32	6	6,313	4062768115033
35	6	7,553	4062768113503
38	6	8,903	4062768115170

mm	Länge m	kg/m	GTIN
40	3	9,865	4062768115057
40	6	9,865	4062768113510
42	6	10,880	4062768113527
45	6	12,480	4062768113534
50	6	15,410	4062768113541
55	6	18,650	4062768113558
60	3	22,190	4062768045170
60	6	22,190	4062768113565
65	6	26,050	4062768113572
70	6	30,210	4062768113589
75	6	34,680	4062768113596
80	6	39,460	4062768113602
85	6	44,550	4062768114043
90	6	49,940	4062768113619
100	3	61,650	4062768114982
100	6	61,650	4062768198579
110	3	74,600	4062768115835
110	6	74,600	4062768113633
120	6	88,800	4062768113640
130	6	104,000	4062768115125
140	6	121,000	4062768114678



**BLANKSTAHL C35+C/SH H9 RUND**  
EN10277/EN10278/EN10083


mm	Länge m	kg/m	GTIN
6	3	0,222	4062768111578
8	6	0,395	4062768111592
10	3	0,617	4062768111615
10	6	0,617	4062768111622
12	6	0,888	4062768111653
14	6	1,210	4062768111677
15	6	1,390	4062768111684
16	6	1,580	4062768111691
18	6	2,000	4062768111714
20	6	2,466	4062768111738
22	6	2,980	4062768111752
24	6	3,550	4062768111769
25	6	3,850	4062768111776
26	6	4,170	4062768111783
28	6	4,830	4062768111806
30	6	5,550	4062768111820
32	6	6,310	4062768111837
35	6	7,550	4062768111851

mm	Länge m	kg/m	GTIN
40	6	9,860	4062768111882
42	6	10,880	4062768111899
45	6	12,500	4062768111912
50	6	15,400	4062768111943
55	6	18,700	4062768111967
60	6	22,200	4062768111974
65	6	26,100	4062768111981
70	6	30,200	4062768111998
75	6	34,680	4062768112001
80	6	39,500	4062768112018
85	6	44,550	4062768112025
90	6	49,900	4062768112032
95	6	55,640	4062768112049
100	6	61,700	4062768112056
110	6	76,600	4062768111646
120	6	88,800	4062768112063
130	6	104,000	4062768113671
150	6	139,000	4062768112087

■ **BLANKSTAHL C45+C/SH H9 RUND**

EN10277/EN10278/EN10083


mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
8	3	0,395	4062768112155	35	6	7,550	4062768112391
8	6	0,395	4062768114647	40	6	9,860	4062768112421
10	6	0,617	4062768112179	45	6	12,500	4062768112452
12	6	0,888	4062768112193	50	6	15,400	4062768112483
14	6	1,210	4062768112216	55	6	18,700	4062768112506
15	6	1,390	4062768112223	60	6	22,200	4062768112513
16	6	1,580	4062768112230	65	6	26,050	4062768112520
18	6	2,000	4062768112254	70	6	30,200	4062768112537
20	6	2,470	4062768112278	75	6	34,680	4062768113725
21	6	2,719	4062768112285	80	6	39,500	4062768112544
22	6	2,980	4062768112292	90	6	49,900	4062768112551
24	6	3,550	4062768112308	95	6	55,640	4062768115903
25	6	3,850	4062768112315	100	6	61,700	4062768112568
26	6	4,170	4062768112322	110	6	74,600	4062768112575
30	6	5,550	4062768112360	120	6	88,800	4062768112582
32	6	6,310	4062768112377	130	6	104,000	4062768114975



■ **BLANKSTAHL C45+SL H6 GESCHLIFFEN RUND**

EN10277/EN10278/EN10083


mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
8	6	0,395	4062768113763	35	6	7,553	4062768113893
10	6	0,617	4062768113770	40	6	9,865	4062768113909
12	6	0,888	4062768113787	45	6	12,480	4062768113916
14	6	1,210	4062768113794	50	6	15,410	4062768113923
15	6	1,387	4062768113800	55	6	18,650	4062768113930
16	6	1,578	4062768113817	60	6	22,190	4062768113947
17	6	1,782	4062768113824	65	6	26,050	4062768113954
18	6	1,998	4062768113831	70	6	30,210	4062768113961
20	6	2,466	4062768113848	75	6	34,680	4062768113978
22	6	2,984	4062768113855	80	6	39,460	4062768113985
24	6	3,551	4062768113862	90	6	49,940	4062768113992
25	6	3,853	4062768113879	100	6	61,650	4062768114005
28	6	4,834	4062768113886	110	6	74,600	4062768115132
30	6	5,549	4062768113749	120	6	88,800	4062768113190
32	6	6,313	4062768283589				




■ **BLANKSTAHL S355J2+SL H6 GESCHLIFFEN RUND**

EN10277/EN10278/EN10025

mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
20	6	2,466	4062768280069	50	6	15,410	4062768115095
30	6	5,549	4062768115842	60	6	22,190	4062768115101
35	6	7,553	4062768115224	65	6	26,050	4062768283794
40	6	9,865	4062768115088	70	6	30,200	4062768115118
				100	6	39,460	4062768198579






**BLANKSTAHL 16MNCR5+C/SH H9 RUND**

EN10277/EN10278/EN10084


mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
8	3	0,395	4062768114098	40	3	9,865	4062768114265
10	3	0,617	4062768114104	42	3	10,880	4062768182714
12	3	0,888	4062768114111	45	3	12,480	4062768114272
15	3	1,387	4062768114135	50	3	15,410	4062768114289
16	3	1,578	4062768114142	55	3	18,650	4062768114296
18	3	1,998	4062768114159	60	3	22,190	4062768114302
20	3	2,466	4062768114166	65	3	26,050	4062768114319
25	3	3,853	4062768114197	70	3	30,210	4062768114326
30	3	5,549	4062768114227	75	3	34,680	4062768255579
32	3	6,313	4062768114234	80	3	39,460	4062768114333
35	3	7,553	4062768114241	90	3	49,940	4062768115071
				100	3	61,700	4062768115859



**BLANKSTAHL 42CRMO4+QT+C/SH H9 RUND**

EN10277/EN10278/EN10084

mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
20	6	2,466	4062768114395	55	6	18,650	4062768114555
25	6	3,853	4062768114425	60	6	22,190	4062768114579
30	6	5,549	4062768114449	70	6	30,210	4062768114609
35	6	7,553	4062768114463	80	6	39,460	4062768114616
40	6	9,865	4062768114494	95	6	55,640	4062768195790
45	6	12,480	4062768114517	100	6	61,650	4062768114630
50	6	15,410	4062768114548	105	6	68,000	4062768269682



**AUTOMATENSTAHL 11SMN30+C/SH H9 RUND**


EN10277/EN10278/EN10087

mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
4	3	0,099	4062768112629	36	3	7,990	4062768112919
5	3	0,154	4062768112636	38	3	8,900	4062768112926
6	3	0,222	4062768112643	40	3	9,860	4062768112933
7	3	0,302	4062768112650	42	3	10,900	4062768112940
8	3	0,395	4062768112667	43	3	11,400	4062768112957
9	3	0,499	4062768112674	45	3	12,500	4062768112971
10	3	0,617	4062768112681	46	3	13,046	4062768112988
12	3	0,888	4062768112704	50	3	15,400	4062768113008
13	3	1,040	4062768112711	52	3	16,617	4062768113015
14	3	1,210	4062768112728	55	3	18,700	4062768113022
15	3	1,390	4062768112735	58	3	20,740	4062768281042
16	3	1,580	4062768112742	60	3	22,200	4062768113039
17	3	1,782	4062768112759	62	3	23,700	4062768115897
18	3	2,000	4062768112766	65	3	26,050	4062768113046
19	3	2,230	4062768112773	70	3	30,200	4062768113053
20	3	2,470	4062768112780	75	3	34,680	4062768113060
22	3	2,980	4062768112803	80	3	39,500	4062768113077
24	3	3,550	4062768112810	85	3	44,550	4062768113084
25	3	3,850	4062768112827	90	3	49,900	4062768113091
26	3	4,170	4062768112834	95	3	55,640	4062768113107
28	3	4,830	4062768112858	100	3	61,700	4062768113114
30	3	5,550	4062768112872	105	3	68,000	4062768241756
32	3	6,310	4062768112889	110	3	74,600	4062768113121
34	3	7,127	4062768112896	120	3	88,800	4062768113138
35	3	7,550	4062768112902	140	3	121,000	4062768113152
				150	3	139,000	4062768115200

**AUTOMATENSTAHL 11SMNPB30/37+C/SH H9 RUND**

EN10277/EN10278/EN10087


mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
4	3	0,099	4062768115323	50	3	15,410	4062768115293
5	3	0,154	4062768192263	52	3	16,620	4062768115309
10	3	0,617	4062768115330	55	3	18,650	4062768115934
15	3	1,387	4062768115248	60	3	22,190	4062768115361
19	3	2,230	4062768115484	62	3	23,720	4062768115507
20	3	2,466	4062768115255	70	3	30,210	4062768115378
25	3	3,853	4062768115347	75	3	34,680	4062768115958
28	3	4,834	4062768115880	80	3	39,460	4062768115385
30	3	5,549	4062768115262	85	3	44,550	4062768115316
35	3	7,553	4062768115279	95	3	55,640	4062768281424
40	3	9,865	4062768115286	100	3	61,650	4062768115408
45	3	12,480	4062768115354	105	3	68,000	4062768281042
				110	3	74,600	4062768020856



**BLANKSTAHL S235JRC+C H11 VIERKANT**

EN10277/EN10278/EN10025


mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
4	3	0,130	4062768116252	28	3	6,154	4062768117051
5	3	0,196	4062768116269	30	3	7,065	4062768116443
6	3	0,283	4062768116276	30	6	7,065	4062768117259
8	3	0,502	4062768116290	32	3	8,038	4062768116450
10	3	0,785	4062768116313	35	3	9,616	4062768116467
11	3	0,950	4062768116320	36	3	10,200	4062768116474
12	3	1,130	4062768116337	40	3	12,560	4062768116481
12	6	1,130	4062768192584	40	6	12,560	4062768117266
13	3	1,327	4062768116344	45	3	15,896	4062768116498
14	3	1,539	4062768116351	50	3	19,625	4062768116504
15	3	1,766	4062768116368	50	6	19,625	4062768117068
15	6	1,766	4062768117334	60	3	28,260	4062768116528
16	3	2,010	4062768116375	60	6	28,260	4062768117273
17	3	2,269	4062768116382	70	3	38,460	4062768116542
18	3	2,543	4062768116399	80	3	50,240	4062768116559
20	3	3,140	4062768116412	80	6	50,240	4062768117075
20	6	3,140	4062768117020	90	3	63,580	4062768116573
22	3	3,799	4062768116429	100	3	78,500	4062768116580
24	3	4,522	4062768117044	100	6	78,500	4062768117303
25	3	4,906	4062768116436	120	3	113,000	4062768116825
25	6	4,906	4062768117242				




**BLANKSTAHL S355J2C+C H11 VIERKANT**

EN10277/EN10278/EN10025

mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
20	6	3,140	4062768117129	60	6	28,300	4062768117198
25	6	4,910	4062768117136	70	6	38,460	4062768117235
30	6	7,070	4062768117143	80	6	50,200	4062768117204
35	6	9,620	4062768117150	90	6	63,580	4062768117211
40	6	12,600	4062768117167	100	6	78,500	4062768117228
50	6	19,620	4062768117112				






■ **BLANKSTAHL C45+C H11 VIERKANT**  
EN10277/EN10278/EN10083

mm	Länge m	kg/m	GTIN
12	3	1,130	4062768117099
15	3	1,766	4062768116603
18	3	2,543	4062768116610
20	3	3,140	4062768116627
22	3	3,799	4062768117105
25	3	4,906	4062768116634
30	6	7,065	4062768116641
35	3	9,616	4062768116771
40	3	12,560	4062768116658


mm	Länge m	kg/m	GTIN
45	3	15,890	4062768116788
50	3	19,620	4062768116665
50	6	19,620	4062768117280
60	3	28,260	4062768116795
60	6	28,260	4062768117297
70	3	38,460	4062768116801
80	3	50,240	4062768116818
90	3	63,580	4062768117082
100	3	78,500	4062768117013



■ **KEILSTAHL C45+C H9/H11 FLACH**  
DIN 6880/EN10083

mm	mm	Länge m	kg/m	GTIN
8	7	3	0,440	4062768118522
10	6	3	0,470	4062768118539
10	8	3	0,630	4062768118546
12	8	3	0,754	4062768118553
12	10	3	0,940	4062768118560
14	9	3	0,990	4062768118577
16	10	3	1,260	4062768118584
18	11	3	1,560	4062768118591

mm	mm	Länge m	kg/m	GTIN
20	12	3	1,880	4062768118607
22	14	3	2,410	4062768118614
25	14	3	2,750	4062768118621
28	16	3	3,520	4062768118645
32	18	3	4,520	4062768118669
36	20	3	5,650	4062768118683
40	22	3	6,910	4062768118706



■ **KEILSTAHL C45+C H11 VIERKANT**  
DIN 6880/EN10083


mm	Länge m	kg/m	GTIN
4	3	0,120	4062768118775
5	3	0,196	4062768118362
6	3	0,283	4062768118379
8	3	0,502	4062768118393

mm	Länge m	kg/m	GTIN
10	3	0,785	4062768118409
12	3	1,130	4062768118416
14	3	1,539	4062768118423
16	3	2,010	4062768118430

**AUTOMATENSTAHL 11SMN30+C SECHSKANT**

EN10277/EN10278/EN10087


mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
10	3	0,680	4062768117402	24	3	3,916	4062768117495
11	3	0,823	4062768117419	27	3	4,956	4062768117501
12	3	0,979	4062768117426	30	3	6,118	4062768117518
13	3	1,149	4062768117433	36	3	8,811	4062768117532
17	3	1,965	4062768118089	46	3	14,385	4062768280762
19	3	2,454	4062768118096	55	3	20,565	4062768117570



**AUTOMATENSTAHL 11SMNPB30/37+C H11 SECHSKANT**

EN10277/EN10278/EN10087


mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
8	3	0,435	4062768117389	24	3	3,916	4062768118102
9	3	0,551	4062768117396	27	3	4,956	4062768118027
13	3	1,149	4062768117440	30	3	6,118	4062768118034
14	3	1,330	4062768117457	32	3	6,961	4062768117525
17	3	1,965	4062768117464	36	3	8,811	4062768117662
19	3	2,454	4062768117471	41	3	11,428	4062768117549
22	3	3,290	4062768117488	46	3	14,385	4062768117556



**BLANKSTAHL C45+C H11 SECHSKANT**

EN10277/EN10278/EN10083

mm	Länge m	kg/m	GTIN
17	3	1,960	4062768117891
19	3	2,450	4062768117907
24	3	3,916	4062768117921
30	3	6,118	4062768117945
36	3	8,811	4062768117969



**BLANKSTAHL S235JRC+C DREIKANT**

EN10277/EN10278/EN10025


mm	mm	mm	Länge m	kg/m	GTIN	mm	mm	mm	Länge m	kg/m	GTIN
10	10	10	3	0,350	4062768110038	15	15	21,15	3	0,900	4062768110137
10	10	14,1	3	0,400	4062768110113	20	20	28,3	3	1,570	4062768110144




**BLANKSTAHL S235JRC+C T-STAH**

EN10025


mm	mm	mm	Länge m	kg/m	GTIN	mm	mm	mm	Länge m	kg/m	GTIN
40	40	4	3	2,390	4062768118836	45	45	5	3	3,340	4062768118850
40	40	5	3	2,600	4062768118843	48	48	5	3	3,550	4062768118867






**BLANKSTAHL S235JRC+C WINKEL GLEICHSCH.**  
DIN 59370/EN10025

mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
10	2	3	0,280	4062768118997	35	3	3	1,600	4062768119215
12	2	3	0,380	4062768119000	35	4	3	2,100	4062768119222
12	3	3	0,570	4062768119017	35	5	3	2,570	4062768119239
15	2	3	0,440	4062768119024	40	3	3	1,820	4062768119284
15	3	3	0,620	4062768119031	40	4	3	2,420	4062768119291
20	2	3	0,590	4062768119079	40	5	3	2,970	4062768119307
20	3	3	0,880	4062768119086	40	6	3	3,520	4062768119376
20	4	3	1,140	4062768119093	45	5	3	3,380	4062768119338
25	2	3	0,750	4062768119116	50	5	3	3,770	4062768119352
25	3	3	1,120	4062768119123	50	6	3	4,470	4062768119406
25	4	3	1,450	4062768119130	60	6	3	5,420	4062768118928
25	5	3	1,770	4062768119147	60	6	6	5,420	4062768119420
30	2	3	0,950	4062768119178	80	8	3	9,660	4062768119444
30	3	3	1,360	4062768119185	80	8	6	9,660	4062768119383
30	4	3	1,780	4062768119192	80	10	3	11,900	4062768118942
30	5	3	2,180	4062768119208	100	10	3	15,100	4062768118966
					100	10	6	15,100	4062768118973



**BLANKSTAHL S235JRC+C WINKEL UNGLEICHSCH.**  
DIN 59370/EN10025

mm	mm	mm	Länge m	kg/m	GTIN	mm	mm	mm	Länge m	kg/m	GTIN
20	10	3	3	0,640	4062768119048	40	30	3	3	1,650	4062768119277
20	15	3	3	0,740	4062768119055	45	30	4	3	2,250	4062768119314
20	15	4	3	0,900	4062768119062	45	30	5	3	2,770	4062768119321
25	15	3	3	0,870	4062768119109	50	30	5	3	2,960	4062768119390
30	20	3	3	1,110	4062768119154	60	30	5	3	3,370	4062768119345
30	20	4	3	1,450	4062768119161	60	40	5	3	3,760	4062768118911
40	20	3	3	1,350	4062768119246	80	40	6	3	5,410	4062768118935
40	20	4	3	1,770	4062768119253	100	50	10	3	11,100	4062768119437
40	20	5	3	2,100	4062768119260	100	50	10	6	11,100	4062768118959



**SILBERSTAHL 115CRV3 RUND**  
EN10278/ISO 4957

mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
2	2	0,025	4062768115514	14	2	1,208	4062768115644
2,5	2	0,039	4062768115521	15	2	1,387	4062768115651
3	2	0,055	4062768115538	16	2	1,578	4062768115668
4	2	0,099	4062768115545	17	2	1,782	4062768115675
5	2	0,154	4062768115552	18	2	1,998	4062768115682
6	2	0,222	4062768115569	20	2	2,466	4062768115705
7	2	0,302	4062768115576	22	2	2,984	4062768115729
8	2	0,395	4062768115583	24	2	3,551	4062768115736
9	2	0,499	4062768115590	25	2	3,853	4062768115743
10	2	0,617	4062768115606	30	2	5,550	4062768115750
11	2	0,746	4062768115613	35	2	7,550	4062768115767
12	2	0,888	4062768115620	40	2	9,860	4062768115774
13	2	1,042	4062768115637	50	2	15,400	4062768115798