


STABSTAHL



■ FLACHSTAHL S235JR EN10058/EN10025


mm	mm	Länge m	kg/m	GTIN
10	5	6	0,393	4062768005020
10	6	6	0,472	4062768007253
12	5	6	0,471	4062768005037
12	6	6	0,565	4062768005044
12	8	6	0,754	4062768005051
14	5	6	0,550	4062768015067
14	6	6	0,660	4062768015050
14	8	6	0,880	4062768015074
15	5	6	0,589	4062768005068
15	6	6	0,707	4062768005075
15	8	6	0,942	4062768005082
15	10	6	1,180	4062768005099
16	5	6	0,628	4062768005105
16	6	6	0,754	4062768005112
16	8	6	1,000	4062768005129
16	10	6	1,260	4062768005136
18	5	6	0,710	4062768005143
18	6	6	0,848	4062768005150
18	8	6	1,130	4062768005167
20	5	6	0,785	4062768005198
20	6	6	0,942	4062768005204
20	8	6	1,260	4062768005211
20	10	6	1,570	4062768005228
20	12	6	1,880	4062768005235
20	15	6	2,360	4062768005242
25	5	6	0,981	4062768005259
25	6	6	1,180	4062768005266
25	8	6	1,570	4062768005273
25	10	6	1,960	4062768005280
25	12	6	2,360	4062768005297
25	15	6	2,940	4062768005303
25	20	6	3,930	4062768005310
30	5	6	1,180	4062768005327
30	6	6	1,410	4062768005334
30	8	6	1,880	4062768005341
30	10	6	2,360	4062768005358
30	12	6	2,830	4062768005365
30	15	6	3,530	4062768005372
30	20	6	4,710	4062768005389
30	25	6	5,890	4062768005396
35	5	6	1,370	4062768005402
35	6	6	1,650	4062768005419
35	8	6	2,200	4062768005426
35	10	6	2,750	4062768005433
35	12	6	3,300	4062768005440
35	15	6	4,120	4062768005457
35	20	6	5,500	4062768005464
35	25	6	6,870	4062768005471
40	5	6	1,570	4062768005488
40	6	6	1,880	4062768005495
40	8	6	2,510	4062768005501
40	10	6	3,140	4062768005518


mm	mm	Länge m	kg/m	GTIN
40	12	6	3,770	4062768005525
40	15	6	4,710	4062768005532
40	20	6	6,280	4062768005549
40	25	6	7,850	4062768005556
40	30	6	9,420	4062768005563
45	5	6	1,770	4062768005570
45	6	6	2,120	4062768005587
45	8	6	2,830	4062768005594
45	10	6	3,530	4062768005600
45	12	6	4,240	4062768005617
45	15	6	5,300	4062768005624
45	20	6	7,070	4062768005631
45	25	6	8,830	4062768005648
45	30	6	10,600	4062768005655
50	5	6	1,960	4062768005662
50	6	6	2,360	4062768005679
50	8	6	3,140	4062768005686
50	10	6	3,930	4062768005693
50	12	6	4,710	4062768005709
50	15	6	5,890	4062768005716
50	20	6	7,850	4062768005723
50	25	6	9,810	4062768005730
50	30	6	11,800	4062768005747
50	35	6	13,740	4062768186057
50	40	6	15,700	4062768005754
55	5	6	2,160	4062768005761
55	6	6	2,590	4062768005778
55	8	6	3,450	4062768005785
55	10	6	4,320	4062768005792
55	12	6	5,180	4062768005808
55	15	6	6,480	4062768005815
55	20	6	8,640	4062768005822
55	25	6	10,800	4062768005839
60	5	6	2,360	4062768005853
60	6	6	2,830	4062768005860
60	8	6	3,770	4062768005877
60	10	6	4,710	4062768005884
60	12	6	5,650	4062768005891
60	15	6	7,070	4062768005907
60	20	6	9,420	4062768005914
60	25	6	11,800	4062768005921
60	30	6	14,100	4062768005938
60	35	6	16,500	4062768005945
60	40	6	18,800	4062768005952
60	50	6	23,600	4062768005969
65	5	6	2,550	4062768005976
65	6	6	3,060	4062768005983
65	8	6	4,080	4062768005990
65	10	6	5,100	4062768006003
65	12	6	6,120	4062768006010
65	15	6	7,650	4062768006027
65	20	6	10,200	4062768006034
65	25	6	12,800	4062768006041



mm	mm	Länge m	kg/m	GTIN
70	5	6	2,750	4062768006072
70	6	6	3,300	4062768006089
70	8	6	4,400	4062768006096
70	10	6	5,500	4062768006102
70	12	6	6,590	4062768006119
70	15	6	8,240	4062768006126
70	20	6	11,000	4062768006133
70	25	6	13,700	4062768006140
70	30	6	16,500	4062768006157
70	35	6	19,200	4062768006164
70	40	6	22,000	4062768006171
70	50	6	27,500	4062768006188
75	5	6	2,940	4062768006195
75	6	6	3,530	4062768006201
75	8	6	4,710	4062768006218
75	10	6	5,890	4062768006225
75	12	6	7,070	4062768006232
75	15	6	8,830	4062768006249
75	20	6	11,800	4062768006256
75	25	6	14,700	4062768006263
80	5	6	3,140	4062768006287
80	6	6	3,770	4062768006294
80	8	6	5,020	4062768006300
80	10	6	6,280	4062768006317
80	12	6	7,540	4062768006324
80	15	6	9,420	4062768006331
80	20	6	12,600	4062768006348
80	25	6	15,700	4062768006355
80	30	6	18,800	4062768006362
80	35	6	22,000	4062768006379
80	40	6	25,120	4062768006386
80	50	6	31,400	4062768006393
80	60	6	37,700	4062768006409
90	5	6	3,530	4062768006416
90	6	6	4,240	4062768006423
90	8	6	5,650	4062768006430
90	10	6	7,070	4062768006447
90	12	6	8,480	4062768006454
90	15	6	10,600	4062768006461
90	20	6	14,100	4062768006478
90	25	6	17,700	4062768006485
90	30	6	21,200	4062768006492
90	40	6	28,300	4062768006515
90	50	6	35,300	4062768006522
90	60	6	42,400	4062768006539
100	5	6	3,930	4062768006546
100	6	6	4,710	4062768006553
100	8	6	6,280	4062768006560
100	10	6	7,850	4062768006577
100	12	6	9,420	4062768006584
100	15	6	11,800	4062768006591
100	20	6	15,700	4062768006607
100	25	6	19,600	4062768006614
100	30	6	23,600	4062768006621
100	35	6	27,500	4062768006638
100	40	6	31,400	4062768006645
100	50	6	39,300	4062768006652
100	60	6	47,100	4062768006669

mm	mm	Länge m	kg/m	GTIN
110	5	6	4,320	4062768014855
110	6	6	5,180	4062768014862
110	8	6	6,910	4062768006676
110	10	6	8,640	4062768006683
110	12	6	10,400	4062768006690
110	15	6	13,000	4062768006706
110	20	6	17,300	4062768006713
110	25	6	21,600	4062768006720
110	30	6	25,910	4062768006737
110	40	6	34,500	4062768006744
110	50	6	43,200	4062768006751
110	60	6	51,800	4062768007215
120	5	6	4,710	4062768014893
120	6	6	5,650	4062768014909
120	8	6	7,540	4062768006768
120	10	6	9,420	4062768006775
120	12	6	11,300	4062768006782
120	15	6	14,100	4062768006799
120	20	6	18,800	4062768006805
120	25	6	23,600	4062768006812
120	30	6	28,300	4062768006829
120	40	6	37,700	4062768006836
120	50	6	47,100	4062768006843
120	60	6	56,500	4062768006850
130	5	6	5,100	4062768014930
130	6	6	6,123	4062768014947
130	8	6	8,160	4062768006867
130	10	6	10,200	4062768006874
130	12	6	12,200	4062768006881
130	15	6	15,300	4062768006898
130	20	6	20,400	4062768006904
130	25	6	25,500	4062768006911
130	30	6	30,600	4062768006928
130	40	6	40,800	4062768006935
130	50	6	51,000	4062768006942
130	60	6	61,250	4062768007246
140	5	6	5,500	4062768014978
140	6	6	6,594	4062768014985
140	8	6	8,790	4062768006959
140	10	6	11,000	4062768006966
140	12	6	13,200	4062768006973
140	15	6	16,500	4062768006980
140	20	6	22,000	4062768006997
140	25	6	27,500	4062768007000
140	30	6	33,000	4062768007017
140	40	6	44,000	4062768007024
140	50	6	55,000	4062768007031
140	60	6	65,950	4062768007239
150	5	6	5,888	4062768015012
150	6	6	7,065	4062768015029
150	8	6	9,420	4062768007048
150	10	6	11,800	4062768007055
150	12	6	14,100	4062768007062
150	15	6	17,660	4062768007079
150	20	6	23,600	4062768007086
150	25	6	29,400	4062768007093
150	30	6	35,300	4062768007109
150	40	6	47,100	4062768007130
150	50	6	58,900	4062768007116
150	60	6	70,700	4062768007123





■ **BREITFLACHSTAHL S235JR**
DIN 59200/EN10025

mm	mm	Länge m	kg/m	GTIN
160	5	6	6,400	4062768011663
160	6	6	7,680	4062768011670
160	8	6	10,200	4062768011687
160	10	6	12,800	4062768011694
160	12	6	15,400	4062768011700
160	15	6	19,200	4062768011717
160	20	6	25,600	4062768011724
160	25	6	31,400	4062768011731
160	30	6	38,400	4062768011748
160	35	6	44,800	4062768014206
160	40	6	51,200	4062768011755
160	50	6	64,000	4062768011762
170	8	6	10,900	4062768011885
170	10	6	13,600	4062768011892
170	12	6	16,300	4062768011908
170	15	6	20,400	4062768011915
170	20	6	27,200	4062768011922
170	25	6	33,400	4062768011939
170	30	6	40,800	4062768011946
180	5	6	7,200	4062768011977
180	6	6	8,640	4062768011984
180	8	6	11,500	4062768011991
180	10	6	14,400	4062768012004
180	12	6	17,300	4062768012011
180	15	6	21,600	4062768012028
180	20	6	28,800	4062768012035
180	25	6	35,000	4062768012042
180	30	6	43,200	4062768012059
180	35	6	50,400	4062768012066
180	40	6	57,600	4062768012073
180	50	6	72,000	4062768012080
180	60	6	86,400	4062768012097
190	8	6	12,200	4062768012127
190	10	6	15,200	4062768012134
190	12	6	18,200	4062768012141
190	15	6	22,800	4062768012158
190	20	6	30,400	4062768012165
190	25	6	38,000	4062768012172
190	30	6	45,600	4062768012189
200	5	6	8,000	4062768012196
200	6	6	9,600	4062768012202
200	8	6	12,800	4062768012226
200	10	6	16,000	4062768012233
200	12	6	19,200	4062768012240
200	15	6	24,000	4062768012257
200	20	6	32,000	4062768012264
200	20	12	32,000	4062768192607
200	25	6	39,000	4062768012271
200	30	6	48,000	4062768012288
200	35	6	56,000	4062768012295
200	40	6	64,000	4062768012301
200	50	6	80,000	4062768012318
200	60	6	96,000	4062768012325
210	8	6	13,400	4062768012356
210	10	6	16,800	4062768012363
210	12	6	20,200	4062768012370
210	15	6	25,200	4062768012387
210	20	6	33,600	4062768012394
210	25	6	42,000	4062768012400

mm	mm	Länge m	kg/m	GTIN
220	5	6	8,800	4062768012431
220	6	6	10,600	4062768012448
220	8	6	14,100	4062768012455
220	10	6	17,600	4062768012462
220	12	6	21,100	4062768012479
220	15	6	26,400	4062768012486
220	20	6	35,200	4062768012493
220	25	6	44,000	4062768012509
220	30	6	52,800	4062768012516
220	35	6	61,600	4062768012523
220	40	6	70,400	4062768012530
220	50	6	88,000	4062768012547
230	6	6	11,000	4062768012561
230	8	6	14,700	4062768012578
230	10	6	18,400	4062768012585
230	12	6	22,100	4062768012592
230	15	6	27,600	4062768012608
230	20	6	36,800	4062768012615
240	5	6	9,600	4062768012660
240	6	6	11,500	4062768012677
240	8	6	15,400	4062768012684
240	10	6	19,200	4062768012691
240	12	6	23,000	4062768012707
240	15	6	28,800	4062768012714
240	20	6	38,400	4062768012721
240	25	6	48,000	4062768012738
240	30	6	57,600	4062768012745
240	40	6	76,800	4062768012769
250	5	6	10,000	4062768012783
250	6	6	12,000	4062768012790
250	8	6	16,000	4062768012806
250	10	6	20,000	4062768012813
250	12	6	24,000	4062768012820
250	15	6	30,000	4062768012837
250	20	6	40,000	4062768012844
250	25	6	50,000	4062768012851
250	30	6	60,000	4062768012868
250	35	6	70,000	4062768012875
250	40	6	80,000	4062768012882
250	50	6	100,000	4062768012899
260	6	6	12,300	4062768012929
260	8	6	16,400	4062768012936
260	10	6	20,500	4062768012943
260	12	6	24,490	4062768012950
260	15	6	31,200	4062768012967
260	20	6	40,800	4062768012974
260	25	6	52,000	4062768014190
260	30	6	62,400	4062768014183
270	8	6	17,300	4062768012998
270	10	6	21,600	4062768013001
270	12	6	25,900	4062768013018
270	15	6	32,400	4062768013025
270	20	6	43,200	4062768013032
280	6	6	13,400	4062768013070
280	8	6	17,900	4062768013087
280	10	6	22,400	4062768013094
280	12	6	26,900	4062768013100
280	15	6	33,600	4062768013117




■ BREITFLACHSTAHL S235JR

DIN 59200/EN10025

mm	mm	Länge m	kg/m	GTIN
280	20	6	44,800	4062768013124
280	25	6	56,000	4062768013131
280	30	6	67,200	4062768013148
280	40	6	89,600	4062768013155
300	5	6	12,000	4062768013179
300	6	6	14,400	4062768013186
300	8	6	19,200	4062768013193
300	10	6	24,000	4062768013209
300	12	6	28,800	4062768013216
300	15	6	36,000	4062768013223
300	20	6	48,000	4062768013230
300	25	6	60,000	4062768013247
300	30	6	72,000	4062768013254
300	35	6	84,000	4062768013261
300	40	6	96,000	4062768013278
300	50	6	120,000	4062768013285
300	60	6	144,000	4062768013292
320	5	6	12,800	4062768013322
320	6	6	15,400	4062768013339
320	8	6	20,500	4062768013346
320	10	6	25,600	4062768013353
320	12	6	30,700	4062768013360
320	15	6	38,400	4062768013377
320	20	6	51,200	4062768013384
320	25	6	64,000	4062768013391
320	30	6	76,800	4062768013407
340	8	6	21,800	4062768013483
340	10	6	27,200	4062768013490
340	15	6	40,800	4062768013513
340	20	6	54,400	4062768013520
350	5	6	14,000	4062768014329
350	6	6	16,800	4062768013575
350	8	6	22,400	4062768013582
350	10	6	28,000	4062768013599
350	12	6	33,600	4062768013605
350	15	6	42,000	4062768013612
350	20	6	56,000	4062768013629
350	25	6	70,000	4062768013636
350	30	6	84,000	4062768013643
350	40	6	112,000	4062768013650

mm	mm	Länge m	kg/m	GTIN
360	8	6	23,000	4062768013681
360	10	6	28,800	4062768013698
360	12	6	34,600	4062768013704
360	15	6	43,200	4062768013711
360	20	6	57,600	4062768013728
360	25	6	72,000	4062768013735
380	8	6	24,320	4062768102293
380	10	6	30,400	4062768013766
380	12	6	36,500	4062768013773
380	15	6	45,600	4062768013780
380	20	6	60,800	4062768013797
380	25	6	76,000	4062768013803
400	5	6	16,000	4062768013834
400	6	6	19,200	4062768013841
400	8	6	25,600	4062768013858
400	10	6	32,000	4062768013865
400	12	6	38,400	4062768013872
400	15	6	48,000	4062768013889
400	20	6	64,000	4062768013896
400	25	6	80,000	4062768013902
400	30	6	96,000	4062768013919
400	40	6	128,000	4062768013926
450	6	6	21,600	4062768013957
450	8	6	28,800	4062768013964
450	10	6	36,000	4062768013971
450	12	6	43,200	4062768013988
450	15	6	54,000	4062768013995
450	20	6	72,000	4062768014008
450	25	6	90,000	4062768014015
500	6	6	24,000	4062768014053
500	8	6	32,000	4062768014060
500	10	6	40,000	4062768014077
500	12	6	48,000	4062768014084
500	15	6	60,000	4062768014091
500	20	6	80,000	4062768014107
500	25	6	100,000	4062768014114
500	30	6	120,000	4062768014121
600	8	6	38,400	4062768195721
600	10	6	48,000	4062768014213
600	15	6	72,000	4062768014220
600	20	6	96,000	4062768014237





■ FLACHSTAHL (BANDSTAHL) S235JR

EN10058/EN10025

mm	mm	Länge m	kg/m	GTIN
10	3	6	0,236	4062768014350
10	4	6	0,314	4062768014367
12	3	6	0,283	4062768014381
12	4	6	0,377	4062768014398
14	3	6	0,330	4062768014404
14	4	6	0,471	4062768198500
15	3	6	0,353	4062768014428
15	4	6	0,471	4062768014435
16	3	6	0,377	4062768014459
16	4	6	0,502	4062768014466

mm	mm	Länge m	kg/m	GTIN
18	3	6	0,425	4062768014473
18	4	6	0,565	4062768014480
20	2	4	0,314	4062768014503
20	3	6	0,471	4062768014510
20	4	6	0,628	4062768014527
25	2	4	0,393	4062768014541
25	3	6	0,589	4062768014558
25	4	6	0,785	4062768014565






■ FLACHSTAHL (BANDSTAHL) S235JR EN10058/EN10025

mm	mm	Länge m	kg/m	GTIN
30	2	4	0,471	4062768014589
30	3	6	0,707	4062768014596
30	4	6	0,942	4062768014602
35	3	6	0,824	4062768014619
35	4	6	1,100	4062768014626
40	2	4	0,628	4062768014633
40	3	6	0,942	4062768014640
40	4	6	1,260	4062768014657
45	3	6	1,060	4062768014664
45	4	6	1,410	4062768014671
50	2	4	0,785	4062768015043
50	3	6	1,180	4062768014688
50	4	6	1,570	4062768014695
60	3	6	1,410	4062768014732
60	4	6	1,880	4062768014749


mm	mm	Länge m	kg/m	GTIN
70	3	6	1,650	4062768014756
70	4	6	2,200	4062768014763
80	3	6	1,880	4062768014770
80	4	6	2,510	4062768014787
90	3	6	2,120	4062768014794
90	4	6	2,820	4062768014800
100	3	6	2,350	4062768014817
100	4	6	3,140	4062768014824
120	3	6	2,820	4062768014879
120	4	6	3,760	4062768014886
150	3	6	3,530	4062768014992
150	3	4	3,530	4062768269828
150	4	6	4,710	4062768015005
150	4	4	4,710	4062768269835
200	4	6	6,280	4062768015081



■ RUNDSTAHL S235JR EN10060/EN10025

mm	Länge m	kg/m	GTIN
6	6	0,222	4062768007307
8	6	0,395	4062768007321
10	6	0,617	4062768007345
12	6	0,888	4062768007352
14	6	1,210	4062768007376
15	6	1,390	4062768007383
16	6	1,580	4062768007390
18	6	2,000	4062768007406
20	6	2,470	4062768007420
22	6	2,980	4062768007437
24	6	3,550	4062768007444
25	6	3,850	4062768007451
26	6	4,170	4062768007468
27	6	4,490	4062768007475
28	6	4,830	4062768007482
30	6	5,550	4062768007499
32	6	6,310	4062768007505
35	6	7,550	4062768007512

mm	Länge m	kg/m	GTIN
36	6	7,990	4062768007529
40	6	9,860	4062768007543
42	6	10,900	4062768007550
45	6	12,500	4062768007567
48	6	14,200	4062768007574
50	6	15,400	4062768007581
55	6	18,700	4062768007598
60	6	22,200	4062768007604
65	6	26,000	4062768007611
70	6	30,200	4062768007628
80	6	39,500	4062768007642
85	6	44,500	4062768007659
90	6	49,900	4062768007666
95	6	55,600	4062768007673
100	6	61,700	4062768007680
110	6	74,600	4062768007703
120	6	88,800	4062768007727



■ VIERKANTSTAHL S235JR EN10059/EN10025

mm	Länge m	kg/m	GTIN
6	6	0,283	4062768007826
8	6	0,502	4062768007833
10	6	0,785	4062768007840
12	6	1,130	4062768007857
13	6	1,330	4062768007864
14	6	1,540	4062768007871
15	6	1,770	4062768007888
16	6	2,010	4062768007895
18	6	2,540	4062768007901
20	6	3,140	4062768007918
22	6	3,800	4062768007925
24	6	4,520	4062768007932
25	6	4,910	4062768007949


mm	Länge m	kg/m	GTIN
30	6	7,070	4062768007987
35	6	9,620	4062768007994
40	6	12,600	4062768008014
45	6	15,900	4062768008021
50	6	19,600	4062768008038
60	6	28,300	4062768008052
65	6	33,200	4062768008069
70	6	38,500	4062768008076
80	6	50,200	4062768008090
90	6	63,600	4062768008106
100	6	78,500	4062768008113
120	6	113,000	4062768008182
120	12	113,000	4062768008137

■ T-STAHLS S235JR

EN10055/EN10025

mm	mm	mm	Länge m	kg/m	GTIN
20	20	3,0	6	0,880	4062768008199
25	25	3,5	6	1,290	4062768008205
30	30	4,0	6	1,770	4062768008212
35	35	4,5	6	2,330	4062768008229
40	40	5,0	6	2,960	4062768008236
40	40	5,0	12	2,960	4062768187863
45	45	5,5	6	3,670	4062768008243
50	50	6,0	6	4,440	4062768008250
50	50	6,0	12	4,440	4062768008397
60	60	7,0	6	6,230	4062768008267
60	60	7,0	12	6,230	4062768008274

mm	mm	mm	Länge m	kg/m	GTIN
70	70	8,0	6	8,320	4062768008281
70	70	8,0	12	8,320	4062768008298
80	80	9,0	6	10,700	4062768008304
80	80	9,0	12	10,700	4062768008311
90	90	10,0	6	13,400	4062768008410
90	90	10,0	12	13,400	4062768008328
100	100	11,0	6	16,400	4062768008373
100	100	11,0	12	16,400	4062768008335
120	120	13,0	6	23,200	4062768008380
120	120	13,0	12	23,200	4062768008342
140	140	15,0	6	31,300	4062768008403
140	140	15,0	12	31,300	4062768008359




■ U-STAHLS S235JR

EN10279/EN10025

mm	mm	mm	Länge m	kg/m	GTIN
30	15	4,0	6	1,790	4062768008427
30	33	5,0	6	4,400	4062768008434
35	17,5	4,0	6	2,160	4062768008441
40	20	5,0	6	2,960	4062768008465
40	35	5,0	6	5,020	4062768008458
40	35	5,0	12	5,020	4062768008601

mm	mm	mm	Länge m	kg/m	GTIN
50	25	5,0	6	3,980	4062768008502
50	38	5,0	6	5,760	4062768008472
50	38	5,0	12	5,760	4062768008588
60	30	6,0	6	5,220	4062768008519
60	30	6,0	12	5,220	4062768008595
65	42	5,5	6	7,300	4062768008526
65	42	5,5	12	7,300	4062768008533
70	40	6,0	6	6,720	4062768008540





■ WINKELSTAHL S235JR GLEICHSCHENKLIG

EN10056/EN10025

mm	mm	Länge m	kg/m	GTIN
15	3	6	0,640	4062768010819
20	3	6	0,880	4062768008687
20	4	6	1,140	4062768008694
25	3	6	1,120	4062768008717
25	4	6	1,450	4062768008724
25	5	6	1,770	4062768008731
30	3	6	1,360	4062768008748
30	3	12	1,360	4062768011342
30	4	6	1,780	4062768008755
30	5	6	2,180	4062768008762
35	3	6	1,600	4062768008779
35	4	6	2,100	4062768008786
35	5	6	2,570	4062768008793
35	6	6	3,040	4062768008809
40	3	6	1,840	4062768008816
40	4	6	2,420	4062768008823
40	4	12	2,420	4062768008830
40	5	6	2,970	4062768008847
40	6	6	3,520	4062768008854
40	6	12	3,520	4062768091085
45	4	6	2,740	4062768008861
45	5	6	3,380	4062768008878
45	6	6	4,000	4062768008885
50	4	6	3,060	4062768008908


mm	mm	Länge m	kg/m	GTIN
50	5	6	3,770	4062768008915
50	5	12	3,770	4062768008922
50	6	6	4,470	4062768008939
50	7	6	5,150	4062768008946
50	8	6	5,820	4062768008960
50	9	6	6,470	4062768008977
55	6	6	4,950	4062768008991
60	5	6	4,570	4062768009011
60	6	6	5,420	4062768009028
60	6	12	5,420	4062768009035
60	8	6	7,090	4062768009042
60	8	12	7,090	4062768011243
60	10	6	8,690	4062768009059
65	6	6	5,910	4062768009066
65	7	6	6,830	4062768009073
65	7	12	6,750	4062768192898
65	9	6	8,620	4062768009097
70	6	6	6,380	4062768009103
70	7	6	7,380	4062768009110
70	7	12	7,380	4062768009127
70	9	6	9,340	4062768009134
70	9	12	9,340	4062768011199
75	7	6	7,940	4062768009158
75	8	6	9,030	4062768009165





WINKELSTAHL S235JR GLEICHSCHENKLIG EN10056/EN10025

mm	mm	Länge m	kg/m	GTIN	mm	mm	Länge m	kg/m	GTIN
80	6	6	7,340	4062768009196	120	11	12	19,900	4062768009424
80	6	12	7,340	4062768011113	120	12	6	21,600	4062768010772
80	8	6	9,660	4062768009219	120	12	12	21,600	4062768009431
80	8	12	9,660	4062768009226	120	15	6	26,600	4062768010826
80	10	6	11,900	4062768009233	120	15	12	26,600	4062768009455
80	10	12	11,900	4062768009240	130	12	6	23,600	4062768010963
80	12	6	14,100	4062768009257	130	12	12	23,600	4062768009462
80	12	12	14,100	4062768010888	140	13	6	27,500	4062768192171
90	6	6	8,320	4062768010796	140	13	12	27,500	4062768009493
90	6	12	8,320	4062768011137	140	15	12	31,400	4062768009509
90	7	12	9,610	4062768011212	150	10	6	22,770	4062768011250
90	8	6	10,900	4062768009264	150	10	12	22,770	4062768010802
90	9	6	12,200	4062768009271	150	12	6	27,300	4062768010789
90	9	12	12,200	4062768010697	150	12	12	27,300	4062768009516
90	11	6	14,700	4062768009288	150	14	12	31,600	4062768009523
90	11	12	14,700	4062768011328	150	15	6	33,800	4062768011403
100	6	6	9,410	4062768010727	150	15	12	33,800	4062768009530
100	6	12	9,410	4062768011106	160	15	6	36,200	4062768011083
100	8	6	12,200	4062768009301	160	15	12	36,200	4062768009578
100	8	12	12,200	4062768009318	160	17	12	40,700	4062768009585
100	10	6	15,100	4062768009325	180	16	6	43,500	4062768011427
100	10	12	15,100	4062768009332	180	16	12	43,500	4062768009608
100	12	6	17,800	4062768009349	180	18	12	48,600	4062768009615
100	12	12	17,800	4062768009356	200	16	6	48,500	4062768010956
100	14	12	20,600	4062768010758	200	16	12	48,500	4062768009639
110	10	6	16,600	4062768010871	200	18	12	54,300	4062768009646
110	10	12	16,600	4062768009387	200	20	6	59,900	4062768011335
120	8	6	14,700	4062768011267	200	20	12	59,900	4062768009653
120	8	12	14,700	4062768011304	200	24	12	71,100	4062768009660
120	10	6	18,200	4062768010765	250	18	12	68,400	4062768011359
120	10	12	18,200	4062768009417	250	20	12	75,700	4062768011144




WINKELSTAHL S235JR UNGLEICHSCHENKLIG EN10056/EN10025

mm	mm	mm	Länge m	kg/m	GTIN	mm	mm	mm	Länge m	kg/m	GTIN
30	20	3	6	1,110	4062768009691	65	50	7	6	5,970	4062768009875
30	20	4	6	1,450	4062768009707	65	50	7	12	5,970	4062768011311
40	20	3	6	1,350	4062768009714	65	50	8	6	6,750	4062768010949
40	20	4	6	1,770	4062768009721	65	50	8	12	6,750	4062768010864
40	25	4	6	1,930	4062768009738	65	50	9	12	7,520	4062768009882
45	30	4	6	2,250	4062768009752	70	50	6	6	5,400	4062768010505
45	30	5	6	2,770	4062768009769	70	50	6	12	5,400	4062768011205
50	30	4	6	2,410	4062768010895	75	50	5	6	4,740	4062768009899
50	30	5	6	2,960	4062768009776	75	50	6	6	5,650	4062768011014
50	40	4	6	2,710	4062768009783	75	50	6	12	5,650	4062768011090
50	40	5	6	3,350	4062768009790	75	50	7	6	6,510	4062768009905
60	30	5	6	3,370	4062768009806	75	50	8	6	7,490	4062768011052
60	30	6	6	3,980	4062768009813	75	50	8	12	7,490	4062768011120
60	30	7	6	4,590	4062768009820	75	50	9	6	8,230	4062768009912
60	40	5	6	3,760	4062768009837	75	50	9	12	8,230	4062768011168
60	40	5	12	3,760	4062768010833	75	55	5	6	4,950	4062768009929
60	40	6	6	4,460	4062768009844	75	55	7	6	6,800	4062768009936
60	40	6	12	4,460	4062768011274	75	55	7	12	6,800	4062768011281
60	40	7	6	5,140	4062768009851	75	55	9	6	8,590	4062768009943
65	50	5	6	4,350	4062768009868						




WINKELSTAHL S235JR UNGLEICHSCHENKLIG
EN10056/EN10025

mm	mm	mm	Länge m	kg/m	GTIN	mm	mm	mm	Länge m	kg/m	GTIN
80	40	6	6	5,410	4062768009950	130	65	10	6	14,600	4062768010215
80	40	6	12	5,410	4062768010543	130	65	10	12	14,600	4062768010208
80	40	8	6	7,070	4062768009967	130	65	12	6	17,300	4062768010932
80	40	8	12	7,070	4062768011038	130	65	12	12	17,300	4062768010222
80	60	7	6	7,360	4062768009974	130	90	10	12	16,600	4062768010239
80	60	7	12	7,360	4062768011045	130	90	12	6	19,700	4062768011434
80	65	6	6	6,600	4062768009981	130	90	12	12	19,700	4062768010246
80	65	6	12	6,600	4062768270190	150	75	9	6	15,300	4062768010666
80	65	8	6	8,660	4062768009998	150	75	9	12	15,300	4062768010253
80	65	8	12	8,660	4062768011007	150	75	11	6	18,600	4062768010277
80	65	10	6	10,700	4062768010000	150	75	11	12	18,600	4062768010260
80	65	10	12	10,700	4062768011298	150	90	10	12	18,200	4062768010284
90	60	6	6	6,820	4062768010017	150	90	12	12	21,600	4062768010291
90	60	6	12	6,820	4062768010574	150	100	10	6	19,000	4062768010673
90	60	8	6	8,960	4062768010024	150	100	10	12	19,000	4062768010307
90	60	8	12	8,960	4062768010581	150	100	12	6	22,600	4062768010680
100	50	6	6	6,850	4062768010031	150	100	12	12	22,600	4062768010314
100	50	6	12	6,850	4062768010567	150	100	14	12	26,100	4062768010338
100	50	8	6	8,990	4062768010048	160	80	10	6	18,200	4062768011069
100	50	8	12	8,990	4062768010598	160	80	10	12	18,200	4062768010345
100	50	10	6	11,100	4062768010055	160	80	12	6	21,600	4062768011076
100	50	10	12	11,100	4062768010062	160	80	12	12	21,600	4062768010352
100	65	7	6	8,770	4062768010079	160	80	14	12	25,000	4062768010369
100	65	7	12	8,770	4062768010604	180	90	10	6	20,600	4062768010703
100	65	9	6	11,100	4062768010086	180	90	10	12	20,600	4062768010376
100	65	9	12	11,100	4062768010093	180	90	12	6	24,500	4062768010987
100	65	11	6	13,400	4062768010109	180	90	12	12	24,500	4062768010383
100	65	11	12	13,400	4062768010611	200	100	10	6	23,000	4062768010710
100	75	7	6	9,320	4062768010116	200	100	10	12	23,000	4062768010406
100	75	7	12	9,320	4062768010628	200	100	12	6	27,300	4062768010734
100	75	9	6	11,800	4062768010123	200	100	12	12	27,300	4062768010413
100	75	9	12	11,800	4062768010635	200	100	14	6	31,600	4062768011021
100	75	11	6	14,300	4062768271661	200	100	14	12	31,600	4062768010420
100	75	11	12	14,300	4062768010130	200	100	16	12	35,900	4062768010437
120	80	8	6	12,200	4062768010147	200	150	12	12	31,890	4062768269729
120	80	8	12	12,200	4062768010154	200	150	15	12	39,600	4062768271210
120	80	10	6	15,000	4062768010536	250	90	10	6	26,100	4062768010741
120	80	10	12	15,000	4062768010161	250	90	10	12	26,100	4062768010444
120	80	12	6	17,800	4062768010642	250	90	12	6	31,100	4062768011373
120	80	12	12	12,200	4062768010154	250	90	12	12	31,100	4062768010451
130	65	8	6	11,900	4062768010185	250	90	14	6	36,000	4062768010970
130	65	8	12	11,900	4062768010192	250	90	14	12	36,000	4062768010468
						250	90	16	12	40,900	4062768010475









**WINKELSTAHL S235JR GLEICHSCHENKLIG SCHWARZ, 15 METER**
EN10056/EN10025

mm	mm	Länge m	kg/m	GTIN	mm	mm	mm	Länge m	kg/m	GTIN
50	5	15	3,770	4062768241763	80	8		15	9,660	4062768011410
60	6	15	5,420	4062768241770	90	9		15	12,200	4062768192294
70	7	15	7,380	4062768192270	100	10		15	15,100	4062768010918












■ SCHNITTSCHEMATA WINKEL

WINKEL GLEICH- ODER UNGLEICHSCHENKLIG;
GRUNDRISS VON OBEN BETRACHTET



■ SCHNITTSCHEMATA WINKEL

WINKEL UNGLEICHSCHENKLIG;
GRUNDRISS VON OBEN BETRACHTET




■ FLACHSTAHL S235JR FEUERVERZINKT

EN10058/EN10025

mm	mm	Länge m	kg/m	GTIN
20	3	6	0,500	4062768015135
20	4	6	0,660	4062768015142
20	5	6	0,830	4062768015159
20	6	6	0,990	4062768015166
20	8	6	1,330	4062768015173
20	10	6	1,640	4062768015180
25	3	6	0,620	4062768015197
25	4	6	0,830	4062768015203
25	5	6	1,030	4062768015210
25	6	6	1,240	4062768015227
25	8	6	1,650	4062768015234
30	3	6	0,750	4062768015241
30	4	6	0,990	4062768015258
30	5	6	1,240	4062768015265
30	6	6	1,500	4062768015272
30	8	6	1,980	4062768015289
30	10	6	2,480	4062768015296
30	15	6	3,707	4062768016583
35	5	6	1,440	4062768015302
35	6	6	1,740	4062768015319
35	8	6	2,310	4062768015326
40	3	6	0,987	4062768016651
40	4	6	1,330	4062768015340
40	5	6	1,650	4062768015357
40	6	6	1,980	4062768015364
40	8	6	2,640	4062768015371
40	10	6	3,300	4062768015401
40	12	6	3,959	4062768016668
45	6	6	2,230	4062768015388
45	8	6	2,940	4062768015395
50	3	6	1,239	4062768016767
50	4	6	1,650	4062768015418
50	5	6	2,060	4062768015425
50	6	6	2,480	4062768015432
50	8	6	3,300	4062768015449
50	10	6	4,130	4062768015456
50	12	6	4,950	4062768015463

mm	mm	Länge m	kg/m	GTIN
55	8	6	3,623	4062768016415
60	4	6	1,980	4062768015470
60	5	6	2,480	4062768015487
60	6	6	2,980	4062768015494
60	8	6	3,960	4062768015500
60	10	6	4,950	4062768015517
60	12	6	5,940	4062768015524
60	15	6	7,430	4062768015531
70	5	6	2,890	4062768015555
70	6	6	3,47	4062768015562
70	8	6	4,620	4062768015579
70	10	6	5,780	4062768015586
80	5	6	3,300	4062768015593
80	6	6	3,960	4062768015609
80	8	6	5,280	4062768015616
80	10	6	6,600	4062768015623
80	12	6	7,920	4062768015630
80	15	6	9,900	4062768015647
90	6	6	4,452	4062768017177
90	10	6	7,424	4062768017191
100	5	6	4,088	4062768015654
100	6	6	4,950	4062768015661
100	8	6	6,600	4062768015678
100	10	6	8,250	4062768015685
100	12	6	9,900	4062768015692
100	15	6	12,350	4062768015708
100	20	6	16,500	4062768016392
120	5	6	4,895	4062768016408
120	6	6	5,933	4062768017368
120	8	6	7,840	4062768015715
120	10	6	9,790	4062768015722
120	15	6	14,700	4062768015739
130	5	6	5,355	4062768017429
140	10	6	11,550	4062768016446
150	5	6	6,070	4062768017580
150	6	6	7,191	4062768017597
150	8	6	9,610	4062768015746
150	10	6	12,241	4062768015753





■ RUNDSTAHL S235JR FEUERVERZINKT

EN10060/EN10025

mm	Länge m	kg/m	GTIN
6	6	0,240	4062768015760
8	6	0,420	4062768015777
10	6	0,650	4062768015784
12	6	0,940	4062768015791
14	6	1,270	4062768015807
15	6	1,460	4062768015814

mm	Länge m	kg/m	GTIN
16	6	1,660	4062768015821
18	6	2,100	4062768015838
20	6	2,600	4062768015845
24	6	3,660	4062768018556
25	6	4,043	4062768016484
30	6	5,827	4062768016507






■ RUNDSTAHL S355J2 FEUERVERZINKT EN10060/EN10025

mm	Länge m	kg/m	GTIN
20	6	2,600	4062768141476
25	6	4,040	4062768141452


mm	Länge m	kg/m	GTIN
30	6	5,830	4062768141483



■ VIERKANTSTAHL S235JR FEUERVERZINKT EN10059/EN10025

mm	Länge m	kg/m	GTIN
8	6	0,527	4062768018518
10	6	0,830	4062768015852
12	6	1,190	4062768015869
14	6	1,620	4062768015883
15	6	1,860	4062768015890


mm	Länge m	kg/m	GTIN
16	6	2,110	4062768015906
20	6	3,300	4062768015913
25	6	5,156	4062768018532
30	6	7,350	4062768019232



■ T-STAHl S235JR FEUERVERZINKT EN10055/EN10025

mm	mm	mm	Länge m	kg/m	GTIN
25	25	3,5	6	1,355	4062768018457
30	30	4,0	6	1,860	4062768015920
35	35	4,5	6	2,480	4062768015937
40	40	5,0	6	3,110	4062768015944
45	45	5,5	6	3,817	4062768015951
50	50	6,0	6	4,670	4062768015968

mm	mm	mm	Länge m	kg/m	GTIN
60	60	7,0	6	6,550	4062768015975
60	60	7,0	12	6,550	4062768269958
70	70	8,0	6	8,740	4062768015982
70	70	8,0	12	8,740	4062768144859
80	80	9,0	6	11,240	4062768015999
100	100	11,0	6	17,220	4062768018471




■ U-STAHl S235JR FEUERVERZINKT EN10279/EN10025

mm	mm	mm	Länge m	kg/m	GTIN
30	15	4,0	6	1,830	4062768016002
40	20	5,0	6	3,110	4062768016019
40	35	5,0	6	5,280	4062768016026
50	25	5,0	6	4,180	4062768016033

mm	mm	mm	Länge m	kg/m	GTIN
50	38	5,0	6	6,050	4062768016040
60	30	6,0	6	5,490	4062768016057
65	42	5,5	6	7,670	4062768016064


■ **FORMSTAHL UNP S235JR FEUERVERZINKT**
EN10025-2

mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
80	6,1	9,350	4062768015098	140	6,1	17,220	4062768015128
100	6,1	11,450	4062768015104	160	6,1	19,879	4062768019409
120	6,1	14,390	4062768015111	180	6,1	23,175	4062768284098
				200	6,1	26,780	4062768096042




■ **FORMSTAHL IPE S235JR FEUERVERZINKT**
EN10025-2

mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
80	6,1	6,386	4062768019416	140	6,1	13,596	4062768193772
100	6,1	8,549	4062768019423	160	6,1	16,686	4062768193789
120	6,1	11,021	4062768019430				




■ **BREITFLANSCHTRÄGER HEA S235JR FEUERVERZINKT**
EN10025/EN10365/EN10034/EN10163-3 KLASSE C-1


mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
100	6,1	17,613	4062768003880	140	6,1	26,059	4062768003903
120	6,1	21,012	4062768003897	160	6,1	32,136	4062768003910



■ **BREITFLANSCHTRÄGER HEB S235JR FEUERVERZINKT**
EN10025/EN10365/EN10034/EN10163-3 KLASSE C-1

mm	Länge m	kg/m	GTIN	mm	Länge m	kg/m	GTIN
100	6,1	21,527	4062768003644	140	6,1	35,535	4062768003668
120	6,1	28,222	4062768003651	160	6,1	45,011	4062768003675






■ WINKELSTAHL S235JR GLEICHSCHENKLIG FEUERVERZINKT EN10056/EN10025

mm	mm	Länge m	kg/m	GTIN
20	3	6	0,930	4062768016071
25	3	6	1,180	4062768016088
30	3	6	1,430	4062768016095
30	4	6	1,870	4062768016101
30	5	6	2,268	4062768016118
35	4	6	2,210	4062768016125
40	3	6	1,930	4062768016460
40	4	6	2,550	4062768016132
40	5	6	3,120	4062768016149
45	5	6	3,550	4062768016279
50	4	6	3,213	4062768018549
50	5	6	3,960	4062768016156
50	6	6	4,690	4062768016163


mm	mm	Länge m	kg/m	GTIN
60	5	6	4,799	4062768016439
60	6	6	5,700	4062768016170
70	7	6	7,750	4062768016187
80	6	6	7,403	4062768017870
80	8	6	10,150	4062768016194
80	10	6	12,495	4062768017887
90	9	6	12,688	4062768016200
100	8	6	12,810	4062768016385
100	10	6	15,800	4062768016217
120	10	6	18,620	4062768017931
120	12	6	22,680	4062768016224
150	10	6	23,453	4062768019102
150	12	6	28,119	4062768019119
150	14	6	33,180	4062768019478
160	15	6	37,286	4062768019096



■ WINKELSTAHL S235JR UNGLEICHSCHENKLIG FEUERVERZINKT EN10056/EN10025

mm	mm	mm	Länge m	kg/m	GTIN
30	20	3	6	1,170	4062768016231
30	20	4	6	1,523	4062768017986
40	20	3	6	1,420	4062768016248
40	20	4	6	1,860	4062768016453
40	25	4	6	2,027	4062768016255
45	30	4	6	2,370	4062768016262
50	30	5	6	3,110	4062768016293
50	40	4	6	2,850	4062768016477
50	40	5	6	3,518	4062768018013
60	30	5	6	3,505	4062768016309
60	30	6	6	4,179	4062768018020
60	40	5	6	3,950	4062768016316
60	40	6	6	4,690	4062768016323
75	50	5	6	4,980	4062768016330
75	50	6	6	5,940	4062768019300
80	40	6	6	5,680	4062768016347
80	60	7	6	7,580	4062768018112

mm	mm	mm	Länge m	kg/m	GTIN
80	65	6	6	7,200	4062768016422
80	65	8	6	9,010	4062768016354
90	60	6	6	7,161	4062768018136
100	50	6	6	7,200	4062768016361
100	50	8	6	9,440	4062768018150
100	75	9	6	12,390	4062768018211
120	80	8	6	12,810	4062768018235
120	80	10	6	15,750	4062768018242
130	65	8	6	12,495	4062768018266
150	75	9	6	16,065	4062768018297
150	100	10	6	19,950	4062768018327
150	100	12	6	23,730	4062768018334
160	80	10	6	19,110	4062768018341
180	90	10	6	21,630	4062768018365
200	100	10	6	24,150	4062768018389
200	100	12	6	28,665	4062768018396



■ BREITFLACHSTAHL S235JR FEUERVERZINKT DIN59200/EN10025

mm	mm	Länge m	kg/m	GTIN
160	10	6	13,440	4062768018570
200	5	6	8,400	4062768019256
200	6	6	9,888	4062768019249
200	8	6	13,440	4062768018730
200	10	6	16,800	4062768018747

mm	mm	Länge m	kg/m	GTIN
250	6	6	12,480	4062768019461
250	8	6	16,480	4062768019270
250	10	6	20,600	4062768018891
300	6	6	14,832	4062768271012
300	8	6	19,776	4062768019331