


## ■ QUADRATROHR S235 JRH SCHWARZ


EN10219



| mm | mm | mm  | Länge<br>mtr | kg/mtr | GTIN          | mm  | mm  | mm  | Länge<br>mtr | kg/mtr | GTIN          |
|----|----|-----|--------------|--------|---------------|-----|-----|-----|--------------|--------|---------------|
| 15 | 15 | 1,5 | 6            | 0,630  | 4062768034143 | 45  | 45  | 4   | 6            | 4,880  | 4062768034662 |
| 15 | 15 | 2   | 6            | 0,810  | 4062768034150 | 50  | 50  | 2   | 6            | 3,010  | 4062768034686 |
| 20 | 20 | 1,5 | 6            | 0,870  | 4062768034228 | 50  | 50  | 2,5 | 6            | 3,720  | 4062768034693 |
| 20 | 20 | 2   | 6            | 1,120  | 4062768034235 | 50  | 50  | 3   | 6            | 4,280  | 4062768034709 |
| 20 | 20 | 3   | 6            | 1,600  | 4062768034259 | 50  | 50  | 4   | 6            | 5,510  | 4062768034723 |
| 25 | 25 | 1,5 | 6            | 1,100  | 4062768034280 | 50  | 50  | 5   | 6            | 6,560  | 4062768034730 |
| 25 | 25 | 2   | 6            | 1,440  | 4062768034297 | 55  | 55  | 2   | 6            | 3,320  | 4062768034761 |
| 25 | 25 | 2,5 | 6            | 1,760  | 4062768034303 | 55  | 55  | 3   | 6            | 4,750  | 4062768034785 |
| 25 | 25 | 3   | 6            | 1,920  | 4062768034310 | 55  | 55  | 4   | 6            | 6,140  | 4062768034792 |
| 30 | 30 | 1,5 | 6            | 1,340  | 4062768034341 | 60  | 60  | 2   | 6            | 3,640  | 4062768034815 |
| 30 | 30 | 2   | 6            | 1,750  | 4062768034358 | 60  | 60  | 2,5 | 6            | 4,500  | 4062768034822 |
| 30 | 30 | 2,5 | 6            | 2,150  | 4062768034365 | 60  | 60  | 3   | 6            | 5,220  | 4062768034839 |
| 30 | 30 | 3   | 6            | 2,390  | 4062768034372 | 60  | 60  | 4   | 6            | 6,760  | 4062768034853 |
| 30 | 30 | 4   | 6            | 3,320  | 4062768034389 | 60  | 60  | 5   | 6            | 8,130  | 4062768034860 |
| 34 | 34 | 2   | 6            | 2,000  | 4062768034426 | 70  | 70  | 2   | 6            | 4,260  | 4062768034907 |
| 34 | 34 | 3   | 6            | 2,770  | 4062768034440 | 70  | 70  | 3   | 6            | 6,160  | 4062768034921 |
| 35 | 35 | 1,5 | 6            | 1,570  | 4062768034457 | 70  | 70  | 4   | 6            | 8,020  | 4062768034938 |
| 35 | 35 | 2   | 6            | 2,070  | 4062768034464 | 70  | 70  | 5   | 6            | 9,700  | 4062768034945 |
| 35 | 35 | 2,5 | 6            | 2,540  | 4062768034471 | 80  | 80  | 2   | 6            | 4,890  | 4062768034969 |
| 35 | 35 | 3   | 6            | 2,860  | 4062768034488 | 80  | 80  | 3   | 6            | 7,100  | 4062768034983 |
| 35 | 35 | 4   | 6            | 3,790  | 4062768034495 | 80  | 80  | 4   | 6            | 9,280  | 4062768034990 |
| 40 | 40 | 1,5 | 6            | 1,810  | 4062768034549 | 80  | 80  | 5   | 6            | 11,300 | 4062768035003 |
| 40 | 40 | 2   | 6            | 2,380  | 4062768034556 | 90  | 90  | 3   | 6            | 8,040  | 4062768035010 |
| 40 | 40 | 2,5 | 6            | 2,930  | 4062768034563 | 90  | 90  | 4   | 6            | 10,500 | 4062768035027 |
| 40 | 40 | 3   | 6            | 3,330  | 4062768034570 | 90  | 90  | 5   | 6            | 12,800 | 4062768035034 |
| 40 | 40 | 4   | 6            | 4,250  | 4062768034594 | 100 | 100 | 2   | 6            | 6,150  | 4062768035058 |
| 40 | 40 | 5   | 6            | 5,320  | 4062768034617 | 100 | 100 | 3   | 6            | 8,990  | 4062768035072 |
| 45 | 45 | 2   | 6            | 2,690  | 4062768034631 | 100 | 100 | 4   | 6            | 11,700 | 4062768035096 |
| 45 | 45 | 3   | 6            | 3,800  | 4062768034655 | 100 | 100 | 5   | 6            | 14,400 | 4062768035102 |


## ■ QUADRATROHR E220/E235+CR1, S2 BLANK

EN10305-5



| mm | mm | mm  | Länge<br>mtr | kg/mtr | GTIN          | mm  | mm  | mm  | Länge<br>mtr | kg/mtr | GTIN          |
|----|----|-----|--------------|--------|---------------|-----|-----|-----|--------------|--------|---------------|
| 10 | 10 | 1   | 6            | 0,280  | 4062768096264 | 35  | 35  | 2   | 6            | 2,070  | 4062768096448 |
| 10 | 10 | 1,5 | 6            | 0,400  | 4062768096271 | 40  | 40  | 1,5 | 6            | 1,810  | 4062768096455 |
| 12 | 12 | 1   | 6            | 0,350  | 4062768096622 | 40  | 40  | 2   | 6            | 2,380  | 4062768096462 |
| 12 | 12 | 1,5 | 6            | 0,490  | 4062768096288 | 40  | 40  | 2,5 | 6            | 2,930  | 4062768096479 |
| 15 | 15 | 1,5 | 6            | 0,630  | 4062768096295 | 40  | 40  | 3   | 6            | 3,330  | 4062768096486 |
| 15 | 15 | 2   | 6            | 0,810  | 4062768096301 | 40  | 40  | 4   | 6            | 4,250  | 4062768096561 |
| 16 | 16 | 1,5 | 6            | 0,670  | 4062768096318 | 45  | 45  | 1,5 | 6            | 2,050  | 4062768096493 |
| 18 | 18 | 1,5 | 6            | 0,770  | 4062768096325 | 45  | 45  | 2   | 6            | 2,690  | 4062768096509 |
| 20 | 20 | 1,5 | 6            | 0,870  | 4062768096332 | 50  | 50  | 1,5 | 6            | 2,270  | 4062768096516 |
| 20 | 20 | 2   | 6            | 1,120  | 4062768096349 | 50  | 50  | 2   | 6            | 3,010  | 4062768096523 |
| 20 | 20 | 2,5 | 6            | 1,330  | 4062768096356 | 50  | 50  | 3   | 6            | 4,280  | 4062768096530 |
| 25 | 25 | 1,5 | 6            | 1,100  | 4062768096363 | 50  | 50  | 4   | 6            | 5,510  | 4062768097490 |
| 25 | 25 | 2   | 6            | 1,440  | 4062768096370 | 55  | 55  | 2   | 6            | 3,320  | 4062768096547 |
| 25 | 25 | 2,5 | 6            | 1,760  | 4062768096387 | 60  | 60  | 2   | 6            | 3,640  | 4062768096554 |
| 25 | 25 | 3   | 6            | 1,920  | 4062768096592 | 60  | 60  | 3   | 6            | 5,220  | 4062768096585 |
| 30 | 30 | 1,5 | 6            | 1,340  | 4062768096394 | 60  | 60  | 4   | 6            | 6,760  | 4062768097483 |
| 30 | 30 | 2   | 6            | 1,750  | 4062768096400 | 80  | 80  | 3   | 6            | 7,100  | 4062768097452 |
| 30 | 30 | 2,5 | 6            | 2,150  | 4062768096417 | 80  | 80  | 4   | 6            | 9,280  | 4062768097476 |
| 30 | 30 | 3   | 6            | 2,390  | 4062768096578 | 100 | 100 | 2   | 6            | 6,150  | 4062768097421 |
| 35 | 35 | 1,5 | 6            | 1,570  | 4062768096431 |     |     |     |              |        |               |

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.



# RECHTECKROHR S235 JRH SCHWARZ EN10219

| mm | mm | mm  | Länge<br>mtr | kg/mtr | GTIN          |
|----|----|-----|--------------|--------|---------------|
| 20 | 10 | 2   | 6            | 0,810  | 4062768028753 |
| 20 | 15 | 2   | 6            | 0,970  | 4062768028777 |
| 25 | 10 | 2   | 6            | 0,970  | 4062768028791 |
| 25 | 15 | 2   | 6            | 1,120  | 4062768028814 |
| 25 | 20 | 2   | 6            | 1,280  | 4062768028838 |
| 30 | 10 | 1,5 | 6            | 0,870  | 4062768028845 |
| 30 | 10 | 2   | 6            | 1,120  | 4062768028852 |
| 30 | 15 | 1,5 | 6            | 0,990  | 4062768028869 |
| 30 | 15 | 2   | 6            | 1,280  | 4062768028876 |
| 30 | 20 | 1,5 | 6            | 1,100  | 4062768028883 |
| 30 | 20 | 2   | 6            | 1,440  | 4062768028890 |
| 30 | 20 | 3   | 6            | 1,920  | 4062768028913 |
| 30 | 25 | 2   | 6            | 1,590  | 4062768028920 |
| 35 | 10 | 1,5 | 6            | 0,990  | 4062768028999 |
| 35 | 15 | 2   | 6            | 1,440  | 4062768029026 |
| 35 | 20 | 1,5 | 6            | 1,220  | 4062768029033 |
| 35 | 20 | 2   | 6            | 1,590  | 4062768029040 |
| 35 | 25 | 2   | 6            | 1,750  | 4062768029071 |
| 40 | 10 | 1,5 | 6            | 1,100  | 4062768029101 |
| 40 | 10 | 2   | 6            | 1,440  | 4062768029118 |
| 40 | 15 | 2   | 6            | 1,590  | 4062768029132 |
| 40 | 20 | 1,5 | 6            | 1,340  | 4062768029149 |
| 40 | 20 | 2   | 6            | 1,750  | 4062768029156 |
| 40 | 20 | 2,5 | 6            | 2,150  | 4062768029163 |
| 40 | 20 | 3   | 6            | 2,390  | 4062768029170 |
| 40 | 25 | 2   | 6            | 1,910  | 4062768029194 |
| 40 | 25 | 2,5 | 6            | 2,340  | 4062768029200 |
| 40 | 25 | 3   | 6            | 2,630  | 4062768029217 |
| 40 | 30 | 1,5 | 6            | 1,570  | 4062768029224 |
| 40 | 30 | 2   | 6            | 2,070  | 4062768029231 |
| 40 | 30 | 2,5 | 6            | 2,540  | 4062768029248 |
| 40 | 30 | 3   | 6            | 2,860  | 4062768029255 |
| 40 | 30 | 4   | 6            | 3,790  | 4062768192058 |
| 45 | 20 | 2   | 6            | 1,910  | 4062768029293 |
| 45 | 25 | 2   | 6            | 2,070  | 4062768029323 |
| 45 | 30 | 2   | 6            | 2,220  | 4062768029347 |
| 50 | 10 | 1,5 | 6            | 1,340  | 4062768029378 |
| 50 | 15 | 1,5 | 6            | 1,460  | 4062768029385 |
| 50 | 20 | 2   | 6            | 2,070  | 4062768029408 |
| 50 | 20 | 3   | 6            | 2,860  | 4062768001671 |
| 50 | 25 | 2   | 6            | 2,220  | 4062768029446 |
| 50 | 25 | 3   | 6            | 3,100  | 4062768029460 |
| 50 | 30 | 1,5 | 6            | 1,810  | 4062768029477 |
| 50 | 30 | 2   | 6            | 2,380  | 4062768029484 |
| 50 | 30 | 2,5 | 6            | 2,930  | 4062768029491 |
| 50 | 30 | 3   | 6            | 3,330  | 4062768029507 |
| 50 | 30 | 4   | 6            | 4,250  | 4062768029514 |
| 50 | 34 | 2   | 6            | 2,510  | 4062768029538 |
| 50 | 40 | 2   | 6            | 2,690  | 4062768029590 |
| 50 | 40 | 3   | 6            | 3,800  | 4062768029613 |
| 50 | 40 | 4   | 6            | 4,880  | 4062768029620 |
| 55 | 34 | 2   | 6            | 2,660  | 4062768029644 |
| 60 | 15 | 1,5 | 6            | 1,690  | 4062768031142 |
| 60 | 15 | 2   | 6            | 2,220  | 4062768029668 |
| 60 | 20 | 2   | 6            | 2,380  | 4062768029682 |
| 60 | 20 | 3   | 6            | 3,330  | 4062768029705 |
| 60 | 25 | 2   | 6            | 2,540  | 4062768029729 |

| mm  | mm | mm  | Länge<br>mtr | kg/mtr | GTIN          |
|-----|----|-----|--------------|--------|---------------|
| 60  | 30 | 2   | 6            | 2,690  | 4062768029750 |
| 60  | 30 | 3   | 6            | 3,800  | 4062768029781 |
| 60  | 30 | 4   | 6            | 4,880  | 4062768029804 |
| 60  | 40 | 2   | 6            | 3,010  | 4062768029897 |
| 60  | 40 | 2,5 | 6            | 3,720  | 4062768029903 |
| 60  | 40 | 3   | 6            | 4,280  | 4062768029910 |
| 60  | 40 | 4   | 6            | 5,510  | 4062768029927 |
| 60  | 40 | 5   | 6            | 6,560  | 4062768029934 |
| 60  | 50 | 2   | 6            | 3,320  | 4062768029965 |
| 60  | 50 | 3   | 6            | 4,750  | 4062768029989 |
| 60  | 50 | 4   | 6            | 6,140  | 4062768030008 |
| 60  | 50 | 5   | 6            | 7,860  | 4062768030015 |
| 70  | 20 | 2   | 6            | 2,690  | 4062768030053 |
| 70  | 30 | 2   | 6            | 3,010  | 4062768030060 |
| 70  | 30 | 3   | 6            | 4,280  | 4062768030077 |
| 70  | 30 | 4   | 6            | 5,510  | 4062768030084 |
| 70  | 40 | 2   | 6            | 3,320  | 4062768030121 |
| 70  | 40 | 3   | 6            | 4,750  | 4062768030145 |
| 70  | 40 | 4   | 6            | 6,140  | 4062768030169 |
| 70  | 40 | 5   | 6            | 7,340  | 4062768030176 |
| 70  | 50 | 2   | 6            | 3,640  | 4062768030183 |
| 70  | 50 | 3   | 6            | 5,220  | 4062768030206 |
| 70  | 50 | 4   | 6            | 6,760  | 4062768030220 |
| 70  | 50 | 5   | 6            | 8,130  | 4062768030237 |
| 80  | 20 | 2   | 6            | 3,010  | 4062768030244 |
| 80  | 20 | 3   | 6            | 4,280  | 4062768030251 |
| 80  | 30 | 2   | 6            | 3,320  | 4062768030268 |
| 80  | 30 | 3   | 6            | 4,750  | 4062768030282 |
| 80  | 40 | 2   | 6            | 3,640  | 4062768030305 |
| 80  | 40 | 2,5 | 6            | 4,500  | 4062768030312 |
| 80  | 40 | 3   | 6            | 5,220  | 4062768030329 |
| 80  | 40 | 4   | 6            | 6,760  | 4062768030336 |
| 80  | 40 | 5   | 6            | 8,130  | 4062768030343 |
| 80  | 50 | 2   | 6            | 3,950  | 4062768030350 |
| 80  | 50 | 3   | 6            | 5,690  | 4062768030374 |
| 80  | 50 | 4   | 6            | 7,390  | 4062768030381 |
| 80  | 50 | 5   | 6            | 8,910  | 4062768030398 |
| 80  | 60 | 2   | 6            | 4,260  | 4062768030404 |
| 80  | 60 | 3   | 6            | 6,160  | 4062768030428 |
| 80  | 60 | 4   | 6            | 8,020  | 4062768030435 |
| 80  | 60 | 5   | 6            | 9,700  | 4062768030442 |
| 90  | 30 | 3   | 6            | 5,190  | 4062768031197 |
| 90  | 40 | 3   | 6            | 5,660  | 4062768031326 |
| 90  | 40 | 4   | 6            | 7,390  | 4062768030480 |
| 90  | 40 | 5   | 6            | 8,910  | 4062768031203 |
| 90  | 50 | 3   | 6            | 6,160  | 4062768030527 |
| 90  | 50 | 4   | 6            | 8,020  | 4062768030534 |
| 90  | 50 | 5   | 6            | 9,700  | 4062768030541 |
| 90  | 60 | 3   | 6            | 6,600  | 4062768030558 |
| 90  | 60 | 4   | 6            | 8,590  | 4062768031319 |
| 90  | 70 | 4   | 6            | 9,280  | 4062768030572 |
| 90  | 70 | 5   | 6            | 11,300 | 4062768030596 |
| 100 | 20 | 2   | 6            | 3,640  | 4062768030602 |
| 100 | 20 | 3   | 6            | 5,220  | 4062768030619 |
| 100 | 30 | 2   | 6            | 3,950  | 4062768030633 |
| 100 | 30 | 3   | 6            | 5,690  | 4062768030640 |




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

# RECHTECKROHR S235 JRH SCHWARZ

EN10219

| mm  | mm | mm | Länge<br>mtr | kg/mtr | GTIN          |
|-----|----|----|--------------|--------|---------------|
| 100 | 30 | 4  | 6            | 7,390  | 4062768031166 |
| 100 | 40 | 2  | 6            | 4,260  | 4062768030657 |
| 100 | 40 | 3  | 6            | 6,160  | 4062768030671 |
| 100 | 40 | 4  | 6            | 8,020  | 4062768030688 |
| 100 | 40 | 5  | 6            | 9,700  | 4062768030695 |
| 100 | 50 | 2  | 6            | 4,580  | 4062768030701 |
| 100 | 50 | 3  | 6            | 6,630  | 4062768030725 |
| 100 | 50 | 4  | 6            | 8,650  | 4062768030732 |
| 100 | 50 | 5  | 6            | 10,500 | 4062768030749 |
| 100 | 60 | 2  | 6            | 4,890  | 4062768030756 |
| 100 | 60 | 3  | 6            | 7,100  | 4062768030770 |
| 100 | 60 | 4  | 6            | 9,280  | 4062768030787 |
| 100 | 60 | 5  | 6            | 11,300 | 4062768030794 |
| 100 | 80 | 2  | 6            | 5,526  | 4062768030800 |
| 100 | 80 | 3  | 6            | 8,040  | 4062768030817 |
| 100 | 80 | 4  | 6            | 10,500 | 4062768030824 |
| 100 | 80 | 5  | 6            | 12,800 | 4062768030831 |

| mm  | mm | mm  | Länge<br>mtr | kg/mtr | GTIN          |
|-----|----|-----|--------------|--------|---------------|
| 120 | 30 | 2   | 6            | 4,480  | 4062768031135 |
| 120 | 30 | 3   | 6            | 6,630  | 4062768031395 |
| 120 | 40 | 2   | 6            | 4,890  | 4062768031180 |
| 120 | 40 | 3   | 6            | 7,100  | 4062768030886 |
| 120 | 40 | 4   | 6            | 9,280  | 4062768030893 |
| 120 | 40 | 5   | 6            | 11,300 | 4062768030909 |
| 120 | 50 | 3   | 6            | 7,540  | 4062768031098 |
| 120 | 50 | 4   | 6            | 9,850  | 4062768030916 |
| 120 | 50 | 5   | 6            | 11,890 | 4062768031104 |
| 120 | 60 | 2   | 6            | 5,520  | 4062768031159 |
| 120 | 60 | 2,5 | 6            | 6,860  | 4062768030923 |
| 120 | 60 | 3   | 6            | 8,040  | 4062768030930 |
| 120 | 60 | 4   | 6            | 10,500 | 4062768030947 |
| 120 | 60 | 5   | 6            | 12,800 | 4062768030954 |
| 120 | 80 | 3   | 6            | 8,990  | 4062768030978 |
| 120 | 80 | 4   | 6            | 11,800 | 4062768030985 |
| 120 | 80 | 5   | 6            | 14,400 | 4062768030992 |




# RECHTECKROHR E220/E235+CR1, S2 BLANK

EN10305-5

| mm | mm | mm  | Länge<br>mtr | kg/mtr | GTIN          |
|----|----|-----|--------------|--------|---------------|
| 20 | 10 | 1,5 | 6            | 0,630  | 4062768093881 |
| 20 | 10 | 2   | 6            | 0,810  | 4062768094512 |
| 20 | 15 | 1,5 | 6            | 0,750  | 4062768093898 |
| 25 | 10 | 1,5 | 6            | 0,750  | 4062768093904 |
| 25 | 10 | 2   | 6            | 0,970  | 4062768093911 |
| 25 | 15 | 1,5 | 6            | 0,870  | 4062768094536 |
| 25 | 15 | 2   | 6            | 1,120  | 4062768093928 |
| 25 | 20 | 2   | 6            | 1,280  | 4062768093935 |
| 30 | 10 | 1,5 | 6            | 0,870  | 4062768093942 |
| 30 | 15 | 1,5 | 6            | 0,990  | 4062768093959 |
| 30 | 15 | 2   | 6            | 1,280  | 4062768094543 |
| 30 | 20 | 1,5 | 6            | 1,100  | 4062768093966 |
| 30 | 20 | 2   | 6            | 1,440  | 4062768093973 |
| 30 | 20 | 2,5 | 6            | 1,760  | 4062768093980 |
| 30 | 20 | 3   | 6            | 1,920  | 4062768094444 |
| 30 | 25 | 1,5 | 6            | 1,220  | 4062768093997 |
| 30 | 25 | 2   | 6            | 1,590  | 4062768094550 |
| 35 | 10 | 1,5 | 6            | 0,990  | 4062768094017 |
| 35 | 15 | 1,5 | 6            | 1,100  | 4062768094529 |
| 35 | 15 | 2   | 6            | 1,440  | 4062768094024 |
| 35 | 20 | 2   | 6            | 1,590  | 4062768094031 |
| 35 | 25 | 1,5 | 6            | 1,340  | 4062768094048 |
| 35 | 25 | 2   | 6            | 1,750  | 4062768094055 |
| 40 | 10 | 1,5 | 6            | 1,100  | 4062768094062 |
| 40 | 15 | 1,5 | 6            | 1,220  | 4062768094079 |
| 40 | 15 | 2   | 6            | 1,590  | 4062768094567 |
| 40 | 20 | 1,5 | 6            | 1,340  | 4062768094086 |
| 40 | 20 | 2   | 6            | 1,750  | 4062768094093 |
| 40 | 20 | 3   | 6            | 2,390  | 4062768094468 |
| 40 | 25 | 1,5 | 6            | 1,460  | 4062768094109 |
| 40 | 25 | 2   | 6            | 1,910  | 4062768094116 |


| mm | mm | mm  | Länge<br>mtr | kg/mtr | GTIN          |
|----|----|-----|--------------|--------|---------------|
| 40 | 30 | 1,5 | 6            | 1,570  | 4062768094123 |
| 40 | 30 | 2   | 6            | 2,070  | 4062768094130 |
| 40 | 30 | 2,5 | 6            | 2,540  | 4062768094147 |
| 40 | 30 | 3   | 6            | 2,860  | 4062768094475 |
| 45 | 20 | 1,5 | 6            | 1,460  | 4062768094154 |
| 45 | 20 | 2   | 6            | 1,910  | 4062768094161 |
| 45 | 25 | 1,5 | 6            | 1,570  | 4062768094178 |
| 45 | 25 | 2   | 6            | 2,070  | 4062768094185 |
| 50 | 10 | 1,5 | 6            | 1,340  | 4062768094192 |
| 50 | 15 | 1,5 | 6            | 1,460  | 4062768094208 |
| 50 | 20 | 2   | 6            | 2,070  | 4062768094215 |
| 50 | 25 | 1,5 | 6            | 1,690  | 4062768094222 |
| 50 | 25 | 2   | 6            | 2,220  | 4062768094239 |
| 50 | 25 | 2,5 | 6            | 2,740  | 4062768094574 |
| 50 | 30 | 2   | 6            | 2,380  | 4062768094246 |
| 50 | 30 | 2,5 | 6            | 2,930  | 4062768094253 |
| 50 | 30 | 3   | 6            | 3,330  | 4062768094260 |
| 50 | 34 | 2   | 6            | 2,510  | 4062768094277 |
| 50 | 40 | 2   | 6            | 2,690  | 4062768094284 |
| 55 | 34 | 2   | 6            | 2,660  | 4062768094291 |
| 60 | 20 | 1,5 | 6            | 1,810  | 4062768094307 |
| 60 | 20 | 2   | 6            | 2,380  | 4062768094314 |
| 60 | 25 | 2   | 6            | 2,540  | 4062768094321 |
| 60 | 30 | 2   | 6            | 2,690  | 4062768094338 |
| 60 | 30 | 2,5 | 6            | 3,330  | 4062768096240 |
| 60 | 30 | 3   | 6            | 3,800  | 4062768094451 |
| 60 | 40 | 2   | 6            | 3,010  | 4062768094345 |
| 60 | 40 | 2,5 | 6            | 3,720  | 4062768094352 |
| 60 | 40 | 3   | 6            | 4,280  | 4062768094369 |
| 60 | 40 | 4   | 6            | 5,510  | 4062768096257 |
| 70 | 40 | 2   | 6            | 3,320  | 4062768094376 |



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

Tel.: 07961 885-200 | Fax: 07961 885-189


E-Mail: walzstahl@kicherer.de | Internet: www.kicherer.de



■ **RECHTECKROHR E220/E235+CR1, S2 BLANK**  
 EN10305-5


| mm | mm | mm | Länge<br>mtr | kg/mtr | GTIN          |
|----|----|----|--------------|--------|---------------|
| 80 | 20 | 2  | 6            | 3,010  | 4062768095977 |
| 80 | 30 | 2  | 6            | 3,320  | 4062768094383 |
| 80 | 40 | 2  | 6            | 3,640  | 4062768094390 |
| 80 | 40 | 3  | 6            | 5,220  | 4062768096233 |
| 80 | 40 | 4  | 6            | 6,760  | 4062768094406 |
| 80 | 50 | 3  | 6            | 5,690  | 4062768096059 |

| mm  | mm | mm | Länge<br>mtr | kg/mtr | GTIN          |
|-----|----|----|--------------|--------|---------------|
| 80  | 60 | 2  | 6            | 4,260  | 4062768094413 |
| 100 | 20 | 2  | 6            | 3,640  | 4062768096134 |
| 100 | 30 | 2  | 6            | 3,950  | 4062768094420 |
| 100 | 40 | 2  | 6            | 4,260  | 4062768096165 |
| 100 | 50 | 3  | 6            | 6,630  | 4062768094437 |



■ **PROFILROHR MÖBELBAU E235 BLANK**  
 EN10305-5 MIT EINER RUNDEN KANTE R6

| mm | mm | mm | Länge<br>mtr | kg/mtr | GTIN          |
|----|----|----|--------------|--------|---------------|
| 30 | 28 | 2  | 6            | 1,700  | 4062768094000 |
| 30 | 30 | 2  | 6            | 1,750  | 4062768096424 |



■ **QUADRATROHR S235 JRH VERZINKT**  
 EN10219 / ISO EN1461


| mm | mm | mm  | Länge<br>mtr | kg/mtr | GTIN          |
|----|----|-----|--------------|--------|---------------|
| 15 | 15 | 1,5 | 6            | 0,700  | 4062768035362 |
| 15 | 15 | 2   | 6            | 0,890  | 4062768035379 |
| 20 | 20 | 2   | 6            | 1,220  | 4062768035492 |
| 25 | 25 | 1,5 | 6            | 1,220  | 4062768035584 |
| 25 | 25 | 2   | 6            | 1,560  | 4062768035591 |
| 30 | 30 | 1,5 | 6            | 1,470  | 4062768035669 |
| 30 | 30 | 2   | 6            | 1,900  | 4062768035676 |
| 30 | 30 | 3   | 6            | 2,670  | 4062768035690 |
| 30 | 30 | 4   | 6            | 3,400  | 4062768035706 |
| 34 | 34 | 2   | 6            | 2,170  | 4062768035751 |
| 35 | 35 | 2   | 6            | 2,240  | 4062768035812 |
| 35 | 35 | 4   | 6            | 4,190  | 4062768035843 |
| 40 | 40 | 1,5 | 6            | 1,990  | 4062768035911 |
| 40 | 40 | 2   | 6            | 2,580  | 4062768035928 |
| 40 | 40 | 2,5 | 6            | 3,120  | 4062768035935 |
| 40 | 40 | 3   | 6            | 3,660  | 4062768035942 |
| 40 | 40 | 4   | 6            | 4,700  | 4062768035966 |
| 40 | 40 | 5   | 6            | 5,600  | 4062768036475 |
| 45 | 45 | 2   | 6            | 2,920  | 4062768035980 |
| 45 | 45 | 3   | 6            | 4,160  | 4062768036000 |
| 50 | 50 | 2   | 6            | 3,250  | 4062768036031 |
| 50 | 50 | 3   | 6            | 4,650  | 4062768036055 |
| 50 | 50 | 4   | 6            | 5,510  | 4062768036079 |


| mm  | mm  | mm | Länge<br>mtr | kg/mtr | GTIN          |
|-----|-----|----|--------------|--------|---------------|
| 50  | 50  | 5  | 6            | 7,280  | 4062768036086 |
| 60  | 60  | 2  | 6            | 3,930  | 4062768036161 |
| 60  | 60  | 3  | 6            | 5,640  | 4062768036185 |
| 60  | 60  | 4  | 6            | 7,310  | 4062768036208 |
| 60  | 60  | 5  | 6            | 8,900  | 4062768036215 |
| 70  | 70  | 2  | 6            | 4,610  | 4062768036253 |
| 70  | 70  | 3  | 6            | 6,630  | 4062768036277 |
| 70  | 70  | 4  | 6            | 8,620  | 4062768036284 |
| 70  | 70  | 5  | 6            | 10,520 | 4062768036291 |
| 80  | 80  | 2  | 6            | 5,290  | 4062768036314 |
| 80  | 80  | 3  | 6            | 7,610  | 4062768036338 |
| 80  | 80  | 4  | 6            | 9,700  | 4062768036345 |
| 80  | 80  | 5  | 6            | 12,130 | 4062768036352 |
| 90  | 90  | 3  | 6            | 8,61   | 4062768036369 |
| 90  | 90  | 4  | 6            | 11,230 | 4062768036376 |
| 100 | 100 | 2  | 6            | 6,770  | 4062768036406 |
| 100 | 100 | 3  | 6            | 9,600  | 4062768036420 |
| 100 | 100 | 4  | 6            | 12,540 | 4062768036444 |
| 100 | 100 | 5  | 6            | 15,370 | 4062768036451 |
| 120 | 120 | 3  | 6            | 11,124 | 4062768036499 |
| 120 | 120 | 4  | 6            | 14,680 | 4062768036505 |
| 120 | 120 | 5  | 6            | 18,076 | 4062768036512 |
| 120 | 120 | 6  | 6            | 21,120 | 4062768097285 |

## ■ RECHTECKROHR S235 JRH VERZINKT

EN10219 / ISO EN1461

| mm | mm | mm  | Länge<br>mtr | kg/mtr | GTIN          | mm  | mm | mm | Länge<br>mtr | kg/mtr | GTIN          |
|----|----|-----|--------------|--------|---------------|-----|----|----|--------------|--------|---------------|
| 20 | 15 | 2   | 6            | 1,050  | 4062768031562 | 80  | 40 | 5  | 6            | 8,900  | 4062768033306 |
| 30 | 10 | 1,5 | 6            | 0,960  | 4062768031715 | 80  | 50 | 2  | 6            | 4,280  | 4062768033313 |
| 30 | 15 | 2   | 6            | 1,390  | 4062768031760 | 80  | 50 | 3  | 6            | 6,130  | 4062768033337 |
| 30 | 20 | 1,5 | 6            | 1,220  | 4062768031791 | 80  | 50 | 4  | 6            | 7,970  | 4062768033344 |
| 30 | 20 | 2   | 6            | 1,560  | 4062768031807 | 80  | 50 | 5  | 6            | 9,700  | 4062768033351 |
| 30 | 20 | 3   | 6            | 2,173  | 4062768031821 | 80  | 60 | 2  | 6            | 4,610  | 4062768033368 |
| 30 | 25 | 2   | 6            | 1,730  | 4062768031845 | 80  | 60 | 3  | 6            | 6,630  | 4062768033382 |
| 35 | 15 | 2   | 6            | 1,560  | 4062768031944 | 80  | 60 | 4  | 6            | 8,620  | 4062768033399 |
| 40 | 15 | 2   | 6            | 1,730  | 4062768032064 | 90  | 50 | 3  | 6            | 6,630  | 4062768033474 |
| 40 | 20 | 1,5 | 6            | 1,470  | 4062768032095 | 100 | 20 | 2  | 6            | 3,930  | 4062768033542 |
| 40 | 20 | 2   | 6            | 1,900  | 4062768032101 | 100 | 20 | 3  | 6            | 5,640  | 4062768033559 |
| 40 | 20 | 3   | 6            | 2,670  | 4062768032125 | 100 | 30 | 2  | 6            | 4,350  | 4062768033573 |
| 40 | 25 | 2   | 6            | 2,070  | 4062768032156 | 100 | 30 | 3  | 6            | 6,130  | 4062768033580 |
| 40 | 30 | 2   | 6            | 2,240  | 4062768032194 | 100 | 40 | 2  | 6            | 4,610  | 4062768033597 |
| 40 | 30 | 3   | 6            | 3,160  | 4062768032217 | 100 | 40 | 3  | 6            | 6,630  | 4062768033610 |
| 45 | 25 | 2   | 6            | 2,240  | 4062768032286 | 100 | 40 | 4  | 6            | 8,620  | 4062768033627 |
| 50 | 20 | 2   | 6            | 2,070  | 4062768032361 | 100 | 50 | 2  | 6            | 4,950  | 4062768033641 |
| 50 | 20 | 3   | 6            | 3,160  | 4062768032385 | 100 | 50 | 3  | 6            | 7,120  | 4062768033665 |
| 50 | 25 | 2   | 6            | 2,410  | 4062768032415 | 100 | 50 | 4  | 6            | 9,280  | 4062768033672 |
| 50 | 30 | 2   | 6            | 2,580  | 4062768032453 | 100 | 50 | 5  | 6            | 11,320 | 4062768033689 |
| 50 | 30 | 3   | 6            | 3,660  | 4062768032477 | 100 | 60 | 2  | 6            | 5,39   | 4062768033696 |
| 50 | 30 | 4   | 6            | 4,700  | 4062768032484 | 100 | 60 | 3  | 6            | 7,610  | 4062768033719 |
| 50 | 40 | 2   | 6            | 2,920  | 4062768032569 | 100 | 60 | 4  | 6            | 9,930  | 4062768033726 |
| 50 | 40 | 3   | 6            | 4,160  | 4062768032583 | 100 | 60 | 5  | 6            | 12,130 | 4062768033733 |
| 55 | 34 | 2   | 6            | 2,880  | 4062768032613 | 100 | 80 | 3  | 6            | 8,610  | 4062768033740 |
| 60 | 20 | 2   | 6            | 2,580  | 4062768032651 | 100 | 80 | 4  | 6            | 11,230 | 4062768033931 |
| 60 | 30 | 2   | 6            | 2,920  | 4062768032729 | 120 | 30 | 2  | 6            | 4,770  | 4062768033948 |
| 60 | 30 | 3   | 6            | 4,160  | 4062768032743 | 120 | 40 | 2  | 6            | 5,290  | 4062768033979 |
| 60 | 40 | 2   | 6            | 3,250  | 4062768032859 | 120 | 40 | 3  | 6            | 7,610  | 4062768033818 |
| 60 | 40 | 3   | 6            | 4,650  | 4062768032873 | 120 | 50 | 3  | 6            | 7,920  | 4062768033993 |
| 60 | 40 | 4   | 6            | 6,010  | 4062768032880 | 120 | 50 | 4  | 6            | 12,130 | 4062768033962 |
| 60 | 40 | 5   | 6            | 7,280  | 4062768032897 | 120 | 50 | 5  | 6            | 12,484 | 4062768034006 |
| 60 | 50 | 2   | 6            | 3,600  | 4062768032927 | 120 | 60 | 2  | 6            | 7,340  | 4062768034013 |
| 70 | 20 | 2   | 6            | 2,920  | 4062768033016 | 120 | 60 | 3  | 6            | 8,610  | 4062768033856 |
| 70 | 30 | 2   | 6            | 3,250  | 4062768033023 | 120 | 60 | 4  | 6            | 11,230 | 4062768033863 |
| 70 | 40 | 2   | 6            | 3,600  | 4062768033085 | 120 | 60 | 5  | 6            | 13,75  | 4062768033870 |
| 70 | 40 | 3   | 6            | 5,150  | 4062768033108 | 120 | 80 | 3  | 6            | 9,600  | 4062768033894 |
| 70 | 50 | 2   | 6            | 3,930  | 4062768033146 | 120 | 80 | 4  | 6            | 12,540 | 4062768033900 |
| 70 | 50 | 3   | 6            | 5,640  | 4062768033160 | 120 | 80 | 5  | 6            | 15,370 | 4062768033917 |
| 80 | 20 | 2   | 6            | 3,250  | 4062768033207 | 140 | 40 | 3  | 6            | 8,410  | 4062768033986 |
| 80 | 30 | 2   | 6            | 3,600  | 4062768033221 | 140 | 60 | 3  | 6            | 8,410  | 4062768269644 |
| 80 | 30 | 3   | 6            | 5,150  | 4062768033245 | 150 | 40 | 3  | 6            | 8,738  | 4062768269934 |
| 80 | 40 | 2   | 6            | 3,930  | 4062768033269 | 150 | 50 | 3  | 6            | 9,410  | 4062768034037 |
| 80 | 40 | 3   | 6            | 5,640  | 4062768033283 | 200 | 40 | 3  | 6            | 11,309 | 4062768034051 |
| 80 | 40 | 4   | 6            | 7,310  | 4062768033290 |     |    |    |              |        |               |





■ **STAHLBAUHOHLPROFIL QUADRATISCH KALTGEFERTIGT HL 6 M**  
EN10219/EN10025

| mm  | mm  | mm   | Güte    | kg/mtr | GTIN          |
|-----|-----|------|---------|--------|---------------|
| 30  | 30  | 3    | S355J2H | 2,361  | 4062768097520 |
| 40  | 40  | 3    | S355J2H | 3,303  | 4062768193697 |
| 40  | 40  | 4    | S355J2H | 4,198  | 4062768193901 |
| 50  | 50  | 3    | S355J2H | 4,245  | 4062768269743 |
| 50  | 50  | 4    | S355J2H | 5,450  | 4062768198494 |
| 50  | 50  | 5    | S355J2H | 6,560  | 4062768192119 |
| 50  | 50  | 6    | S235JRH | 7,560  | 4062768097537 |
| 50  | 50  | 8    | S355J2H | 8,830  | 4062768097544 |
| 60  | 60  | 3    | S355J2H | 5,187  | 4062768192843 |
| 60  | 60  | 4    | S355J2H | 6,710  | 4062768192850 |
| 60  | 60  | 5    | S355J2H | 8,129  | 4062768193444 |
| 60  | 60  | 6    | S235JRH | 9,444  | 4062768097551 |
| 60  | 60  | 8    | S355J2H | 11,330 | 4062768097568 |
| 70  | 70  | 5    | S355J2H | 9,699  | 4062768270237 |
| 70  | 70  | 6    | S235JRH | 11,330 | 4062768097575 |
| 70  | 70  | 8    | S355J2H | 13,800 | 4062768097582 |
| 80  | 80  | 3    | S355J2H | 11,269 | 4062768259287 |
| 80  | 80  | 4    | S355J2H | 9,220  | 4062768193468 |
| 80  | 80  | 5    | S355J2H | 11,269 | 4062768193352 |
| 80  | 80  | 6    | S235JRH | 13,210 | 4062768097605 |
| 80  | 80  | 8    | S355J2H | 15,096 | 4062768097612 |
| 80  | 80  | 10   | S355J2H | 19,300 | 4062768097629 |
| 90  | 90  | 5    | S355J2H | 12,839 | 4062768193185 |
| 90  | 90  | 6    | S235JRH | 15,096 | 4062768097636 |
| 90  | 90  | 8    | S355J2H | 18,870 | 4062768097643 |
| 100 | 100 | 3    | S355J2H | 11,269 | 4062768259270 |
| 100 | 100 | 4    | S355J2H | 11,734 | 4062768192881 |
| 100 | 100 | 5    | S355J2H | 14,409 | 4062768193277 |
| 100 | 100 | 6    | S235JRH | 16,980 | 4062768097650 |
| 100 | 100 | 6    | S355J2H | 16,980 | 4062768259393 |
| 100 | 100 | 8    | S355J2H | 21,382 | 4062768097667 |
| 100 | 100 | 10   | S355J2H | 25,560 | 4062768097674 |
| 100 | 100 | 12,5 | S355J2H | 33,0   | 4062768182509 |
| 110 | 110 | 4    | S235JRH | 13,000 | 4062768192164 |
| 110 | 110 | 5    | S235JRH | 16,000 | 4062768271111 |

| mm  | mm  | mm | Güte    | kg/mtr | GTIN          |
|-----|-----|----|---------|--------|---------------|
| 120 | 120 | 3  | S235JRH | 10,839 | 4062768097681 |
| 120 | 120 | 4  | S235JRH | 14,250 | 4062768097698 |
| 120 | 120 | 4  | S355J2H | 14,246 | 4062768193703 |
| 120 | 120 | 5  | S235JRH | 17,550 | 4062768097704 |
| 120 | 120 | 5  | S355J2H | 17,550 | 4062768269774 |
| 120 | 120 | 6  | S235JRH | 20,748 | 4062768097711 |
| 120 | 120 | 6  | S355J2H | 20,500 | 4062768259386 |
| 120 | 120 | 8  | S355J2H | 26,406 | 4062768097728 |
| 120 | 120 | 10 | S355J2H | 31,840 | 4062768097735 |
| 140 | 140 | 3  | S235JRH | 12,723 | 4062768097742 |
| 140 | 140 | 4  | S235JRH | 16,758 | 4062768097759 |
| 140 | 140 | 5  | S235JRH | 20,689 | 4062768097766 |
| 140 | 140 | 6  | S235JRH | 24,516 | 4062768097773 |
| 140 | 140 | 8  | S355J2H | 31,430 | 4062768097780 |
| 150 | 150 | 3  | S235JRH | 13,665 | 4062768097797 |
| 150 | 150 | 4  | S235JRH | 18,014 | 4062768097803 |
| 150 | 150 | 5  | S235JRH | 22,259 | 4062768097810 |
| 150 | 150 | 6  | S235JRH | 26,400 | 4062768097827 |
| 150 | 150 | 8  | S355J2H | 33,942 | 4062768097834 |
| 150 | 150 | 10 | S355J2H | 41,260 | 4062768097841 |
| 160 | 160 | 3  | S235JRH | 14,600 | 4062768097858 |
| 160 | 160 | 4  | S235JRH | 19,270 | 4062768097865 |
| 160 | 160 | 5  | S235JRH | 23,829 | 4062768097872 |
| 160 | 160 | 6  | S235JRH | 28,284 | 4062768097889 |
| 160 | 160 | 8  | S355J2H | 36,454 | 4062768097896 |
| 180 | 180 | 5  | S235JRH | 26,969 | 4062768097902 |
| 180 | 180 | 6  | S235JRH | 32,052 | 4062768097919 |
| 180 | 180 | 8  | S355J2H | 41,478 | 4062768097926 |
| 180 | 180 | 10 | S355J2H | 50,680 | 4062768269781 |
| 200 | 200 | 4  | S235JRH | 24,294 | 4062768097933 |
| 200 | 200 | 5  | S235JRH | 30,109 | 4062768097940 |
| 200 | 200 | 6  | S235JRH | 35,820 | 4062768097957 |
| 200 | 200 | 8  | S355J2H | 46,502 | 4062768097964 |
| 200 | 200 | 10 | S355J2H | 56,960 | 4062768097971 |

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


Tel.: 07961 885-200 | Fax: 07961 885-189

E-Mail: [walzstahl@kicherer.de](mailto:walzstahl@kicherer.de) | Internet: [www.kicherer.de](http://www.kicherer.de)



# **STAHLBAUHOHLPROFIL RECHTECKIG KALTGEFERTIGT HL 6 M**

EN10219/EN10025




| mm  | mm  | mm | Güte    | kg/mtr | GTIN          | mm  | mm  | mm | Güte    | kg/mtr | GTIN          |
|-----|-----|----|---------|--------|---------------|-----|-----|----|---------|--------|---------------|
| 50  | 30  | 3  | S355J2H | 3,303  | 4062768097988 | 140 | 80  | 3  | S235JRH | 9,897  | 4062768098275 |
| 60  | 40  | 4  | S355J2H | 5,450  | 4062768193260 | 140 | 80  | 4  | S235JRH | 12,990 | 4062768098282 |
| 60  | 40  | 6  | S235JRH | 7,560  | 4062768097995 | 140 | 80  | 5  | S235JRH | 15,980 | 4062768098299 |
| 60  | 40  | 6  | S355J2H | 7,560  | 4062768098749 | 140 | 80  | 6  | S235JRH | 18,864 | 4062768098305 |
| 80  | 40  | 3  | S355J2H | 5,190  | 4062768271166 | 140 | 80  | 8  | S355J2H | 23,894 | 4062768098312 |
| 80  | 40  | 4  | S355J2H | 6,710  | 4062768269750 | 140 | 100 | 5  | S235JRH | 17,500 | 4062768271289 |
| 80  | 40  | 5  | S355J2H | 8,130  | 4062768193161 | 150 | 40  | 3  | S235JRH | 8,484  | 4062768098756 |
| 80  | 40  | 6  | S235JRH | 9,450  | 4062768098008 | 150 | 40  | 4  | S235JRH | 11,110 | 4062768269927 |
| 80  | 40  | 8  | S355J2H | 11,300 | 4062768098015 | 150 | 50  | 3  | S235JRH | 8,960  | 4062768098329 |
| 80  | 50  | 5  | S355J2H | 8,914  | 4062768269972 | 150 | 50  | 4  | S235JRH | 11,734 | 4062768098336 |
| 80  | 60  | 3  | S355J2H | 6,130  | 4062768193178 | 150 | 50  | 5  | S235JRH | 14,409 | 4062768098343 |
| 80  | 60  | 4  | S355J2H | 7,970  | 4062768192867 | 150 | 75  | 5  | S235JRH | 16,880 | 4062768098350 |
| 80  | 60  | 5  | S355J2H | 9,699  | 4062768270244 | 150 | 100 | 3  | S235JRH | 11,300 | 4062768098367 |
| 80  | 60  | 6  | S235JRH | 11,328 | 4062768098022 | 150 | 100 | 4  | S235JRH | 14,874 | 4062768098374 |
| 80  | 60  | 6  | S355J2H | 11,328 | 4062768192089 | 150 | 100 | 5  | S235JRH | 18,334 | 4062768098381 |
| 80  | 60  | 8  | S355J2H | 12,270 | 4062768098039 | 150 | 100 | 6  | S235JRH | 21,690 | 4062768098398 |
| 100 | 40  | 3  | S355J2H | 6,130  | 4062768196919 | 150 | 100 | 8  | S355J2H | 27,662 | 4062768098404 |
| 100 | 50  | 4  | S355J2H | 8,594  | 4062768193192 | 150 | 100 | 10 | S355J2H | 33,400 | 4062768098411 |
| 100 | 50  | 5  | S355J2H | 10,484 | 4062768193475 | 160 | 60  | 3  | S235JRH | 13,000 | 4062768098428 |
| 100 | 50  | 6  | S235JRH | 12,270 | 4062768098046 | 160 | 60  | 4  | S235JRH | 13,000 | 4062768098428 |
| 100 | 50  | 6  | S355J2H | 12,270 | 4062768193208 | 160 | 60  | 5  | S235JRH | 16,000 | 4062768098435 |
| 100 | 50  | 8  | S355J2H | 15,400 | 4062768098053 | 160 | 80  | 3  | S235JRH | 10,839 | 4062768098442 |
| 100 | 60  | 4  | S355J2H | 9,220  | 4062768098060 | 160 | 80  | 4  | S235JRH | 14,246 | 4062768098459 |
| 100 | 60  | 5  | S355J2H | 11,269 | 4062768269767 | 160 | 80  | 5  | S235JRH | 17,549 | 4062768098466 |
| 100 | 60  | 6  | S235JRH | 13,212 | 4062768098077 | 160 | 80  | 6  | S235JRH | 20,748 | 4062768098473 |
| 100 | 60  | 6  | S355J2H | 13,200 | 4062768269873 | 160 | 80  | 8  | S355J2H | 26,406 | 4062768098480 |
| 100 | 60  | 8  | S355J2H | 15,400 | 4062768098084 | 160 | 90  | 4  | S235JRH | 14,900 | 4062768098497 |
| 100 | 80  | 6  | S235JRH | 15,096 | 4062768098091 | 160 | 90  | 5  | S235JRH | 18,300 | 4062768098503 |
| 100 | 80  | 6  | S355J2H | 14,850 | 4062768271173 | 160 | 90  | 6  | S235JRH | 21,700 | 4062768098510 |
| 100 | 80  | 8  | S355J2H | 18,870 | 4062768098107 | 160 | 90  | 6  | S355J2H | 21,700 | 4062768259324 |
| 110 | 70  | 4  | S235JRH | 10,450 | 4062768098114 | 160 | 90  | 8  | S355J2H | 27,662 | 4062768098527 |
| 110 | 70  | 5  | S235JRH | 12,840 | 4062768098121 | 180 | 60  | 4  | S235JRH | 14,246 | 4062768098534 |
| 120 | 60  | 4  | S355J2H | 10,478 | 4062768259379 | 180 | 60  | 5  | S235JRH | 17,500 | 4062768098541 |
| 120 | 60  | 5  | S355J2H | 12,839 | 4062768259362 | 180 | 80  | 3  | S235JRH | 11,781 | 4062768193673 |
| 120 | 60  | 6  | S235JRH | 15,100 | 4062768098138 | 180 | 80  | 4  | S235JRH | 15,500 | 4062768098558 |
| 120 | 60  | 8  | S355J2H | 18,870 | 4062768098145 | 180 | 80  | 5  | S235JRH | 19,119 | 4062768098565 |
| 120 | 80  | 4  | S355J2H | 11,734 | 4062768193437 | 180 | 80  | 6  | S235JRH | 22,600 | 4062768098572 |
| 120 | 80  | 5  | S355J2H | 14,409 | 4062768271180 | 180 | 80  | 6  | S355J2H | 22,600 | 4062768269279 |
| 120 | 80  | 6  | S235JRH | 16,980 | 4062768098152 | 180 | 80  | 8  | S355J2H | 28,918 | 4062768098589 |
| 120 | 80  | 6  | S355J2H | 16,980 | 4062768271197 | 180 | 100 | 4  | S235JRH | 16,758 | 4062768098596 |
| 120 | 80  | 8  | S355J2H | 21,382 | 4062768098169 | 180 | 100 | 5  | S235JRH | 20,689 | 4062768098602 |
| 120 | 100 | 3  | S235JRH | 8,010  | 4062768193628 | 180 | 100 | 6  | S235JRH | 24,516 | 4062768098619 |
| 120 | 100 | 4  | S235JRH | 12,990 | 4062768193659 | 180 | 100 | 6  | S355J2H | 24,516 | 4062768269675 |
| 120 | 100 | 5  | S235JRH | 15,980 | 4062768193635 | 180 | 100 | 8  | S355J2H | 31,430 | 4062768098626 |
| 120 | 100 | 6  | S235JRH | 18,900 | 4062768193666 | 200 | 40  | 3  | S235JRH | 10,770 | 4062768098633 |
| 140 | 40  | 3  | S235JRH | 8,010  | 4062768098176 | 200 | 40  | 4  | S235JRH | 14,300 | 4062768098640 |
| 140 | 40  | 4  | S235JRH | 10,480 | 4062768098183 | 200 | 80  | 3  | S235JRH | 12,700 | 4062768098657 |
| 140 | 40  | 5  | S235JRH | 12,800 | 4062768098190 | 200 | 80  | 4  | S235JRH | 16,758 | 4062768098664 |
| 140 | 60  | 3  | S235JRH | 8,960  | 4062768098206 | 200 | 80  | 5  | S235JRH | 20,689 | 4062768098671 |
| 140 | 60  | 4  | S235JRH | 11,730 | 4062768098213 | 200 | 80  | 5  | S355J2H | 20,690 | 4062768193413 |
| 140 | 60  | 5  | S235JRH | 14,400 | 4062768098763 | 200 | 100 | 3  | S235JRH | 13,665 | 4062768098688 |
| 140 | 70  | 3  | S235JRH | 9,430  | 4062768098220 | 200 | 100 | 4  | S235JRH | 18,014 | 4062768098695 |
| 140 | 70  | 4  | S235JRH | 12,362 | 4062768098237 | 200 | 100 | 5  | S235JRH | 22,259 | 4062768098701 |
| 140 | 70  | 5  | S235JRH | 15,194 | 4062768098244 | 200 | 100 | 6  | S235JRH | 26,400 | 4062768098718 |
| 140 | 70  | 6  | S235JRH | 17,922 | 4062768098251 | 200 | 100 | 8  | S355J2H | 33,942 | 4062768098725 |
| 140 | 70  | 6  | S355J2H | 17,922 | 4062768193581 | 200 | 100 | 10 | S355J2H | 41,260 | 4062768098732 |
| 140 | 70  | 8  | S355J2H | 22,638 | 4062768098268 | 250 | 150 | 8  | S355J2H | 46,500 | 4062768192096 |

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

Tel.: 07961 885-200 | Fax: 07961 885-189

E-Mail: [walzstahl@kicherer.de](mailto:walzstahl@kicherer.de) | Internet: [www.kicherer.de](http://www.kicherer.de)



■ **STAHLBAUHOHLPROFIL QUADRATISCH KALTGEFERTIGT HL 12 M**  
EN10219/EN10025

| mm  | mm  | mm | Güte    | kg/mtr | GTIN          | mm  | mm  | mm   | Güte    | kg/mtr | GTIN          |
|-----|-----|----|---------|--------|---------------|-----|-----|------|---------|--------|---------------|
| 40  | 40  | 2  | S235JRH | 2,305  | 4062768045514 | 100 | 100 | 5    | S355J2H | 14,409 | 4062768044937 |
| 40  | 40  | 3  | S235JRH | 3,303  | 4062768036550 | 100 | 100 | 6    | S235JRH | 16,980 | 4062768037656 |
| 40  | 40  | 3  | S355J2H | 3,303  | 4062768045217 | 100 | 100 | 6    | S355J2H | 16,980 | 4062768044913 |
| 40  | 40  | 4  | S235JRH | 4,198  | 4062768036598 | 100 | 100 | 8    | S355J2H | 21,382 | 4062768037717 |
| 40  | 40  | 4  | S355J2H | 4,198  | 4062768045279 | 100 | 100 | 10   | S355J2H | 25,560 | 4062768037748 |
| 40  | 40  | 5  | S235JRH | 4,989  | 4062768045460 | 100 | 100 | 12,5 | S355J2H | 29,100 | 4062768046092 |
| 40  | 40  | 5  | S355J2H | 4,989  | 4062768046528 | 110 | 110 | 4    | S235JRH | 13,000 | 4062768037786 |
| 50  | 50  | 3  | S235JRH | 4,245  | 4062768036659 | 110 | 110 | 5    | S235JRH | 16,000 | 4062768037816 |
| 50  | 50  | 3  | S355J2H | 4,245  | 4062768045095 | 110 | 110 | 5    | S355J2H | 16,000 | 4062768198647 |
| 50  | 50  | 4  | S235JRH | 5,450  | 4062768036703 | 110 | 110 | 6    | S235JRH | 18,870 | 4062768044029 |
| 50  | 50  | 4  | S355J2H | 5,450  | 4062768036697 | 110 | 110 | 6    | S355J2H | 18,870 | 4062768270022 |
| 50  | 50  | 5  | S235JRH | 6,560  | 4062768036734 | 110 | 110 | 8    | S355J2H | 23,900 | 4062768037908 |
| 50  | 50  | 5  | S355J2H | 6,560  | 4062768045071 | 110 | 110 | 10   | S355J2H | 28,700 | 4062768045828 |
| 50  | 50  | 6  | S235JRH | 7,560  | 4062768044579 | 120 | 120 | 3    | S235JRH | 10,839 | 4062768037953 |
| 50  | 50  | 6  | S355J2H | 7,560  | 4062768045033 | 120 | 120 | 4    | S235JRH | 14,246 | 4062768037960 |
| 50  | 50  | 8  | S355J2H | 8,830  | 4062768046290 | 120 | 120 | 4    | S355J2H | 14,246 | 4062768046221 |
| 60  | 60  | 2  | S235JRH | 3,561  | 4062768046115 | 120 | 120 | 5    | S235JRH | 17,550 | 4062768038004 |
| 60  | 60  | 3  | S235JRH | 5,187  | 4062768036802 | 120 | 120 | 5    | S355J2H | 17,550 | 4062768045842 |
| 60  | 60  | 3  | S355J2H | 5,187  | 4062768045354 | 120 | 120 | 5    | S355 MH | 17,550 | 4062768198432 |
| 60  | 60  | 4  | S235JRH | 6,710  | 4062768036840 | 120 | 120 | 6    | S235JRH | 20,748 | 4062768038035 |
| 60  | 60  | 4  | S355J2H | 6,710  | 4062768045118 | 120 | 120 | 6    | S355J2H | 20,748 | 4062768044807 |
| 60  | 60  | 5  | S235JRH | 8,130  | 4062768036871 | 120 | 120 | 8    | S355J2H | 26,408 | 4062768038097 |
| 60  | 60  | 5  | S355J2H | 8,130  | 4062768045101 | 120 | 120 | 10   | S355J2H | 31,840 | 4062768038127 |
| 60  | 60  | 6  | S235JRH | 9,444  | 4062768036901 | 120 | 120 | 12   | S355J2H | 35,800 | 4062768044128 |
| 60  | 60  | 6  | S355J2H | 9,444  | 4062768045538 | 120 | 120 | 12,5 | S355J2H | 36,900 | 4062768045989 |
| 60  | 60  | 8  | S355J2H | 11,300 | 4062768045934 | 125 | 125 | 6    | S235JRH | 21,440 | 4062768038196 |
| 70  | 70  | 3  | S235JRH | 6,130  | 4062768036970 | 140 | 140 | 3    | S235JRH | 12,720 | 4062768044036 |
| 70  | 70  | 4  | S235JRH | 7,970  | 4062768037014 | 140 | 140 | 4    | S235JRH | 16,758 | 4062768038233 |
| 70  | 70  | 5  | S235JRH | 9,699  | 4062768037045 | 140 | 140 | 5    | S235JRH | 20,689 | 4062768038257 |
| 70  | 70  | 5  | S355J2H | 9,699  | 4062768044951 | 140 | 140 | 5    | S355J2H | 20,689 | 4062768044876 |
| 70  | 70  | 6  | S235JRH | 11,328 | 4062768037076 | 140 | 140 | 6    | S235JRH | 24,516 | 4062768038288 |
| 70  | 70  | 6  | S355J2H | 11,328 | 4062768044906 | 140 | 140 | 6    | S355J2H | 24,516 | 4062768045002 |
| 70  | 70  | 8  | S355J2H | 13,800 | 4062768037144 | 140 | 140 | 8    | S355J2H | 31,430 | 4062768038349 |
| 80  | 80  | 3  | S235JRH | 7,071  | 4062768044081 | 140 | 140 | 10   | S355J2H | 38,120 | 4062768038387 |
| 80  | 80  | 3  | S355J2H | 7,071  | 4062768045590 | 140 | 140 | 12   | S355J2H | 43,400 | 4062768045682 |
| 80  | 80  | 4  | S235JRH | 9,220  | 4062768037205 | 140 | 140 | 12,5 | S355J2H | 44,800 | 4062768045965 |
| 80  | 80  | 4  | S355J2H | 9,220  | 4062768044968 | 150 | 150 | 3    | S235JRH | 13,665 | 4062768038431 |
| 80  | 80  | 5  | S235JRH | 11,270 | 4062768037243 | 150 | 150 | 4    | S235JRH | 18,014 | 4062768038455 |
| 80  | 80  | 5  | S355J2H | 11,270 | 4062768044852 | 150 | 150 | 5    | S235JRH | 22,259 | 4062768038462 |
| 80  | 80  | 6  | S235JRH | 13,210 | 4062768037274 | 150 | 150 | 5    | S355J2H | 22,259 | 4062768045385 |
| 80  | 80  | 6  | S355J2H | 13,210 | 4062768044821 | 150 | 150 | 6    | S235JRH | 26,400 | 4062768038493 |
| 80  | 80  | 8  | S355J2H | 16,360 | 4062768037335 | 150 | 150 | 6    | S355J2H | 26,400 | 4062768044838 |
| 80  | 80  | 10 | S355J2H | 19,300 | 4062768045927 | 150 | 150 | 8    | S355J2H | 33,942 | 4062768038554 |
| 90  | 90  | 3  | S235JRH | 8,013  | 4062768037373 | 150 | 150 | 10   | S355J2H | 41,260 | 4062768038585 |
| 90  | 90  | 4  | S235JRH | 10,480 | 4062768037410 | 150 | 150 | 12   | S355J2H | 47,100 | 4062768044234 |
| 90  | 90  | 5  | S235JRH | 12,839 | 4062768037458 | 150 | 150 | 12,5 | S355J2H | 48,700 | 4062768045996 |
| 90  | 90  | 5  | S355J2H | 12,839 | 4062768046146 | 160 | 160 | 3    | S235JRH | 14,610 | 4062768044418 |
| 90  | 90  | 6  | S235JRH | 15,096 | 4062768037489 | 160 | 160 | 3    | S355J2H | 14,610 | 4062768196940 |
| 90  | 90  | 6  | S355J2H | 15,096 | 4062768044791 | 160 | 160 | 4    | S235JRH | 19,270 | 4062768038639 |
| 90  | 90  | 8  | S355J2H | 18,870 | 4062768037540 | 160 | 160 | 5    | S235JRH | 23,829 | 4062768038646 |
| 90  | 90  | 10 | S355J2H | 24,3   | 4062768196575 | 160 | 160 | 6    | S235JRH | 28,284 | 4062768038677 |
| 100 | 100 | 3  | S235JRH | 8,960  | 4062768037571 | 160 | 160 | 6    | S355J2H | 28,284 | 4062768193796 |
| 100 | 100 | 3  | S355J2H | 8,960  | 4062768046283 | 160 | 160 | 8    | S355J2H | 36,454 | 4062768038738 |
| 100 | 100 | 4  | S235JRH | 11,734 | 4062768037595 | 160 | 160 | 10   | S355J2H | 44,400 | 4062768038769 |
| 100 | 100 | 4  | S355J2H | 11,734 | 4062768045422 | 160 | 160 | 12   | S355J2H | 50,900 | 4062768044494 |
| 100 | 100 | 5  | S235JRH | 14,409 | 4062768037625 |     |     |      |         |        |               |




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.




■ STAHLBAUHOHLPROFIL QUADRATISCH KALTGEFERTIGT HL 12 M  
EN10219/EN10025

| mm  | mm  | mm   | Güte    | kg/mtr | GTIN          | mm  | mm  | mm   | Güte    | kg/mtr  | GTIN          |
|-----|-----|------|---------|--------|---------------|-----|-----|------|---------|---------|---------------|
| 180 | 180 | 5    | S235JRH | 26,969 | 4062768038813 | 220 | 220 | 6    | S235JRH | 39,600  | 4062768039124 |
| 180 | 180 | 5    | S355J2H | 26,969 | 4062768045453 | 220 | 220 | 6    | S355J2H | 39,590  | 4062768270008 |
| 180 | 180 | 6    | S235JRH | 32,052 | 4062768038837 | 220 | 220 | 8    | S355J2H | 51,500  | 4062768044043 |
| 180 | 180 | 6    | S355J2H | 32,052 | 4062768045231 | 220 | 220 | 10   | S355J2H | 63,200  | 4062768039179 |
| 180 | 180 | 8    | S235JRH | 41,478 | 4062768044753 | 250 | 250 | 8    | S355J2H | 59,062  | 4062768039261 |
| 180 | 180 | 8    | S355J2H | 41,478 | 4062768038899 | 250 | 250 | 10   | S355J2H | 72,660  | 4062768039285 |
| 180 | 180 | 10   | S355J2H | 50,680 | 4062768038929 | 250 | 250 | 12   | S355J2H | 84,800  | 4062768039308 |
| 180 | 180 | 12   | S355J2H | 58,500 | 4062768044500 | 250 | 250 | 12,5 | S355J2H | 88,000  | 4062768045712 |
| 180 | 180 | 12,5 | S355J2H | 60,500 | 4062768046351 | 260 | 260 | 6    | S235JRH | 47,100  | 4062768044227 |
| 200 | 200 | 4    | S235JRH | 24,294 | 4062768045644 | 260 | 260 | 8    | S355J2H | 61,600  | 4062768044197 |
| 200 | 200 | 5    | S235JRH | 30,109 | 4062768038974 | 260 | 260 | 10   | S355J2H | 75,800  | 4062768044203 |
| 200 | 200 | 5    | S235JRH | 30,109 | 4062768192126 | 300 | 300 | 6    | S235JRH | 54,700  | 4062768044074 |
| 200 | 200 | 6    | S235JRH | 35,820 | 4062768038981 | 300 | 300 | 6    | S355J2H | 54,700  | 4062768046733 |
| 200 | 200 | 6    | S355J2H | 35,800 | 4062768192720 | 300 | 300 | 8    | S355J2H | 71,600  | 4062768039421 |
| 200 | 200 | 8    | S355J2H | 46,502 | 4062768039032 | 300 | 300 | 10   | S355J2H | 88,340  | 4062768039445 |
| 200 | 200 | 10   | S355J2H | 56,960 | 4062768039063 | 300 | 300 | 12   | S355J2H | 104,000 | 4062768044265 |
| 200 | 200 | 12   | S355J2H | 66,000 | 4062768039094 | 300 | 300 | 12,5 | S355J2H | 108,000 | 4062768039469 |
| 200 | 200 | 12,5 | S355J2H | 68,320 | 4062768046030 | 350 | 350 | 10   | S355J2H | 104,000 | 4062768045040 |
|     |     |      |         |        |               | 400 | 400 | 10   | S355J2H | 120,000 | 4062768045057 |



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.



■ **STAHLBAUHOHLPROFIL RECHTECKIG KALTGEFERTIGT HL 12 M**  
EN10219/EN10025

| mm  | mm | mm | Güte    | kg/mtr | GTIN          | mm  | mm  | mm | Güte    | kg/mtr | GTIN          |
|-----|----|----|---------|--------|---------------|-----|-----|----|---------|--------|---------------|
| 50  | 30 | 3  | S235JRH | 3,303  | 4062768039575 | 100 | 60  | 4  | S235JRH | 9,220  | 4062768040427 |
| 50  | 30 | 3  | S355J2H | 3,303  | 4062768046443 | 100 | 60  | 4  | S355J2H | 9,220  | 4062768046375 |
| 60  | 30 | 3  | S235JRH | 3,774  | 4062768045262 | 100 | 60  | 5  | S235JRH | 11,269 | 4062768040465 |
| 60  | 40 | 2  | S235JRH | 2,933  | 4062768045552 | 100 | 60  | 5  | S355J2H | 11,269 | 4062768045330 |
| 60  | 40 | 3  | S235JRH | 4,245  | 4062768044630 | 100 | 60  | 6  | S235JRH | 13,212 | 4062768040496 |
| 60  | 40 | 3  | S355J2H | 4,245  | 4062768045743 | 100 | 60  | 6  | S355J2H | 13,212 | 4062768044845 |
| 60  | 40 | 4  | S235JRH | 5,454  | 4062768039728 | 100 | 60  | 8  | S355J2H | 16,360 | 4062768040557 |
| 60  | 40 | 4  | S355J2H | 5,454  | 4062768046498 | 100 | 60  | 10 | S355J2H | 19,300 | 4062768186033 |
| 60  | 40 | 5  | S235JRH | 6,559  | 4062768039742 | 100 | 80  | 3  | S235JRH | 8,013  | 4062768044302 |
| 60  | 40 | 6  | S235JRH | 7,560  | 4062768046405 | 100 | 80  | 4  | S235JRH | 10,478 | 4062768040588 |
| 60  | 40 | 6  | S355J2H | 7,560  | 4062768045255 | 100 | 80  | 4  | S355J2H | 10,478 | 4062768046634 |
| 70  | 40 | 3  | S235JRH | 4,720  | 4062768045873 | 100 | 80  | 5  | S235JRH | 12,839 | 4062768040595 |
| 70  | 40 | 4  | S235JRH | 6,080  | 4062768039858 | 100 | 80  | 5  | S355J2H | 12,839 | 4062768091115 |
| 70  | 40 | 4  | S355J2H | 6,080  | 4062768045729 | 100 | 80  | 6  | S235JRH | 15,096 | 4062768040618 |
| 70  | 40 | 5  | S235JRH | 7,340  | 4062768045576 | 100 | 80  | 6  | S355J2H | 15,096 | 4062768044814 |
| 70  | 50 | 4  | S235JRH | 6,710  | 4062768046740 | 100 | 80  | 8  | S235JRH | 18,870 | 4062768044784 |
| 80  | 40 | 2  | S235JRH | 3,561  | 4062768001763 | 100 | 80  | 8  | S355J2H | 18,870 | 4062768040649 |
| 80  | 40 | 3  | S235JRH | 5,807  | 4062768039940 | 110 | 70  | 4  | S235JRH | 10,450 | 4062768044173 |
| 80  | 40 | 3  | S355J2H | 5,807  | 4062768046061 | 110 | 70  | 5  | S235JRH | 12,840 | 4062768044180 |
| 80  | 40 | 4  | S235JRH | 6,710  | 4062768039988 | 120 | 40  | 3  | S235JRH | 7,071  | 4062768044654 |
| 80  | 40 | 4  | S355J2H | 6,710  | 4062768046153 | 120 | 40  | 4  | S235JRH | 9,220  | 4062768045767 |
| 80  | 40 | 5  | S235JRH | 8,130  | 4062768040014 | 120 | 40  | 5  | S235JRH | 11,300 | 4062768045774 |
| 80  | 40 | 5  | S355J2H | 8,130  | 4062768046054 | 120 | 50  | 4  | S355J2H | 9,850  | 4062768046436 |
| 80  | 40 | 6  | S235JRH | 9,450  | 4062768044432 | 120 | 50  | 5  | S235JRH | 12,054 | 4062768040762 |
| 80  | 40 | 6  | S355J2H | 9,450  | 4062768045248 | 120 | 60  | 3  | S235JRH | 8,013  | 4062768040779 |
| 80  | 40 | 8  | S355J2H | 11,300 | 4062768046344 | 120 | 60  | 3  | S355J2H | 8,013  | 4062768046207 |
| 80  | 50 | 3  | S235JRH | 5,658  | 4062768046191 | 120 | 60  | 4  | S235JRH | 10,478 | 4062768040793 |
| 80  | 50 | 4  | S235JRH | 7,338  | 4062768045651 | 120 | 60  | 4  | S355J2H | 10,478 | 4062768045859 |
| 80  | 50 | 5  | S235JRH | 8,914  | 4062768045668 | 120 | 60  | 5  | S235JRH | 12,839 | 4062768040816 |
| 80  | 60 | 3  | S235JRH | 6,129  | 4062768044739 | 120 | 60  | 5  | S355J2H | 12,839 | 4062768045293 |
| 80  | 60 | 3  | S355J2H | 6,129  | 4062768046276 | 120 | 60  | 6  | S235JRH | 15,096 | 4062768040823 |
| 80  | 60 | 4  | S235JRH | 7,966  | 4062768040069 | 120 | 60  | 6  | S355J2H | 15,096 | 4062768044555 |
| 80  | 60 | 4  | S355J2H | 7,966  | 4062768045835 | 120 | 60  | 8  | S355J2H | 18,870 | 4062768040885 |
| 80  | 60 | 5  | S235JRH | 9,699  | 4062768040076 | 120 | 60  | 10 | S355J2H | 22,400 | 4062768046412 |
| 80  | 60 | 5  | S355J2H | 9,699  | 4062768046047 | 120 | 80  | 3  | S235JRH | 8,960  | 4062768040915 |
| 80  | 60 | 6  | S235JRH | 11,328 | 4062768044104 | 120 | 80  | 4  | S235JRH | 11,734 | 4062768040946 |
| 80  | 60 | 6  | S355J2H | 11,328 | 4062768044111 | 120 | 80  | 4  | S355J2H | 11,734 | 4062768044746 |
| 80  | 60 | 8  | S355J2H | 13,800 | 4062768046016 | 120 | 80  | 5  | S235JRH | 14,409 | 4062768040977 |
| 90  | 50 | 3  | S235JRH | 6,130  | 4062768040083 | 120 | 80  | 5  | S355J2H | 14,409 | 4062768045125 |
| 90  | 50 | 4  | S235JRH | 7,970  | 4062768040120 | 120 | 80  | 6  | S235JRH | 16,980 | 4062768041004 |
| 90  | 50 | 6  | S235JRH | 11,330 | 4062768044616 | 120 | 80  | 6  | S355J2H | 16,980 | 4062768044920 |
| 100 | 40 | 3  | S235JRH | 6,129  | 4062768045408 | 120 | 80  | 8  | S355J2H | 21,382 | 4062768041066 |
| 100 | 40 | 3  | S355J2H | 6,130  | 4062768046306 | 120 | 80  | 10 | S355J2H | 25,560 | 4062768044463 |
| 100 | 40 | 4  | S235JRH | 7,966  | 4062768045156 | 120 | 100 | 3  | S235JRH | 9,900  | 4062768046313 |
| 100 | 50 | 3  | S235JRH | 6,600  | 4062768044098 | 120 | 100 | 4  | S235JRH | 12,990 | 4062768041097 |
| 100 | 50 | 3  | S355J2H | 6,600  | 4062768045910 | 120 | 100 | 5  | S235JRH | 15,980 | 4062768041103 |
| 100 | 50 | 4  | S235JRH | 8,594  | 4062768040250 | 120 | 100 | 6  | S235JRH | 18,900 | 4062768041127 |
| 100 | 50 | 4  | S355J2H | 8,594  | 4062768045187 | 120 | 100 | 8  | S355J2H | 23,894 | 4062768041158 |
| 100 | 50 | 5  | S235JRH | 10,484 | 4062768040298 | 120 | 100 | 10 | S355J2H | 28,700 | 4062768045491 |
| 100 | 50 | 5  | S355J2H | 10,484 | 4062768045309 | 140 | 40  | 3  | S235JRH | 8,013  | 4062768044401 |
| 100 | 50 | 6  | S235JRH | 12,270 | 4062768040311 | 140 | 40  | 4  | S235JRH | 10,480 | 4062768044456 |
| 100 | 50 | 6  | S355J2H | 12,270 | 4062768044975 | 140 | 40  | 5  | S235JRH | 12,800 | 4062768045620 |
| 100 | 50 | 8  | S355J2H | 15,400 | 4062768044609 | 140 | 40  | 5  | S355J2H | 12,800 | 4062768041196 |
| 100 | 50 | 10 | S355J2H | 17,700 | 4062768046177 | 140 | 60  | 3  | S235JRH | 8,960  | 4062768041226 |
| 100 | 60 | 3  | S235JRH | 7,071  | 4062768044333 | 140 | 60  | 4  | S235JRH | 11,730 | 4062768041233 |
| 100 | 60 | 3  | S355J2H | 7,071  | 4062768195592 | 140 | 60  | 5  | S235JRH | 14,409 | 4062768044340 |


Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.



# **STAHLBAUHOHLPROFIL RECHTECKIG KALTGEFERTIGT HL 12 M**

EN10219/EN10025


| mm  | mm  | mm   | Güte    | kg/mtr | GTIN          | mm  | mm  | mm   | Güte    | kg/mtr | GTIN          |
|-----|-----|------|---------|--------|---------------|-----|-----|------|---------|--------|---------------|
| 140 | 60  | 6    | S235JRH | 16,980 | 4062768041257 | 160 | 90  | 7,1  | S355J2H | 24,700 | 4062768042223 |
| 140 | 60  | 6    | S355J2H | 16,980 | 4062768044982 | 160 | 90  | 8    | S355J2H | 27,662 | 4062768042247 |
| 140 | 60  | 8    | S355J2H | 21,390 | 4062768041288 | 160 | 90  | 10   | S355J2H | 33,400 | 4062768042285 |
| 140 | 70  | 3    | S235JRH | 9,430  | 4062768041295 | 160 | 120 | 4    | S235JRH | 16,800 | 4062768042315 |
| 140 | 70  | 4    | S235JRH | 12,362 | 4062768041318 | 160 | 120 | 6    | S235JRH | 24,500 | 4062768042339 |
| 140 | 70  | 5    | S235JRH | 15,194 | 4062768041332 | 160 | 120 | 6    | S355J2H | 24,500 | 4062768196957 |
| 140 | 70  | 5    | S355J2H | 15,194 | 4062768046535 | 160 | 120 | 8    | S355J2H | 31,400 | 4062768045637 |
| 140 | 70  | 6    | S235JRH | 17,922 | 4062768041363 | 180 | 60  | 4    | S235JRH | 14,246 | 4062768044586 |
| 140 | 70  | 6    | S355J2H | 17,922 | 4062768269996 | 180 | 60  | 5    | S235JRH | 16,000 | 4062768044623 |
| 140 | 70  | 6,3  | S355J2H | 18,500 | 4062768045415 | 180 | 60  | 6    | S235JRH | 20,748 | 4062768192645 |
| 140 | 70  | 8    | S355J2H | 22,638 | 4062768041424 | 180 | 60  | 6    | S355J2H | 20,748 | 4062768271159 |
| 140 | 70  | 10   | S355J2H | 27,800 | 4062768046160 | 180 | 60  | 8    | S355J2H | 26,400 | 4062768046399 |
| 140 | 80  | 3    | S235JRH | 9,897  | 4062768041479 | 180 | 80  | 3    | S235JRH | 11,781 | 4062768046214 |
| 140 | 80  | 4    | S235JRH | 12,990 | 4062768041493 | 180 | 80  | 4    | S235JRH | 15,502 | 4062768042346 |
| 140 | 80  | 4    | S355J2H | 12,990 | 4062768045323 | 180 | 80  | 5    | S235JRH | 19,119 | 4062768042360 |
| 140 | 80  | 5    | S235JRH | 15,979 | 4062768041523 | 180 | 80  | 6    | S235JRH | 22,600 | 4062768042384 |
| 140 | 80  | 5    | S355J2H | 15,979 | 4062768045545 | 180 | 80  | 6    | S355J2H | 22,600 | 4062768044999 |
| 140 | 80  | 6    | S235JRH | 18,864 | 4062768041554 | 180 | 80  | 8    | S355J2H | 28,918 | 4062768042414 |
| 140 | 80  | 6    | S355J2H | 18,864 | 4062768045224 | 180 | 80  | 10   | S355J2H | 35,000 | 4062768045484 |
| 140 | 80  | 8    | S355J2H | 23,890 | 4062768041615 | 180 | 100 | 4    | S235JRH | 16,758 | 4062768042438 |
| 140 | 80  | 10   | S355J2H | 28,700 | 4062768041646 | 180 | 100 | 5    | S235JRH | 20,689 | 4062768042452 |
| 140 | 100 | 5    | S235JRH | 17,500 | 4062768182615 | 180 | 100 | 5    | S355J2H | 20,689 | 4062768045446 |
| 140 | 100 | 5    | S355J2H | 17,500 | 4062768193482 | 180 | 100 | 6    | S235JRH | 24,516 | 4062768042483 |
| 150 | 40  | 4    | S235JRH | 11,110 | 4062768045347 | 180 | 100 | 6    | S355J2H | 24,516 | 4062768044890 |
| 150 | 50  | 3    | S235JRH | 8,960  | 4062768041677 | 180 | 100 | 8    | S235JRH | 31,430 | 4062768044760 |
| 150 | 50  | 4    | S235JRH | 11,734 | 4062768041684 | 180 | 100 | 8    | S355J2H | 31,430 | 4062768042544 |
| 150 | 50  | 5    | S235JRH | 14,409 | 4062768041691 | 180 | 100 | 10   | S355J2H | 38,120 | 4062768042582 |
| 150 | 75  | 5    | S235JRH | 16,880 | 4062768041707 | 180 | 100 | 12,5 | S355J2H | 44,800 | 4062768046252 |
| 150 | 75  | 6    | S235JRH | 19,340 | 4062768041714 | 180 | 120 | 4    | S235JRH | 18,000 | 4062768042643 |
| 150 | 100 | 3    | S235JRH | 11,310 | 4062768041721 | 180 | 120 | 4    | S355J2H | 18,000 | 4062768193598 |
| 150 | 100 | 3    | S355J2H | 11,310 | 4062768046504 | 180 | 120 | 6    | S235JRH | 26,200 | 4062768042674 |
| 150 | 100 | 4    | S235JRH | 14,900 | 4062768041752 | 180 | 120 | 6    | S355J2H | 26,200 | 4062768045132 |
| 150 | 100 | 4    | S355J2H | 14,900 | 4062768046429 | 180 | 120 | 8    | S355J2H | 33,942 | 4062768042704 |
| 150 | 100 | 5    | S235JRH | 18,334 | 4062768041783 | 200 | 40  | 3    | S235JRH | 10,770 | 4062768044289 |
| 150 | 100 | 5    | S355J2H | 18,334 | 4062768046511 | 200 | 40  | 3    | S355J2H | 10,770 | 4062768259317 |
| 150 | 100 | 6    | S235JRH | 21,690 | 4062768041813 | 200 | 40  | 4    | S235JRH | 14,300 | 4062768044296 |
| 150 | 100 | 6    | S355J2H | 21,690 | 4062768045026 | 200 | 80  | 3    | S235JRH | 12,700 | 4062768042711 |
| 150 | 100 | 8    | S235JRH | 27,662 | 4062768044517 | 200 | 80  | 4    | S235JRH | 16,758 | 4062768042728 |
| 150 | 100 | 8    | S355J2H | 27,662 | 4062768041875 | 200 | 80  | 5    | S235JRH | 20,690 | 4062768042735 |
| 150 | 100 | 10   | S355J2H | 33,410 | 4062768044135 | 200 | 80  | 6    | S235JRH | 24,516 | 4062768042759 |
| 150 | 100 | 12   | S355J2H | 37,700 | 4062768046085 | 200 | 80  | 8    | S355J2H | 31,430 | 4062768042780 |
| 150 | 100 | 12,5 | S355J2H | 38,900 | 4062768192065 | 200 | 80  | 10   | S355J2H | 38,100 | 4062768046122 |
| 160 | 60  | 4    | S235JRH | 13,000 | 4062768044531 | 200 | 100 | 3    | S235JRH | 13,665 | 4062768042797 |
| 160 | 60  | 5    | S235JRH | 15,980 | 4062768044593 | 200 | 100 | 4    | S235JRH | 18,014 | 4062768042803 |
| 160 | 80  | 3    | S235JRH | 10,839 | 4062768041929 | 200 | 100 | 5    | S235JRH | 22,259 | 4062768042810 |
| 160 | 80  | 4    | S235JRH | 14,246 | 4062768041950 | 200 | 100 | 5    | S355J2H | 22,259 | 4062768045958 |
| 160 | 80  | 5    | S235JRH | 17,549 | 4062768041981 | 200 | 100 | 6    | S235JRH | 26,400 | 4062768042841 |
| 160 | 80  | 5    | S355J2H | 17,549 | 4062768046481 | 200 | 100 | 6    | S355J2H | 26,400 | 4062768044883 |
| 160 | 80  | 6    | S235JRH | 20,748 | 4062768042018 | 200 | 100 | 8    | S355J2H | 33,942 | 4062768042902 |
| 160 | 80  | 6    | S355J2H | 20,748 | 4062768044869 | 200 | 100 | 10   | S355J2H | 41,260 | 4062768042933 |
| 160 | 80  | 8    | S355J2H | 26,406 | 4062768042070 | 200 | 100 | 12   | S355J2H | 47,100 | 4062768044388 |
| 160 | 80  | 10   | S355J2H | 31,840 | 4062768042100 | 200 | 100 | 12,5 | S355J2H | 48,700 | 4062768046108 |
| 160 | 90  | 4    | S235JRH | 14,870 | 4062768042117 |     |     |      |         |        |               |
| 160 | 90  | 5    | S235JRH | 18,200 | 4062768042155 |     |     |      |         |        |               |
| 160 | 90  | 6    | S235JRH | 21,400 | 4062768042179 |     |     |      |         |        |               |
| 160 | 90  | 6    | S355J2H | 21,700 | 4062768269620 |     |     |      |         |        |               |



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

Tel.: 07961 885-200 | Fax: 07961 885-189

E-Mail: walzstahl@kicherer.de | Internet: www.kicherer.de




### ■ STAHLBAUHOHLPROFIL RECHTECKIG KALTGEFERTIGT HL 12 M

EN10219/EN10025

| mm  | mm  | mm   | Güte    | kg/mtr | GTIN          |
|-----|-----|------|---------|--------|---------------|
| 200 | 120 | 4    | S235JRH | 19,270 | 4062768042995 |
| 200 | 120 | 4    | S355J2H | 19,270 | 4062768196711 |
| 200 | 120 | 5    | S235JRH | 23,830 | 4062768043008 |
| 200 | 120 | 6    | S235JRH | 28,284 | 4062768043039 |
| 200 | 120 | 6    | S355J2H | 28,284 | 4062768044944 |
| 200 | 120 | 8    | S355J2H | 36,454 | 4062768043091 |
| 200 | 120 | 10   | S355J2H | 44,400 | 4062768043121 |
| 200 | 120 | 12   | S355J2H | 50,900 | 4062768045569 |
| 200 | 120 | 12,5 | S355J2H | 52,600 | 4062768046320 |
| 200 | 150 | 4    | S235JRH | 21,180 | 4062768043176 |
| 200 | 150 | 5    | S235JRH | 26,184 | 4062768043183 |
| 200 | 150 | 6    | S235JRH | 31,110 | 4062768043206 |
| 200 | 150 | 6    | S355J2H | 31,110 | 4062768045392 |
| 200 | 150 | 8    | S355J2H | 40,222 | 4062768043237 |
| 200 | 150 | 10   | S355J2H | 49,110 | 4062768044166 |
| 200 | 150 | 12   | S355J2H | 56,600 | 4062768045897 |
| 200 | 150 | 12,5 | S355J2H | 58,500 | 4062768046559 |
| 220 | 120 | 6    | S235JRH | 29,930 | 4062768043244 |
| 220 | 120 | 6    | S355J2H | 29,930 | 4062768045194 |
| 220 | 120 | 8    | S355J2H | 38,970 | 4062768043299 |
| 220 | 120 | 10   | S355J2H | 46,860 | 4062768043329 |
| 250 | 100 | 4    | S235JRH | 21,154 | 4062768043374 |
| 250 | 100 | 5    | S235JRH | 26,184 | 4062768043381 |
| 250 | 100 | 6    | S235JRH | 31,110 | 4062768043404 |
| 250 | 100 | 6    | S355J2H | 31,110 | 4062768045316 |
| 250 | 100 | 8    | S355J2H | 40,222 | 4062768043435 |
| 250 | 100 | 10   | S355J2H | 49,110 | 4062768044210 |
| 250 | 150 | 4    | S235JRH | 24,300 | 4062768044012 |
| 250 | 150 | 5    | S235JRH | 30,109 | 4062768043442 |
| 250 | 150 | 6    | S235JRH | 35,820 | 4062768043459 |
| 250 | 150 | 6    | S355J2H | 35,820 | 4062768046627 |
| 250 | 150 | 8    | S355J2H | 46,500 | 4062768043503 |
| 250 | 150 | 10   | S355J2H | 56,960 | 4062768043534 |
| 250 | 150 | 12   | S355J2H | 66,300 | 4062768044258 |
| 250 | 150 | 12,5 | S355J2H | 68,300 | 4062768043565 |

| mm  | mm  | mm   | Güte    | kg/mtr  | GTIN          |
|-----|-----|------|---------|---------|---------------|
| 260 | 140 | 6    | S235JRH | 35,700  | 4062768043589 |
| 260 | 140 | 8    | S355J2H | 46,900  | 4062768043633 |
| 260 | 140 | 10   | S355J2H | 57,000  | 4062768044241 |
| 260 | 180 | 6    | S355J2H | 39,600  | 4062768045200 |
| 260 | 180 | 10   | S355J2H | 63,200  | 4062768044371 |
| 300 | 100 | 5    | S235JRH | 30,109  | 4062768044715 |
| 300 | 100 | 5    | S355J2H | 30,109  | 4062768045378 |
| 300 | 100 | 6    | S235JRH | 35,820  | 4062768044050 |
| 300 | 100 | 8    | S355J2H | 46,502  | 4062768044548 |
| 300 | 100 | 10   | S355J2H | 56,960  | 4062768044357 |
| 300 | 100 | 12,5 | S355J2H | 68,300  | 4062768046658 |
| 300 | 150 | 5    | S235JRH | 34,000  | 4062768045880 |
| 300 | 150 | 5    | S355J2H | 34,000  | 4062768270015 |
| 300 | 150 | 6    | S235JRH | 40,530  | 4062768044272 |
| 300 | 150 | 6    | S355J2H | 40,530  | 4062768046450 |
| 300 | 150 | 8    | S355J2H | 52,800  | 4062768044067 |
| 300 | 150 | 10   | S355J2H | 64,810  | 4062768044562 |
| 300 | 200 | 6    | S235JRH | 45,240  | 4062768043831 |
| 300 | 200 | 6    | S355J2H | 45,240  | 4062768259263 |
| 300 | 200 | 8    | S355J2H | 59,062  | 4062768043855 |
| 300 | 200 | 10   | S355J2H | 72,660  | 4062768043862 |
| 300 | 200 | 12   | S355J2H | 84,800  | 4062768044142 |
| 300 | 200 | 12,5 | S355J2H | 87,945  | 4062768043886 |
| 350 | 250 | 10   | S355J2H | 88,400  | 4062768192706 |
| 350 | 250 | 16   | S355J2H | 134,000 | 4062768046337 |
| 400 | 200 | 6    | S235JRH | 54,660  | 4062768044524 |
| 400 | 200 | 6    | S355J2H | 54,660  | 4062768269217 |
| 400 | 200 | 8    | S355J2H | 71,622  | 4062768043909 |
| 400 | 200 | 10   | S355J2H | 88,360  | 4062768043916 |
| 500 | 300 | 10   | S355J2H | 122,000 | 4062768045064 |



### ■ STAHLBAUHOHLPROFIL RECHTECKIG KALTGEFERTIGT HL 14 M

EN10219/EN10025













| mm  | mm  | mm | Güte    | kg/mtr | GTIN          |
|-----|-----|----|---------|--------|---------------|
| 160 | 80  | 4  | S235JRH | 14,246 | 4062768046023 |
| 160 | 80  | 6  | S355J2H | 20,500 | 4062768046764 |
| 200 | 100 | 6  | S235JRH | 26,400 | 4062768045804 |
| 200 | 100 | 6  | S355J2H | 26,400 | 4062768046603 |

| mm  | mm  | mm | Güte    | kg/mtr | GTIN          |
|-----|-----|----|---------|--------|---------------|
| 200 | 100 | 8  | S355J2H | 33,942 | 4062768045477 |
| 250 | 150 | 8  | S355J2H | 46,500 | 4062768095724 |
| 300 | 150 | 6  | S235JRH | 40,530 | 4062768046009 |
| 300 | 150 | 8  | S355J2H | 52,800 | 4062768045507 |

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.




■ SCHNITTSCHEMATATA STAHLBAUHOHLPROFILE



**Schnittschemata**  
Gehrungsschnitte bis  
max. 60°

Bitte geben Sie die  
Nummer des gewünschten  
Schnittschemas bei Ihrer  
Bestellung an.






### ■ GEWINDEROHR GESCHWEISST SCHWARZ EN10255-MEDIUM

| Zoll  | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|-------|------|------|--------------|--------|---------------|
| 1/4   | 13,5 | 2,30 | 6            | 0,650  | 4062768046818 |
| 3/8   | 17,2 | 2,30 | 6            | 0,852  | 4062768046825 |
| 1/2   | 21,3 | 2,60 | 6            | 1,220  | 4062768046832 |
| 3/4   | 26,9 | 2,60 | 6            | 1,580  | 4062768046849 |
| 1     | 33,7 | 3,20 | 6            | 2,440  | 4062768046856 |
| 1 1/4 | 42,4 | 3,20 | 6            | 3,140  | 4062768046863 |


| Zoll  | mm    | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|-------|-------|------|--------------|--------|---------------|
| 1 1/2 | 48,3  | 3,20 | 6            | 3,610  | 4062768046870 |
| 2     | 60,3  | 3,60 | 6            | 5,100  | 4062768046887 |
| 2 1/2 | 76,1  | 3,60 | 6            | 6,510  | 4062768046894 |
| 3     | 88,9  | 4,00 | 6            | 8,470  | 4062768046900 |
| 4     | 114,3 | 4,50 | 6            | 12,100 | 4062768046917 |



### ■ GEWINDEROHR STRECKREDUZIERT SCHWARZ EN10255-MEDIUM

| Zoll | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|------|------|------|--------------|--------|---------------|
| 3/8  | 17,2 | 2,30 | 6            | 0,852  | 4062768047716 |
| 1/2  | 21,3 | 2,60 | 6            | 1,220  | 4062768047693 |
| 3/4  | 26,9 | 2,60 | 6            | 1,580  | 4062768047686 |
| 1    | 33,7 | 3,20 | 6            | 2,440  | 4062768047648 |


| Zoll  | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|-------|------|------|--------------|--------|---------------|
| 1 1/4 | 42,4 | 3,20 | 6            | 3,140  | 4062768047655 |
| 1 1/2 | 48,3 | 3,20 | 6            | 3,610  | 4062768047662 |
| 2     | 60,3 | 3,60 | 6            | 5,100  | 4062768047679 |



### ■ SCHWERES GEWINDEROHR GESCHWEISST SCHWARZ EN10255-HEAVY

| Zoll  | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|-------|------|------|--------------|--------|---------------|
| 1/2   | 21,3 | 3,20 | 6            | 1,450  | 4062768047280 |
| 3/4   | 26,9 | 3,20 | 6            | 1,900  | 4062768047297 |
| 1     | 33,7 | 4,00 | 6            | 2,970  | 4062768047303 |
| 1 1/4 | 42,4 | 4,00 | 6            | 3,840  | 4062768047310 |


| Zoll  | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|-------|------|------|--------------|--------|---------------|
| 1 1/2 | 48,3 | 4,00 | 6            | 4,430  | 4062768047327 |
| 2     | 60,3 | 4,50 | 6            | 6,170  | 4062768047334 |
| 2 1/2 | 76,1 | 4,50 | 6            | 7,900  | 4062768047723 |



### ■ GEWINDEROHR NAHTLOS SCHWARZ EN10255-MEDIUM

| Zoll | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|------|------|------|--------------|--------|---------------|
| 3/8  | 17,2 | 2,30 | 6            | 0,852  | 4062768047105 |
| 1/2  | 21,3 | 2,60 | 6            | 1,220  | 4062768047112 |
| 3/4  | 26,9 | 2,60 | 6            | 1,580  | 4062768047129 |
| 1    | 33,7 | 3,20 | 6            | 2,440  | 4062768047136 |

| Zoll  | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|-------|------|------|--------------|--------|---------------|
| 1 1/4 | 42,4 | 3,20 | 6            | 3,140  | 4062768047143 |
| 1 1/2 | 48,3 | 3,20 | 6            | 3,610  | 4062768047150 |
| 2     | 60,3 | 3,60 | 6            | 5,100  | 4062768047167 |
| 2 1/2 | 76,1 | 3,60 | 6            | 6,510  | 4062768091122 |
| 3     | 88,9 | 4,00 | 6            | 8,470  | 4062768091146 |



### ■ GEWINDEROHR GESCHWEISST VERZINKT EN10255-MEDIUM / EN10240-A1

| Zoll  | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|-------|------|------|--------------|--------|---------------|
| 3/8   | 17,2 | 2,30 | 6            | 0,890  | 4062768046962 |
| 1/2   | 21,3 | 2,60 | 6            | 1,270  | 4062768046979 |
| 3/4   | 26,9 | 2,60 | 6            | 1,650  | 4062768046986 |
| 1     | 33,7 | 3,20 | 6            | 2,550  | 4062768046993 |
| 1 1/4 | 42,4 | 3,20 | 6            | 3,280  | 4062768047006 |

| Zoll  | mm    | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|-------|-------|------|--------------|--------|---------------|
| 1 1/2 | 48,3  | 3,20 | 6            | 3,770  | 4062768047013 |
| 2     | 60,3  | 3,60 | 6            | 5,330  | 4062768047020 |
| 2 1/2 | 76,1  | 3,60 | 6            | 6,800  | 4062768047037 |
| 3     | 88,9  | 4,00 | 6            | 8,850  | 4062768047044 |
| 4     | 114,3 | 4,50 | 6            | 12,640 | 4062768047051 |


Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.



## ■ SCHWERES GEWINDEROHR GESCHWEISST VERZINKT

EN10255-HEAVY/EN10240-A1


| Zoll | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          | Zoll  | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|------|------|------|--------------|--------|---------------|-------|------|------|--------------|--------|---------------|
| 1/2  | 21,3 | 3,20 | 6            | 1,520  | 4062768047389 | 1 1/4 | 42,4 | 4,00 | 6            | 4,010  | 4062768047419 |
| 3/4  | 26,9 | 3,20 | 6            | 1,990  | 4062768047396 | 1 1/2 | 48,3 | 4,00 | 6            | 4,630  | 4062768047426 |
| 1    | 33,7 | 4,00 | 6            | 3,100  | 4062768047402 | 2     | 60,3 | 4,50 | 6            | 6,450  | 4062768047433 |



## ■ GEWINDEROHR NAHTLOS VERZINKT

EN10255-MEDIUM/EN10240-A1


| Zoll | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          | Zoll  | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|------|------|------|--------------|--------|---------------|-------|------|------|--------------|--------|---------------|
| 1/2  | 21,3 | 2,60 | 6            | 1,270  | 4062768047198 | 1 1/4 | 42,4 | 3,20 | 6            | 3,280  | 4062768047228 |
| 3/4  | 26,9 | 2,60 | 6            | 1,650  | 4062768047204 | 1 1/2 | 48,3 | 3,20 | 6            | 3,770  | 4062768047235 |
| 1    | 33,7 | 3,20 | 6            | 2,550  | 4062768047211 | 2     | 60,3 | 3,60 | 6            | 5,330  | 4062768047242 |



## ■ GELÄNDERROHR GESCHWEISST SCHWARZ S235 JRH

EN10219


| Zoll  | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          | Zoll  | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|-------|------|------|--------------|--------|---------------|-------|------|------|--------------|--------|---------------|
| 1/2   | 21,3 | 1,75 | 6            | 0,840  | 4062768047891 | 1 1/2 | 48,3 | 2,00 | 6            | 2,280  | 4062768047938 |
| 3/4   | 26,9 | 1,75 | 6            | 1,090  | 4062768047907 | 2     | 60,3 | 2,00 | 6            | 2,880  | 4062768047945 |
| 1     | 33,7 | 2,00 | 6            | 1,560  | 4062768047914 | 2 1/2 | 76,1 | 2,00 | 6            | 3,650  | 4062768047952 |
| 1 1/4 | 42,4 | 2,00 | 6            | 1,990  | 4062768047921 |       |      |      |              |        |               |



## ■ GELÄNDERROHR GESCHWEISST S235 JRH VERZINKT

EN10219 / EN-ISO1461


| Zoll  | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          | Zoll  | mm   | mm  | Länge<br>mtr | kg/mtr | GTIN          |
|-------|------|------|--------------|--------|---------------|-------|------|-----|--------------|--------|---------------|
| 1/2   | 21,3 | 1,75 | 6            | 0,880  | 4062768047969 | 1 1/2 | 48,3 | 2,0 | 6            | 2,390  | 4062768048003 |
| 3/4   | 26,9 | 1,75 | 6            | 1,150  | 4062768047976 | 1 1/2 | 48,3 | 2,0 | 7            | 2,390  | 4062768048072 |
| 1     | 33,7 | 2,0  | 6            | 1,640  | 4062768047983 | 1 1/2 | 48,3 | 2,0 | 7,5          | 2,390  | 4062768048126 |
| 1     | 33,7 | 2,0  | 7            | 1,640  | 4062768048058 | 2     | 60,3 | 2,0 | 6            | 3,020  | 4062768048010 |
| 1     | 33,7 | 2,0  | 7,5          | 1,640  | 4062768048102 | 2     | 60,3 | 2,0 | 7            | 3,020  | 4062768048089 |
| 1 1/4 | 42,4 | 2,0  | 6            | 2,090  | 4062768047990 | 2     | 60,3 | 2,0 | 7,5          | 3,020  | 4062768048133 |
| 1 1/4 | 42,4 | 2,0  | 7            | 2,090  | 4062768048065 | 2 1/2 | 76,1 | 2,0 | 6            | 3,870  | 4062768048027 |
| 1 1/4 | 42,4 | 2,0  | 7,5          | 2,090  | 4062768048119 |       |      |     |              |        |               |




## ■ KONSTRUKTIONSROHR GESCHWEISST S235 VERZINKT

EN10219/EN-ISO 1461

| mm  | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          | mm    | mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|-----|------|------|--------------|--------|---------------|-------|------|------|--------------|--------|---------------|
| 1/2 | 21,3 | 2,00 | 6            | 0,997  | 4062768047839 | 1 1/4 | 42,4 | 2,50 | 6            | 2,583  | 4062768047860 |
| 3/4 | 26,9 | 2,00 | 6            | 1,290  | 4062768047846 | 1 1/2 | 48,3 | 2,50 | 6            | 2,961  | 4062768047877 |
| 1   | 33,7 | 2,50 | 6            | 2,016  | 4062768047853 | 2     | 60,3 | 2,50 | 6            | 3,738  | 4062768047884 |




Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.



# **■ KONSTRUKTIONSROHR / STAHLROHRE GESCHWEISST SCHWARZ S235 JRH** **EN10219**

| Zoll  | mm    | mm  | Länge<br>mtr | kg/mtr | GTIN          |
|-------|-------|-----|--------------|--------|---------------|
| 1/2   | 21,3  | 2,0 | 6            | 0,950  | 4062768047747 |
| 3/4   | 26,9  | 2   | 6            | 1,230  | 4062768047754 |
| 1     | 33,7  | 2,5 | 6            | 1,920  | 4062768047761 |
|       | 33,7  | 2,9 | 6            | 2,200  | 4062768093201 |
|       | 38,0  | 2,0 | 6            | 1,780  | 4062768093393 |
|       | 38,0  | 2,6 | 6            | 2,270  | 4062768093836 |
|       | 38,0  | 3,2 | 6            | 2,750  | 4062768093843 |
|       | 38,0  | 4,0 | 6            | 3,350  | 4062768001855 |
| 1 1/4 | 42,4  | 2,5 | 6            | 2,460  | 4062768047778 |
|       | 42,4  | 3,6 | 6            | 3,440  | 4062768093539 |
| 1 1/2 | 48,3  | 2,5 | 6            | 2,820  | 4062768047785 |
|       | 48,3  | 2,9 | 6            | 3,250  | 4062768093560 |
|       | 48,3  | 3,6 | 6            | 3,970  | 4062768093546 |
|       | 48,3  | 5,0 | 6            | 5,340  | 4062768093676 |
|       | 51,0  | 2,9 | 6            | 3,440  | 4062768093737 |
|       | 51,0  | 4,0 | 6            | 4,640  | 4062768093591 |
| 2     | 60,3  | 2,5 | 6            | 3,560  | 4062768047792 |
|       | 60,3  | 2,9 | 6            | 4,110  | 4062768093218 |
|       | 60,3  | 4,0 | 6            | 5,550  | 4062768093553 |
|       | 60,3  | 5,0 | 6            | 6,820  | 4062768093607 |
|       | 60,3  | 6,3 | 6            | 8,390  | 4062768064430 |
|       | 63,5  | 2,9 | 6            | 4,330  | 4062768093409 |
|       | 70,0  | 2,9 | 6            | 4,800  | 4062768093386 |
|       | 70,0  | 4,0 | 6            | 6,510  | 4062768093225 |
| 2 1/2 | 76,1  | 2,6 | 6            | 4,710  | 4062768047808 |
|       | 76,1  | 2,9 | 6            | 5,240  | 4062768093232 |
|       | 76,1  | 2,9 | 12           | 5,240  | 4062768093720 |
|       | 76,1  | 4,0 | 6            | 7,110  | 4062768093485 |
|       | 76,1  | 5,0 | 6            | 8,770  | 4062768093249 |
|       | 76,1  | 5,0 | 12           | 8,770  | 4062768093256 |
| 3     | 88,9  | 2,9 | 6            | 6,150  | 4062768047815 |
|       | 88,9  | 3,2 | 6            | 6,760  | 4062768093263 |
|       | 88,9  | 3,2 | 12           | 6,760  | 4062768093492 |
|       | 88,9  | 4,0 | 12           | 8,380  | 4062768093379 |
|       | 88,9  | 5,0 | 6            | 10,300 | 4062768093270 |
|       | 88,9  | 5,0 | 12           | 10,300 | 4062768093287 |
|       | 101,6 | 2,0 | 6            | 4,910  | 4062768093577 |
|       | 101,6 | 2,9 | 6            | 7,060  | 4062768093294 |
|       | 101,6 | 3,6 | 6            | 8,700  | 4062768093300 |
|       | 101,6 | 4,0 | 6            | 9,630  | 4062768093850 |

| Zoll | mm    | mm  | Länge<br>mtr | kg/mtr | GTIN          |
|------|-------|-----|--------------|--------|---------------|
|      | 101,6 | 3,6 | 12           | 8,700  | 4062768093317 |
|      | 101,6 | 4,0 | 12           | 9,630  | 4062768093324 |
|      | 101,6 | 5,0 | 6            | 11,900 | 4062768066274 |
|      | 101,6 | 5,0 | 12           | 11,900 | 4062768093621 |
|      | 108,0 | 3,6 | 6            | 9,270  | 4062768093416 |
|      | 114,3 | 3,6 | 6            | 9,830  | 4062768093331 |
|      | 114,3 | 4   | 6            | 10,880 | 4062768198531 |
|      | 114,3 | 5,0 | 6            | 13,500 | 4062768093867 |
|      | 114,3 | 5,0 | 12           | 13,500 | 4062768093348 |
|      | 121,0 | 2,9 | 6            | 8,450  | 4062768093584 |
|      | 121,0 | 4,0 | 12           | 11,500 | 4062768066236 |
|      | 121,0 | 5   | 6            | 14,300 | 4062768192836 |
|      | 127,0 | 4,0 | 12           | 12,100 | 4062768066564 |
|      | 127,0 | 5,0 | 12           | 15,000 | 4062768093683 |
|      | 133,0 | 4,0 | 6            | 12,700 | 4062768093355 |
|      | 133,0 | 4,0 | 12           | 12,700 | 4062768093362 |
|      | 139,7 | 2,9 | 6            | 9,780  | 4062768193895 |
|      | 139,7 | 4,0 | 6            | 13,400 | 4062768093423 |
|      | 139,7 | 4,0 | 12           | 13,400 | 4062768093515 |
|      | 139,7 | 5,0 | 6            | 16,600 | 4062768093430 |
|      | 139,7 | 5,0 | 12           | 16,600 | 4062768093522 |
|      | 139,7 | 6,3 | 6            | 20,700 | 4062768093775 |
|      | 139,7 | 6,3 | 12           | 20,700 | 4062768093744 |
|      | 159,0 | 2,9 | 6            | 11,200 | 4062768195585 |
|      | 159,0 | 2,9 | 12           | 11,200 | 4062768093768 |
|      | 159,0 | 3   | 6            | 11,500 | 4062768269903 |
|      | 159,0 | 4,5 | 6            | 17,100 | 4062768093447 |
|      | 168,3 | 4,5 | 6            | 18,200 | 4062768093454 |
|      | 168,3 | 4,5 | 12           | 18,200 | 4062768093461 |
|      | 168,3 | 5   | 6            | 20,100 | 4062768193147 |
|      | 168,3 | 5   | 12           | 20,100 | 4062768195875 |
|      | 168,3 | 6,3 | 6            | 25,200 | 4062768093508 |
|      | 168,3 | 6,3 | 12           | 25,200 | 4062768093478 |
|      | 193,7 | 5   | 12           | 23,300 | 4062768193574 |
|      | 193,7 | 6,3 | 6            | 29,100 | 4062768195622 |
|      | 219,1 | 3,2 | 6            | 17,040 | 4062768195639 |
|      | 219,1 | 4,5 | 12           | 23,800 | 4062768193512 |
|      | 219,1 | 6,3 | 6            | 33,100 | 4062768192188 |
|      | 273,0 | 5,0 | 12           | 33,000 | 4062768093706 |
|      | 273,0 | 8,0 | 12           | 52,300 | 4062768093652 |
|      | 508,0 | 6,3 | 12           | 77,900 | 4062768001824 |



# **■ STAHLROHR GESCHWEISST S355J2H** **EN10219**


| mm    | mm    | Länge<br>mtr | kg/mtr | GTIN          |
|-------|-------|--------------|--------|---------------|
| 60,3  | 8,00  | 6            | 10,300 | 4062768066342 |
| 76,1  | 8     | 12           | 13,400 | 4062768192195 |
| 76,1  | 8     | 6            | 13,400 | 4062768269880 |
| 88,9  | 8,00  | 12           | 16,000 | 4062768093782 |
| 88,9  | 10,00 | 12           | 19,500 | 4062768093713 |
| 101,6 | 10    | 12           | 22,600 | 4062768195660 |
| 114,3 | 8     | 12           | 21,000 | 4062768192201 |
| 114,3 | 10    | 12           | 25,700 | 4062768192249 |
| 127,0 | 8     | 12           | 23,500 | 4062768195646 |
| 133,0 | 10    | 12           | 30,300 | 4062768095212 |
| 139,7 | 8,00  | 12           | 26,000 | 4062768093805 |
| 139,7 | 10    | 12           | 32,000 | 4062768193307 |
| 159,0 | 10,00 | 12           | 36,700 | 4062768093751 |

| mm    | mm    | Länge<br>mtr | kg/mtr | GTIN          |
|-------|-------|--------------|--------|---------------|
| 168,3 | 10,00 | 12           | 39,000 | 4062768093799 |
| 177,8 | 8     | 12           | 33,50  | 4062768195578 |
| 177,8 | 8     | 12           | 33,500 | 4062768269811 |
| 177,8 | 10    | 12           | 41,380 | 4062768195653 |
| 193,7 | 5     | 12           | 23,300 | 4062768192232 |
| 193,7 | 10    | 12           | 45,300 | 4062768192256 |
| 219,1 | 10    | 12           | 51,600 | 4062768193291 |
| 244,5 | 10,00 | 12           | 57,800 | 4062768093812 |
| 273   | 8     | 12           | 52,300 | 4062768194267 |
| 273,0 | 10,00 | 12           | 64,900 | 4062768093669 |
| 273,0 | 8     | 12           | 52,300 | 4062768194267 |
| 323,9 | 8     | 12           | 62,300 | 4062768195608 |


Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

■ STAHLROHR P235TR1/S235JRH GESCHWEISST DRUCKGEPRÜFT  
EN10217-1/EN10219

| mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          | mm    | mm    | Länge<br>mtr | kg/mtr | GTIN          |
|------|------|--------------|--------|---------------|-------|-------|--------------|--------|---------------|
| 38,0 | 2,00 | 6            | 1,780  | 4062768065376 | 76,1  | 5,00  | 6            | 8,770  | 4062768064553 |
| 38,0 | 2,60 | 6            | 2,270  | 4062768065451 | 76,1  | 5,00  | 12           | 8,770  | 4062768065727 |
| 38,0 | 3,20 | 6            | 2,750  | 4062768063952 | 76,1  | 6,30  | 6            | 10,800 | 4062768064577 |
| 42,4 | 2,60 | 6            | 2,550  | 4062768065475 | 76,1  | 6,30  | 12           | 10,800 | 4062768066045 |
| 42,4 | 2,90 | 6            | 2,820  | 4062768064003 | 76,1  | 8,00  | 6            | 13,400 | 4062768066021 |
| 42,4 | 5,00 | 6            | 4,610  | 4062768064058 | 76,1  | 8,00  | 12           | 13,400 | 4062768066328 |
| 44,5 | 2,60 | 6            | 2,690  | 4062768065499 | 82,5  | 2,60  | 6            | 5,120  | 4062768065598 |
| 48,3 | 5,00 | 6            | 5,340  | 4062768064195 | 82,5  | 3,20  | 6            | 6,260  | 4062768065352 |
| 48,3 | 6,30 | 6            | 6,530  | 4062768064218 | 82,5  | 5,00  | 6            | 9,560  | 4062768064614 |
| 51,0 | 2,60 | 6            | 3,100  | 4062768065345 | 88,9  | 3,20  | 6            | 6,760  | 4062768063655 |
| 51,0 | 4,00 | 6            | 4,640  | 4062768064256 | 88,9  | 3,20  | 12           | 6,760  | 4062768066243 |
| 57,0 | 2,90 | 6            | 3,870  | 4062768065369 | 88,9  | 4,00  | 12           | 8,380  | 4062768064652 |
| 60,3 | 2,90 | 6            | 4,110  | 4062768066625 | 88,9  | 5,00  | 6            | 10,300 | 4062768066373 |
| 60,3 | 2,90 | 12           | 4,110  | 4062768066571 | 88,9  | 5,00  | 12           | 10,300 | 4062768064676 |
| 60,3 | 5,00 | 6            | 6,820  | 4062768064416 | 88,9  | 6,30  | 6            | 12,800 | 4062768066281 |
| 60,3 | 6,30 | 6            | 8,390  | 4062768064430 | 88,9  | 6,30  | 12           | 12,800 | 4062768063747 |
| 60,3 | 6,30 | 12           | 8,390  | 4062768066946 | 88,9  | 8,00  | 12           | 16,000 | 4062768065802 |
| 63,5 | 2,90 | 6            | 4,330  | 4062768066588 | 88,9  | 10,00 | 12           | 19,500 | 4062768065765 |
| 70,0 | 2,90 | 6            | 4,800  | 4062768063778 | 101,6 | 2,90  | 6            | 7,060  | 4062768063662 |
| 70,0 | 5,00 | 6            | 8,010  | 4062768064485 | 101,6 | 3,20  | 6            | 7,820  | 4062768063679 |
| 70,0 | 5,00 | 12           | 8,010  | 4062768066212 | 101,6 | 3,60  | 6            | 8,700  | 4062768063624 |
| 70,0 | 6,30 | 6            | 9,900  | 4062768064508 | 101,6 | 3,60  | 12           | 8,700  | 4062768066069 |
| 70,0 | 6,30 | 12           | 9,900  | 4062768066229 | 101,6 | 4,00  | 12           | 9,630  | 4062768064690 |
| 76,1 | 2,90 | 6            | 5,240  | 4062768063648 | 101,6 | 4,50  | 6            | 10,800 | 4062768066595 |
| 76,1 | 4,00 | 6            | 7,110  | 4062768064539 | 101,6 | 5,00  | 6            | 11,900 | 4062768066274 |



Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.



■ **STAHLROHR P235TR1/235JRH GESCHWEISST DRUCKGEPRÜFT**  
EN10217-1/EN10219


| mm    | mm    | Länge<br>mtr | kg/mtr | GTIN          | mm    | mm    | Länge<br>mtr | kg/mtr | GTIN          |
|-------|-------|--------------|--------|---------------|-------|-------|--------------|--------|---------------|
| 101,6 | 5,00  | 12           | 11,900 | 4062768064706 | 152,4 | 4,50  | 6            | 16,400 | 4062768065277 |
| 101,6 | 6,30  | 6            | 14,800 | 4062768066717 | 152,4 | 4,50  | 12           | 16,400 | 4062768066434 |
| 101,6 | 6,30  | 12           | 14,800 | 4062768063716 | 152,4 | 6,30  | 6            | 22,700 | 4062768067028 |
| 101,6 | 8,00  | 6            | 18,500 | 4062768066700 | 152,4 | 6,30  | 12           | 22,700 | 4062768065000 |
| 101,6 | 8,00  | 12           | 18,500 | 4062768065826 | 152,4 | 8,00  | 12           | 28,500 | 4062768066670 |
| 108,0 | 2,90  | 12           | 7,520  | 4062768066052 | 159,0 | 2,90  | 6            | 11,200 | 4062768066144 |
| 108,0 | 2,90  | 6            | 7,520  | 4062768065338 | 159,0 | 4,50  | 6            | 17,100 | 4062768063730 |
| 108,0 | 3,60  | 6            | 9,270  | 4062768063686 | 159,0 | 10,00 | 12           | 36,700 | 4062768065970 |
| 108,0 | 3,60  | 12           | 9,270  | 4062768066182 | 168,3 | 4,50  | 6            | 18,200 | 4062768065796 |
| 108,0 | 5,00  | 6            | 12,700 | 4062768066366 | 168,3 | 4,50  | 12           | 18,200 | 4062768063631 |
| 108,0 | 5,00  | 12           | 12,700 | 4062768064744 | 168,3 | 6,30  | 6            | 25,200 | 4062768066267 |
| 108,0 | 6,30  | 6            | 15,800 | 4062768066816 | 168,3 | 6,30  | 12           | 25,200 | 4062768065086 |
| 108,0 | 6,30  | 12           | 15,800 | 4062768064768 | 168,3 | 8,00  | 12           | 31,600 | 4062768066168 |
| 108,0 | 8,00  | 6            | 19,700 | 4062768066687 | 168,3 | 10,00 | 12           | 39,000 | 4062768066175 |
| 108,0 | 10,00 | 12           | 24,170 | 4062768191075 | 177,8 | 4,50  | 6            | 19,200 | 4062768067042 |
| 114,3 | 3,20  | 6            | 8,770  | 4062768063754 | 177,8 | 4,50  | 12           | 19,200 | 4062768065222 |
| 114,3 | 3,60  | 6            | 9,830  | 4062768063693 | 177,8 | 6,30  | 6            | 26,600 | 4062768067059 |
| 114,3 | 3,60  | 12           | 9,830  | 4062768066151 | 177,8 | 6,30  | 12           | 26,600 | 4062768065116 |
| 114,3 | 5,00  | 6            | 13,500 | 4062768066830 | 177,8 | 8,00  | 12           | 33,500 | 4062768066410 |
| 114,3 | 5,00  | 12           | 13,500 | 4062768064799 | 177,8 | 10,00 | 12           | 41,382 | 4062768066960 |
| 114,3 | 6,30  | 6            | 16,800 | 4062768066694 | 193,7 | 3,20  | 6            | 15,000 | 4062768066649 |
| 114,3 | 6,30  | 12           | 16,800 | 4062768065956 | 193,7 | 3,20  | 12           | 15,000 | 4062768066120 |
| 114,3 | 8,00  | 6            | 21,000 | 4062768066519 | 193,7 | 4,50  | 6            | 21,000 | 4062768067066 |
| 114,3 | 8,00  | 12           | 21,000 | 4062768065833 | 193,7 | 4,50  | 12           | 21,000 | 4062768065192 |
| 114,3 | 10,00 | 12           | 25,700 | 4062768066359 | 193,7 | 6,30  | 6            | 29,100 | 4062768067073 |
| 121,0 | 4,00  | 6            | 11,500 | 4062768065642 | 193,7 | 6,30  | 12           | 29,100 | 4062768065130 |
| 121,0 | 5,00  | 12           | 14,300 | 4062768064836 | 193,7 | 8,00  | 6            | 36,600 | 4062768066724 |
| 121,0 | 6,30  | 12           | 17,800 | 4062768064850 | 159,0 | 4,50  | 12           | 17,100 | 4062768065789 |
| 121,0 | 8,00  | 12           | 22,300 | 4062768066304 | 159,0 | 6,30  | 6            | 23,700 | 4062768067035 |
| 127,0 | 4,00  | 6            | 12,100 | 4062768066618 | 159,0 | 6,30  | 12           | 23,700 | 4062768065048 |
| 127,0 | 4,00  | 12           | 12,100 | 4062768066564 | 159,0 | 8,00  | 12           | 29,800 | 4062768066014 |
| 127,0 | 5,00  | 6            | 15,000 | 4062768066861 | 193,7 | 8,00  | 12           | 36,600 | 4062768065857 |
| 127,0 | 5,00  | 12           | 15,000 | 4062768064881 | 193,7 | 10,00 | 12           | 45,300 | 4062768066199 |
| 127,0 | 6,30  | 6            | 18,800 | 4062768066878 | 219,1 | 3,20  | 6            | 17,040 | 4062768067080 |
| 127,0 | 6,30  | 12           | 18,800 | 4062768064867 | 219,1 | 4,50  | 6            | 23,800 | 4062768066748 |
| 127,0 | 8,00  | 12           | 23,500 | 4062768066823 | 219,1 | 4,50  | 12           | 23,800 | 4062768065161 |
| 133,0 | 2,90  | 6            | 9,300  | 4062768066335 | 219,1 | 6,30  | 6            | 33,100 | 4062768066250 |
| 133,0 | 4,00  | 6            | 12,700 | 4062768066557 | 219,1 | 6,30  | 12           | 33,100 | 4062768063723 |
| 133,0 | 4,00  | 12           | 12,700 | 4062768066601 | 219,1 | 8,00  | 6            | 41,600 | 4062768191068 |
| 133,0 | 5,00  | 6            | 15,800 | 4062768066991 | 219,1 | 8,00  | 12           | 41,600 | 4062768065840 |
| 133,0 | 5,00  | 12           | 15,800 | 4062768064911 | 219,1 | 10,00 | 12           | 51,600 | 4062768066038 |
| 133,0 | 6,30  | 6            | 19,700 | 4062768067011 | 244,5 | 4,00  | 12           | 23,724 | 4062768067097 |
| 133,0 | 6,30  | 12           | 19,700 | 4062768064935 | 244,5 | 6,30  | 12           | 37,000 | 4062768066076 |
| 133,0 | 8,00  | 6            | 24,700 | 4062768066885 | 273,0 | 5,00  | 12           | 33,000 | 4062768066083 |
| 133,0 | 8,00  | 12           | 24,700 | 4062768066113 | 273,0 | 6,30  | 12           | 41,100 | 4062768066090 |
| 133,0 | 10,00 | 12           | 30,300 | 4062768066731 | 273,0 | 8,00  | 12           | 52,300 | 4062768066472 |
| 139,7 | 4,00  | 6            | 13,400 | 4062768065772 | 323,9 | 5,60  | 12           | 44,000 | 4062768271265 |
| 139,7 | 4,00  | 12           | 13,400 | 4062768063709 | 323,9 | 6,30  | 12           | 49,300 | 4062768066106 |
| 139,7 | 4,50  | 6            | 15,000 | 4062768064942 | 323,9 | 8,00  | 12           | 62,300 | 4062768066298 |
| 139,7 | 5,00  | 12           | 16,600 | 4062768064959 | 355,6 | 6,30  | 12           | 54,270 | 4062768192157 |
| 139,7 | 6,30  | 6            | 20,700 | 4062768066540 | 406,4 | 6,30  | 12           | 62,200 | 4062768066205 |
| 139,7 | 6,30  | 12           | 20,700 | 4062768064973 |       |       |              |        |               |
| 139,7 | 8,00  | 6            | 26,000 | 4062768198456 |       |       |              |        |               |
| 139,7 | 8,00  | 12           | 26,000 | 4062768066007 |       |       |              |        |               |
| 139,7 | 10,00 | 12           | 32,000 | 4062768065963 |       |       |              |        |               |

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

## ■ STAHLROHR P235TR2 NAHTLOS NORMALWANDIG

EN10216-1


| mm    | mm   | Länge<br>mtr | kg/mtr | GTIN          | mm    | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|-------|------|--------------|--------|---------------|-------|------|--------------|--------|---------------|
| 60,3  | 2,90 | 6            | 4,110  | 4062768048355 | 114,3 | 3,60 | 6            | 9,830  | 4062768065987 |
| 76,1  | 2,90 | 6            | 5,240  | 4062768065741 | 133,0 | 4,00 | 6            | 12,700 | 4062768065925 |
| 88,9  | 3,20 | 6            | 6,760  | 4062768065758 | 139,7 | 4,00 | 6            | 13,400 | 4062768048447 |
| 101,6 | 3,60 | 6            | 8,700  | 4062768065871 | 168,3 | 4,50 | 6            | 18,200 | 4062768063761 |




## ■ PRÄZISIONSTAHLROHR GESCHWEISST E220/E235+CR2, S2

EN10305-3

| mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          | mm    | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|------|------|--------------|--------|---------------|-------|------|--------------|--------|---------------|
| 10,0 | 1,00 | 6            | 0,222  | 4062768087668 | 30,0  | 1,50 | 6            | 1,054  | 4062768087903 |
| 10,0 | 1,50 | 6            | 0,314  | 4062768087675 | 30,0  | 2,00 | 6            | 1,381  | 4062768086630 |
| 12,0 | 1,00 | 6            | 0,271  | 4062768087699 | 30,0  | 2,50 | 6            | 1,695  | 4062768087910 |
| 12,0 | 1,50 | 6            | 0,388  | 4062768087705 | 30,0  | 3,00 | 6            | 1,998  | 4062768087927 |
| 12,0 | 2,00 | 6            | 0,493  | 4062768086524 | 32,0  | 2,00 | 6            | 1,480  | 4062768088566 |
| 14,0 | 1,50 | 6            | 0,462  | 4062768087712 | 35,0  | 2,00 | 6            | 1,628  | 4062768086647 |
| 14,0 | 2,00 | 6            | 0,592  | 4062768087729 | 40,0  | 1,50 | 6            | 1,424  | 4062768087965 |
| 15,0 | 1,50 | 6            | 0,499  | 4062768086531 | 40,0  | 2,00 | 6            | 1,874  | 4062768086654 |
| 15,0 | 2,00 | 6            | 0,641  | 4062768086548 | 40,0  | 3,00 | 6            | 2,737  | 4062768087989 |
| 16,0 | 1,50 | 6            | 0,536  | 4062768086555 | 45,0  | 2,00 | 6            | 2,121  | 4062768088023 |
| 16,0 | 2,00 | 6            | 0,691  | 4062768086562 | 50,0  | 1,50 | 6            | 1,794  | 4062768088078 |
| 18,0 | 1,50 | 6            | 0,610  | 4062768087774 | 50,0  | 2,00 | 6            | 2,368  | 4062768086678 |
| 18,0 | 2,00 | 6            | 0,789  | 4062768086579 | 50,0  | 3,00 | 6            | 3,477  | 4062768088085 |
| 20,0 | 1,50 | 6            | 0,684  | 4062768087804 | 60,0  | 1,50 | 6            | 2,164  | 4062768088177 |
| 20,0 | 2,00 | 6            | 0,888  | 4062768086586 | 60,0  | 2,00 | 6            | 2,861  | 4062768088184 |
| 20,0 | 3,00 | 6            | 1,258  | 4062768087828 | 60,0  | 3,00 | 6            | 4,217  | 4062768088207 |
| 22,0 | 1,50 | 6            | 0,758  | 4062768087835 | 70,0  | 2,00 | 6            | 3,354  | 4062768086739 |
| 22,0 | 2,00 | 6            | 0,986  | 4062768086593 | 75,0  | 2,00 | 6            | 3,601  | 4062768088542 |
| 25,0 | 1,50 | 6            | 0,869  | 4062768087866 | 80,0  | 1,50 | 6            | 2,904  | 4062768088283 |
| 25,0 | 2,00 | 6            | 1,134  | 4062768086609 | 80,0  | 2,00 | 6            | 3,847  | 4062768086708 |
| 25,0 | 2,50 | 6            | 1,387  | 4062768086616 | 90,0  | 2,00 | 6            | 4,340  | 4062768088344 |
| 25,0 | 3,00 | 6            | 1,628  | 4062768087057 | 100,0 | 2,00 | 6            | 4,834  | 4062768086715 |
| 28,0 | 1,50 | 6            | 0,980  | 4062768087873 |       |      |              |        |               |
| 28,0 | 2,00 | 6            | 1,282  | 4062768086623 |       |      |              |        |               |







■ **PRÄZISIONSSTAHLROHR NAHTLOS E235+C/+N**  
**EN10305-1**


| mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          | mm    | mm    | Länge<br>mtr | kg/mtr | GTIN          |
|------|------|--------------|--------|---------------|-------|-------|--------------|--------|---------------|
| 8,0  | 2,00 | 6            | 0,296  | 4062768088467 | 30,0  | 2,00  | 6            | 1,381  | 4062768070912 |
| 10,0 | 1,50 | 6            | 0,314  | 4062768067400 | 30,0  | 2,50  | 6            | 1,695  | 4062768070936 |
| 10,0 | 2,00 | 6            | 0,395  | 4062768067424 | 30,0  | 3,00  | 6            | 1,998  | 4062768070950 |
| 10,0 | 2,50 | 6            | 0,462  | 4062768067448 | 30,0  | 4,00  | 6            | 2,565  | 4062768070974 |
| 12,0 | 1,00 | 6            | 0,271  | 4062768067622 | 30,0  | 4,50  | 6            | 2,830  | 4062768070981 |
| 12,0 | 1,50 | 6            | 0,388  | 4062768067646 | 30,0  | 5,00  | 6            | 3,083  | 4062768070998 |
| 12,0 | 2,00 | 6            | 0,493  | 4062768067660 | 30,0  | 6,00  | 6            | 3,551  | 4062768071018 |
| 12,0 | 2,50 | 6            | 0,586  | 4062768067684 | 30,0  | 8,00  | 6            | 4,340  | 4062768071056 |
| 12,0 | 3,00 | 6            | 0,666  | 4062768067707 | 32,0  | 2,00  | 6            | 1,480  | 4062768071377 |
| 13,0 | 1,00 | 6            | 0,296  | 4062768067752 | 32,0  | 6,00  | 6            | 3,847  | 4062768071476 |
| 13,0 | 1,50 | 6            | 0,425  | 4062768067776 | 35,0  | 2,00  | 6            | 1,628  | 4062768072060 |
| 14,0 | 1,50 | 6            | 0,462  | 4062768067905 | 35,0  | 2,50  | 6            | 2,004  | 4062768072084 |
| 14,0 | 2,00 | 6            | 0,592  | 4062768067929 | 35,0  | 5,00  | 6            | 3,699  | 4062768072145 |
| 14,0 | 3,00 | 6            | 0,814  | 4062768067967 | 35,0  | 7,00  | 6            | 4,834  | 4062768072183 |
| 15,0 | 1,00 | 6            | 0,345  | 4062768068025 | 36,0  | 2,00  | 6            | 1,677  | 4062768072299 |
| 15,0 | 1,50 | 6            | 0,499  | 4062768068049 | 38,0  | 2,50  | 6            | 2,189  | 4062768072770 |
| 15,0 | 2,00 | 6            | 0,641  | 4062768068063 | 38,0  | 3,00  | 6            | 2,589  | 4062768072794 |
| 15,0 | 2,50 | 6            | 0,771  | 4062768068087 | 38,0  | 4,00  | 6            | 3,354  | 4062768072817 |
| 15,0 | 3,00 | 6            | 0,888  | 4062768068100 | 40,0  | 2,00  | 6            | 1,874  | 4062768073210 |
| 15,0 | 3,50 | 6            | 0,993  | 4062768068117 | 40,0  | 2,50  | 6            | 2,312  | 4062768073234 |
| 16,0 | 1,00 | 6            | 0,370  | 4062768068179 | 40,0  | 3,00  | 6            | 2,737  | 4062768073258 |
| 16,0 | 1,50 | 6            | 0,536  | 4062768068193 | 40,0  | 4,00  | 6            | 3,551  | 4062768073272 |
| 16,0 | 2,00 | 6            | 0,691  | 4062768068216 | 40,0  | 4,50  | 6            | 3,940  | 4062768073289 |
| 16,0 | 2,50 | 6            | 0,832  | 4062768068230 | 40,0  | 5,00  | 6            | 4,316  | 4062768073296 |
| 16,0 | 3,00 | 6            | 0,962  | 4062768068254 | 40,0  | 6,00  | 6            | 5,031  | 4062768073319 |
| 16,0 | 4,00 | 6            | 1,184  | 4062768068278 | 40,0  | 7,50  | 6            | 6,011  | 4062768073340 |
| 16,0 | 5,00 | 6            | 1,356  | 4062768068292 | 40,0  | 8,00  | 6            | 6,313  | 4062768073357 |
| 17,0 | 2,00 | 6            | 0,740  | 4062768068377 | 40,0  | 10,00 | 6            | 7,398  | 4062768073371 |
| 18,0 | 1,00 | 6            | 0,419  | 4062768068490 | 42,0  | 2,00  | 6            | 1,973  | 4062768073678 |
| 18,0 | 1,50 | 6            | 0,610  | 4062768068513 | 43,0  | 4,00  | 6            | 3,847  | 4062768073968 |
| 18,0 | 2,00 | 6            | 0,789  | 4062768068537 | 45,0  | 1,50  | 6            | 1,609  | 4062768074347 |
| 18,0 | 2,50 | 6            | 0,857  | 4062768068551 | 45,0  | 2,00  | 6            | 2,121  | 4062768074361 |
| 18,0 | 3,00 | 6            | 1,110  | 4062768068575 | 45,0  | 3,00  | 6            | 3,107  | 4062768074408 |
| 18,0 | 6,00 | 6            | 1,776  | 4062768068636 | 45,0  | 5,00  | 6            | 4,932  | 4062768074446 |
| 20,0 | 1,00 | 6            | 0,469  | 4062768068858 | 45,0  | 6,50  | 6            | 6,172  | 4062768074477 |
| 20,0 | 1,50 | 6            | 0,684  | 4062768068872 | 50,0  | 2,00  | 6            | 2,368  | 4062768075511 |
| 20,0 | 2,00 | 6            | 0,888  | 4062768068896 | 50,0  | 2,50  | 6            | 2,929  | 4062768075535 |
| 20,0 | 2,50 | 6            | 1,079  | 4062768068919 | 50,0  | 3,00  | 6            | 3,477  | 4062768075559 |
| 20,0 | 3,00 | 6            | 1,258  | 4062768068933 | 50,0  | 4,00  | 6            | 4,538  | 4062768075573 |
| 20,0 | 3,50 | 6            | 1,424  | 4062768068940 | 50,0  | 5,00  | 6            | 5,549  | 4062768075597 |
| 20,0 | 4,00 | 6            | 1,578  | 4062768068957 | 50,0  | 6,00  | 6            | 6,511  | 4062768075610 |
| 20,0 | 4,50 | 6            | 1,720  | 4062768068964 | 50,0  | 8,00  | 6            | 8,286  | 4062768075658 |
| 20,0 | 5,00 | 6            | 1,850  | 4062768068971 | 50,0  | 10,00 | 6            | 9,865  | 4062768075672 |
| 22,0 | 1,00 | 6            | 0,518  | 4062768069237 | 52,0  | 3,5   | 6            | 4,186  | 4062768076006 |
| 22,0 | 2,00 | 6            | 0,986  | 4062768069275 | 55,0  | 2,00  | 6            | 2,614  | 4062768076617 |
| 22,0 | 3,00 | 6            | 1,406  | 4062768069312 | 60,0  | 3,00  | 6            | 4,217  | 4062768077690 |
| 25,0 | 1,00 | 6            | 0,592  | 4062768069831 | 60,0  | 5,00  | 6            | 6,782  | 4062768077737 |
| 25,0 | 2,00 | 6            | 1,134  | 4062768069879 | 60,0  | 10,00 | 6            | 12,331 | 4062768077812 |
| 25,0 | 2,50 | 6            | 1,387  | 4062768069893 | 70,0  | 3,00  | 6            | 4,957  | 4062768079793 |
| 25,0 | 3,00 | 6            | 1,628  | 4062768069916 | 70,0  | 5,00  | 6            | 8,015  | 4062768079830 |
| 25,0 | 4,00 | 6            | 2,072  | 4062768069923 | 70,0  | 10,00 | 6            | 14,797 | 4062768079915 |
| 25,0 | 4,50 | 6            | 2,275  | 4062768069930 | 75,0  | 2,50  | 6            | 4,470  | 4062768080829 |
| 25,0 | 5,00 | 6            | 2,466  | 4062768069947 | 80,0  | 5,00  | 6            | 9,248  | 4062768081932 |
| 28,0 | 2,50 | 6            | 1,572  | 4062768070516 | 100,0 | 1,50  | 6            | 3,644  | 4062768088627 |
| 28,0 | 3,00 | 6            | 1,850  | 4062768070530 | 100,0 | 3,00  | 6            | 7,176  | 4062768084681 |
| 28,0 | 3,50 | 6            | 2,115  | 4062768070547 | 100,0 | 5,00  | 6            | 11,714 | 4062768084728 |
|      |      |              |        |               | 100,0 | 10,00 | 6            | 22,195 | 4062768084803 |
|      |      |              |        |               | 120,0 | 5,00  | 6            | 14,180 | 4062768086432 |

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.

### ■ HYDRAULIKLEITUNGSRÖHR NAHTLOS GEBONDERT E235+N EN10305-4

| mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|------|------|--------------|--------|---------------|
| 5,0  | 1,00 | 6            | 0,099  | 4062768088689 |
| 6,0  | 1,00 | 6            | 0,123  | 4062768088719 |
| 8,0  | 1,00 | 6            | 0,173  | 4062768088764 |
| 8,0  | 1,50 | 6            | 0,240  | 4062768088771 |
| 10,0 | 1,00 | 6            | 0,222  | 4062768088818 |
| 10,0 | 1,50 | 6            | 0,314  | 4062768088825 |
| 10,0 | 2,00 | 6            | 0,395  | 4062768088832 |
| 12,0 | 1,50 | 6            | 0,388  | 4062768088870 |
| 12,0 | 2,00 | 6            | 0,493  | 4062768088887 |


| mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|------|------|--------------|--------|---------------|
| 15,0 | 1,50 | 6            | 0,499  | 4062768089020 |
| 15,0 | 2,00 | 6            | 0,641  | 4062768089037 |
| 18,0 | 2,00 | 6            | 0,789  | 4062768089167 |
| 20,0 | 2,00 | 6            | 0,888  | 4062768089235 |
| 20,0 | 3,00 | 6            | 1,258  | 4062768089242 |
| 22,0 | 2,00 | 6            | 0,986  | 4062768089303 |
| 28,0 | 2,00 | 6            | 1,282  | 4062768089488 |
| 35,0 | 2,00 | 6            | 1,628  | 4062768089730 |



### ■ HYDRAULIKLEITUNGSRÖHR NAHTLOS VERZINKT E235+N EN10305-4


| mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|------|------|--------------|--------|---------------|
| 6,0  | 1,00 | 6            | 0,123  | 4062768090392 |
| 8,0  | 1,00 | 6            | 0,173  | 4062768090439 |
| 8,0  | 1,50 | 6            | 0,240  | 4062768090446 |
| 10,0 | 1,00 | 6            | 0,222  | 4062768090484 |
| 10,0 | 1,50 | 6            | 0,314  | 4062768090491 |
| 10,0 | 2,00 | 6            | 0,395  | 4062768090507 |
| 12,0 | 1,00 | 6            | 0,271  | 4062768090521 |
| 12,0 | 1,50 | 6            | 0,388  | 4062768090538 |
| 12,0 | 2,00 | 6            | 0,493  | 4062768090545 |
| 14,0 | 2,00 | 6            | 0,592  | 4062768090583 |

| mm   | mm   | Länge<br>mtr | kg/mtr | GTIN          |
|------|------|--------------|--------|---------------|
| 15,0 | 1,50 | 6            | 0,499  | 4062768090613 |
| 15,0 | 2,00 | 6            | 0,641  | 4062768090620 |
| 16,0 | 2,00 | 6            | 0,691  | 4062768090668 |
| 18,0 | 2,00 | 6            | 0,956  | 4062768090705 |
| 20,0 | 2,00 | 6            | 0,888  | 4062768091030 |
| 22,0 | 2,00 | 6            | 0,986  | 4062768090781 |
| 25,0 | 1,50 | 6            | 0,869  | 4062768090859 |
| 25,0 | 2,00 | 6            | 1,134  | 4062768090866 |
| 28,0 | 2,00 | 6            | 1,282  | 4062768090958 |




### ■ FLACHOVALROHR E220+CR2, S2 EN10305-5

| mm | mm | mm   | kg/mtr | GTIN          |
|----|----|------|--------|---------------|
| 38 | 20 | 2,00 | 1,453  | 4062768097506 |
| 60 | 30 | 2,00 | 2,323  | 4062768097513 |




**ANSCHLAGROHR S235JR**


| Profil | Profil | kg/mtr | GTIN          | Profil | Profil | kg/mtr | GTIN          | Profil  | Profil | kg/mtr | GTIN          |
|--------|--------|--------|---------------|--------|--------|--------|---------------|---------|--------|--------|---------------|
| RP 103 | 34     | 3,390  | 4062768091160 | RP 114 | 34     | 3,200  | 4062768091238 | RP 143  | 34     | 2,450  | 4062768091337 |
| RP 104 | 34     | 3,090  | 4062768091177 | RP 133 | 34     | 2,570  | 4062768091276 | RP 144  | 34     | 1,990  | 4062768091344 |
| RP 105 | 34     | 2,920  | 4062768091184 | RP 138 | 34     | 3,020  | 4062768091283 | RP 150  | 34     | 3,550  | 4062768091351 |
| RP 106 | 34     | 2,460  | 4062768091191 | RP 139 | 34     | 2,920  | 4062768091290 | RP 169  | 34     | 2,490  | 4062768091375 |
| RP 111 | 34     | 3,390  | 4062768091207 | RP 140 | 34     | 3,020  | 4062768091306 | RP 1050 | 34     | 3,080  | 4062768091481 |
| RP 112 | 34     | 3,500  | 4062768091214 | RP 141 | 34     | 2,870  | 4062768091313 | RP 1092 | 34     | 4,500  | 4062768091535 |
| RP 113 | 34     | 3,500  | 4062768091221 | RP 142 | 34     | 2,890  | 4062768091320 | RP 1191 | 34     | 2,930  | 4062768091627 |




RP 103




RP 104




RP 105




RP 111




RP 106




RP 112




RP 113




RP 114




RP 133




RP 138




RP 139




RP 140




RP 141




RP 142




RP 143




RP 144




RP 150




RP 169



RP 1050



RP 1092




RP 1191

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


■ ANSCHLAGROHR S235JR

| Profil  | Profil | kg/mtr | GTIN          |
|---------|--------|--------|---------------|
| RP 116  | 40     | 4,060  | 4062768091245 |
| RP 152  | 40     | 3,270  | 4062768091368 |
| RP 185  | 40     | 2,640  | 4062768091382 |
| RP 1008 | 40     | 2,810  | 4062768091467 |
| RP 1049 | 40     | 3,430  | 4062768091474 |
| RP 1087 | 40     | 3,750  | 4062768091528 |


| Profil  | Profil | kg/mtr | GTIN          |
|---------|--------|--------|---------------|
| RP 1093 | 40     | 4,370  | 4062768091542 |
| RP 1094 | 40     | 4,370  | 4062768091559 |
| RP 1114 | 40     | 2,180  | 4062768091580 |
| RP 1162 | 40     | 3,270  | 4062768091597 |
| RP 1348 | 40     | 3,910  | 4062768091658 |
| RP 1628 | 40     | 3,390  | 4062768091801 |
| RP 1639 | 40     | 3,690  | 4062768091818 |




RP 116




RP 152




RP 185




RP 1008




RP 1049




RP 1087




RP 1093




RP 1094




RP 1114




RP 1162



RP 1348



RP 1628




RP 1639

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


## ■ ANSCHLAGROHR S235JR

| Profil  | Profil | kg/mtr | GTIN          |
|---------|--------|--------|---------------|
| RP 1640 | 40     | 3,070  | 4062768091825 |
| RP 1672 | 40     | 2,400  | 4062768091832 |
| RP 1673 | 40     | 3,240  | 4062768091849 |
| RP 1679 | 40     | 3,900  | 4062768091894 |
| RP 1680 | 40     | 3,680  | 4062768091900 |
| RP 1683 | 40     | 2,960  | 4062768091931 |
| RP 1684 | 40     | 3,580  | 4062768091948 |


| Profil  | Profil | kg/mtr | GTIN          |
|---------|--------|--------|---------------|
| RP 1685 | 40     | 3,580  | 4062768091955 |
| RP 1690 | 40     | 4,520  | 4062768091986 |
| RP 1692 | 40     | 2,330  | 4062768091993 |
| RP 1693 | 40     | 2,950  | 4062768092006 |
| RP 1695 | 40     | 3,560  | 4062768092013 |
| RP 1698 | 40     | 3,580  | 4062768092020 |




RP 1640




RP 1672




RP 1673




RP 1679




RP 1680




RP 1683




RP 1684




RP 1685




RP 1690




RP 1692



RP 1693



RP 1695



RP 1698


Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.




■ ANSCHLAGROHR S235JR

| Profil  | Profil | kg/mtr | GTIN          |
|---------|--------|--------|---------------|
| RP 193  | 50     | 3,270  | 4062768091399 |
| RP 195  | 50     | 3,270  | 4062768091405 |
| RP 197  | 50     | 2,650  | 4062768091412 |
| RP 1070 | 50     | 3,890  | 4062768091498 |
| RP 1071 | 50     | 3,890  | 4062768091504 |
| RP 1072 | 50     | 3,280  | 4062768091511 |


| Profil  | Profil | kg/mtr | GTIN          |
|---------|--------|--------|---------------|
| RP 1681 | 50     | 3,990  | 4062768091917 |
| RP 1682 | 50     | 3,990  | 4062768091924 |
| RP 1688 | 50     | 4,850  | 4062768091962 |
| RP 1689 | 50     | 5,460  | 4062768091979 |
| RP 1810 | 50     | 2,750  | 4062768092440 |
| RP 1811 | 50     | 4,210  | 4062768092457 |
| RP 1812 | 50     | 3,880  | 4062768093171 |




RP 193




RP 195




RP 197




RP 1070




RP 1071




RP 1072




RP 1681




RP 1682




RP 1688




RP 1689



RP 1810



RP 1811




RP 1812

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


### ■ ANSCHLAGROHR S235JR

| Profil  | Profil | kg/mtr | GTIN          |
|---------|--------|--------|---------------|
| RP 1592 | 60     | 3,950  | 4062768091665 |
| RP 1594 | 60     | 4,210  | 4062768091689 |
| RP 1596 | 60     | 4,210  | 4062768091702 |


| Profil  | Profil | kg/mtr | GTIN          |
|---------|--------|--------|---------------|
| RP 1645 | 60     | 3,400  | 4062768092891 |
| RP 1647 | 60     | 2,960  | 4062768093065 |




RP 1592




RP 1594



RP 1596




RP 1645




RP 1647

### ■ ANSCHLAGROHR S235JR


| Profil  | Profil | kg/mtr | GTIN          |
|---------|--------|--------|---------------|
| RP 1593 | 80     | 6,010  | 4062768091672 |
| RP 1595 | 80     | 6,780  | 4062768091696 |
| RP 1597 | 80     | 6,760  | 4062768091719 |



RP 1593




RP 1595



RP 1597

### ■ ANSCHLAGROHR S235JR

| Profil | Profil | kg/mtr | GTIN          |
|--------|--------|--------|---------------|
| RP 202 | S      | 1,400  | 4062768091429 |




RP 202


### ■ ANSCHLAGROHR S235JR

| Profil  | Profil      | kg/mtr | GTIN          |
|---------|-------------|--------|---------------|
| RP 1227 | Hermetic 40 | 2,640  | 4062768091887 |
| RP 1229 | Hermetic 40 | 3,400  | 4062768092372 |
| RP 1230 | Hermetic 40 | 3,490  | 4062768092433 |


| Profil  | Profil      | kg/mtr | GTIN          |
|---------|-------------|--------|---------------|
| RP 1231 | Hermetic 40 | 4,290  | 4062768092426 |
| RP 1232 | Hermetic 40 | 4,290  | 4062768092389 |




RP 1227




RP 1229



RP 1232



RP 1230




RP 1231

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.


■ GLASHALTELEISTE  
AUS ALUMINIUM

| Profil | kg/mtr | GTIN          |
|--------|--------|---------------|
| 403021 | 0,230  | 4062768092075 |
| 403031 | 0,160  | 4062768092082 |
| 403610 | 0,210  | 4062768092112 |
| 403620 | 0,280  | 4062768092341 |


| Profil | kg/mtr | GTIN          |
|--------|--------|---------------|
| 403630 | 0,359  | 4062768092129 |
| 403670 | 0,187  | 4062768092068 |
| 403120 | 0,260  | 4062768092990 |




403021




403031




403610




403620




403630



403640




403670




403120

■ GLASHALTELEISTE  
AUS BANDVERZINKTEM STAHL


| Profil | kg/mtr | GTIN          |
|--------|--------|---------------|
| 400180 | 0,580  | 4062768092358 |
| 400230 | 0,680  | 4062768092860 |
| 400280 | 0,770  | 4062768092488 |



400180



400230



400280

■ KLEMMSCHRAUBE


| Profil | GTIN          |
|--------|---------------|
| 604100 | 4062768092365 |
| 604200 | 4062768092303 |
| 640500 | 4062768092297 |



604100



604200



640500

■ DICHTUNGSPROFIL EPDM  
VERGLASUNGSDICHTUNG

| Profil | VPE      | GTIN          |
|--------|----------|---------------|
| 300500 | 100 mtr. | 4062768092136 |
| 930166 | 100 mtr. | 4062768092167 |
| 930116 | 100 mtr. | 4062768092181 |
| 300651 | 100 mtr. | 4062768092143 |

| Profil | VPE      | GTIN          |
|--------|----------|---------------|
| 930106 | 100 mtr. | 4062768092174 |
| 930126 | 100 mtr. | 4062768092198 |
| 304651 | 100 mtr. | 4062768092150 |



300500



930166



930116



300651



930106



930126



304651

Wir erweitern ständig unser Lagerprogramm, nicht aufgeführte Abmessungen sind auf Anfrage lieferbar.